

Package ‘ReactomePA’

April 10, 2015

Type Package

Title Reactome Pathway Analysis

Version 1.10.1

Author Guangchuang Yu <guangchuangyu@gmail.com>

Maintainer Guangchuang Yu <guangchuangyu@gmail.com>

Description This package provides functions for pathway analysis based on REACTOME pathway database. It implements enrichment analysis, gene set enrichment analysis and several functions for visualization.

Dependes R (>= 3.0.0)

Imports DOSE, AnnotationDbi, reactome.db, org.Hs.eg.db, igraph, graphite

Suggests clusterProfiler, GOSemSim, ChIPseeker, knitr

VignetteBuilder knitr

License GPL-2

biocViews Pathways, Visualization, Annotation, MultipleComparison, GeneSetEnrichment

R topics documented:

ReactomePA-package	2
ALLEXTID.Reactome	2
cnetplot	3
DataSet	3
enrichMap	4
enrichPathway	4
EXTID2TERMID.Reactome	5
getGeneSet.Reactome	6
gseaplot	6
gsePathway	7
TERM2NAME.Reactome	7
TERMID2EXTID.Reactome	8
viewPathway	8

Index	10
--------------	-----------

ReactomePA-package *Reactome Pathway Analysis*

Description

This package is designed for reactome pathway analysis.

Details

Package:	ReactomePA
Type:	Package
Version:	1.9.4
Date:	02-09-2012
biocViews:	Bioinformatics, Pathway, Visulization
Depends:	AnnotationDbi, org.Hs.eg.db, igraph, plyr, methods, stats, qvalue, reactome.db
Suggests:	GOSemSim, DOSE, clusterProfiler
License:	GPL-2

Author(s)

Guangchuang Yu <guangchuangyu@gmail.com>

Maintainer: Guangchuang Yu <guangchuangyu@gmail.com>

See Also

[enrichResult](#)

ALLEXTID.Reactome *ALLEXTID.Reactome*

Description

ALLEXTID.Reactome

Usage

```
## S3 method for class Reactome
ALLEXTID(organism)
```

Arguments

organism	organism
----------	----------

*cnetplot**cnetplot*

Description

category-gene-net plot

Usage

```
cnetplot(x, ...)
```

Arguments

x	enrichResult object
...	additional parameter

Details

category gene association

Value

figure

Author(s)

ygc

DataSet

Datasets sample contains a sample of gene IDs.

Description

Datasets sample contains a sample of gene IDs.

enrichMap*enrichMap***Description**

enrichment map

Usage

enrichMap(x, ...)

Arguments

- | | |
|-----|----------------------------|
| x | enrichResult or gseaResult |
| ... | additional parameter |

Details

enrichMap

Value

figure

Author(s)

ygc

enrichPathway

Pathway Enrichment Analysis of a gene set. Given a vector of genes, this function will return the enriched pathways with FDR control.

Description

Pathway Enrichment Analysis of a gene set. Given a vector of genes, this function will return the enriched pathways with FDR control.

Usage

```
enrichPathway(gene, organism = "human", pvalueCutoff = 0.05,
  pAdjustMethod = "BH", qvalueCutoff = 0.2, universe, minGSSize = 5,
  readable = FALSE)
```

Arguments

gene	a vector of entrez gene id.
organism	one of "human", "rat", "mouse", "celegans", "zebrafish", "fly".
pvalueCutoff	Cutoff value of pvalue.
pAdjustMethod	one of "holm", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr", "none"
qvalueCutoff	Cutoff value of qvalue
universe	background genes
minGSSize	minimal size of genes annotated by Ontology term for testing.
readable	whether mapping gene ID to gene Name

Value

A `enrichResult` instance.

Author(s)

Guangchuang Yu <http://ygc.name>

See Also

[enrichResult-class](#)

Examples

```
gene <- c("11171", "8243", "112464", "2194",
"9318", "79026", "1654", "65003",
"6240", "3476", "6238", "3836",
"4176", "1017", "249")
yy = enrichPathway(gene, pvalueCutoff=0.05)
head(summary(yy))
#plot(yy)
```

EXTID2TERMID.Reactome *EXTID2TERMID.Reactome*

Description

EXTID2TERMID.Reactome

Usage

```
## S3 method for class Reactome
EXTID2TERMID(gene, organism)
```

Arguments

gene	gene
organism	organism

```
getGeneSet.Reactome    getGeneSet.Reactome
```

Description

```
getGeneSet.Reactome
```

Usage

```
## S3 method for class Reactome  
getGeneSet(setType = "Reactome", organism)
```

Arguments

setType	gene set type
organism	organism

```
gseaplot           gseaplot
```

Description

```
visualize analyzing result of GSEA
```

Usage

```
gseaplot(x, ...)
```

Arguments

x	gseaResult object
...	additional parameters

Details

```
plotting function for gseaResult
```

Value

```
figure
```

Author(s)

```
ygc
```

gsePathway

gsePathway

Description

Gene Set Enrichment Analysis of Reactome Pathway

Usage

```
gsePathway(geneList, organism = "human", exponent = 1, nPerm = 1000,
            minGSSize = 10, pvalueCutoff = 0.05, pAdjustMethod = "BH",
            verbose = TRUE)
```

Arguments

geneList	order ranked geneList
organism	organism
exponent	weight of each step
nPerm	permutation numbers
minGSSize	minimal size of each geneSet for analyzing
pvalueCutoff	pvalue Cutoff
pAdjustMethod	pvalue adjustment method
verbose	print message or not

Value

gseaResult object

Author(s)

Yu Guangchuang

TERM2NAME.Reactome

TERM2NAME.Reactome

Description

TERM2NAME.Reactome

Usage

```
## S3 method for class Reactome
TERM2NAME(term, organism)
```

Arguments

term	reactome pathway term
organism	organism

TERMID2EXTID.Reactome *TERMID2EXTID.Reactome***Description**

TERMID2EXTID.Reactome

Usage

```
## S3 method for class Reactome
TERMID2EXTID(term, organism)
```

Arguments

term	reactome pathway term
organism	organism

viewPathway *viewPathway***Description**

view reactome pathway

Usage

```
viewPathway(pathName, organism = "human", readable = TRUE,
foldChange = NULL, ...)
```

Arguments

pathName	pathway Name
organism	supported organism
readable	logical
foldChange	fold change
...	additional parameter

Details

plotting reactome pathway

viewPathway

9

Value

plot

Author(s)

Yu Guangchuang

Index

*Topic **datasets**

 DataSet, 3

*Topic **manip**

 enrichPathway, 4

*Topic **package**

 ReactomePA-package, 2

 ALLEXTID.Reactome, 2

 cnetplot, 3

 DataSet, 3

 enrichMap, 4

 enrichPathway, 4

 enrichResult, 2

 EXTID2TERMID.Reactome, 5

 getGeneSet.Reactome, 6

 gseaplot, 6

 gsePathway, 7

 ReactomePA (ReactomePA-package), 2

 ReactomePA-package, 2

 TERM2NAME.Reactome, 7

 TERMID2EXTID.Reactome, 8

 viewPathway, 8