

Package ‘debrowser’

October 17, 2020

Type Package

Title Interactive Differential Expression Analysis Browser

Version 1.16.3

Date 2020-10-12

Author Alper Kucukural <alper.kucukural@umassmed.edu>,
Onur Yukselen <onur.yukselen@umassmed.edu>,
Manuel Garber <manuel.garber@umassmed.edu>

Maintainer Alper Kucukural <alper.kucukural@umassmed.edu>

Description Bioinformatics platform containing interactive plots and tables for differential gene and region expression studies. Allows visualizing expression data much more deeply in an interactive and faster way. By changing the parameters, users can easily discover different parts of the data that like never have been done before. Manually creating and looking these plots takes time. With DEBrowser users can prepare plots without writing any code. Differential expression, PCA and clustering analysis are made on site and the results are shown in various plots such as scatter, bar, box, volcano, ma plots and Heatmaps.

Depends R (>= 3.5.0),

License GPL-3 + file LICENSE

LazyData true

Imports shiny, jsonlite, shinyjs, shinydashboard, shinyBS, gplots, DT,
ggplot2, RColorBrewer, annotate, AnnotationDbi, DESeq2, DOSE,
igraph, grDevices, graphics, stats, utils, GenomicRanges,
IRanges, S4Vectors, SummarizedExperiment, stringi, reshape2,
org.Hs.eg.db, org.Mm.eg.db, limma, edgeR, clusterProfiler,
methods, sva, RCurl, enrichplot, colourpicker, plotly,
heatmaply, Harman, pathview

RoxygenNote 7.1.1

Encoding UTF-8

Suggests testthat, rmarkdown, knitr, R.rsp

VignetteBuilder knitr, R.rsp

URL <https://github.com/UMMS-Biocore/debrowsr>

BugReports <https://github.com/UMMS-Biocore/debrowsr/issues/new>

biocViews Sequencing, ChIPSeq, RNASeq, DifferentialExpression,
GeneExpression, Clustering, ImmunoOncology

git_url <https://git.bioconductor.org/packages/debrowser>
git_branch RELEASE_3_11
git_last_commit be42a8e
git_last_commit_date 2020-10-12
Date/Publication 2020-10-16

R topics documented:

actionButtonDE	6
addDataCols	6
addID	7
all2all	8
all2allControlsUI	8
applyFilters	9
applyFiltersNew	9
applyFiltersToMergedComparison	10
barMainPlotControlsUI	10
batchEffectUI	11
batchMethod	11
BoxMainPlotControlsUI	12
changeClusterOrder	12
checkCountData	13
checkMetaData	13
clusterData	14
clustFunParamsUI	14
compareClust	15
condSelectUI	16
correctCombat	16
correctHarman	17
customColorsUI	17
cutOffSelectionUI	18
dataLCFUI	18
dataLoadUI	19
debrowserall2all	19
debrowserbarmainplot	20
debrowserbatcheffect	21
debrowserboxmainplot	21
debrowsercondselect	22
debrowserdataload	23
debrowserdeanalysis	24
debrowserdensityplot	24
debrowserheatmap	25
debrowserhistogram	26
debrowserIQRplot	26
debrowserlowcountfilter	27
debrowsermainplot	28
debrowserpcaplot	28
dendControlsUI	29
densityPlotControlsUI	30
deServer	30

deUI	31
distFunParamsUI	31
drawKEGG	32
drawPCAExplained	32
fileTypes	33
fileUploadBox	33
generateTestData	34
getAfterLoadMsg	34
getAll2AllPlotUI	35
getBarMainPlot	35
getBarMainPlotUI	36
getBoxMainPlot	37
getBoxMainPlotUI	37
getBTableUI	38
getColors	39
getColorShapeSelection	39
getCompSelection	40
getConditionSelector	40
getConditionSelectorFromMeta	41
getCondMsg	41
getCutOffSelection	42
getDataAssesmentText	43
getDataForTables	43
getDataPreparationText	44
getDEAnalysisText	44
getDensityPlot	45
getDensityPlotUI	45
getDEResultsUI	46
getDomains	46
getDown	47
getDownloadSection	47
getEnrichDO	48
getEnrichGO	48
getEnrichKEGG	49
getEntrezIds	50
getEntrezTable	50
getGeneList	51
getGeneSetData	52
getGOLeftMenu	52
getGoPanel	53
getGOPlots	53
getHeatmapUI	54
getHelpButton	54
getHideLegendOnOff	55
getHistogramUI	55
getIntroText	56
getIQRPlot	56
getIQRPlotUI	57
getJSLine	57
getKEGGModal	58
getLeftMenu	58
getLegendColors	59

getLegendRadio	59
getLegendSelect	60
getLevelOrder	60
getLoadingMsg	61
getLogo	61
getMainPanel	62
getMainPlotsLeftMenu	62
getMainPlotUI	63
getMean	63
getMergedComparison	64
getMetaSelector	64
getMethodDetails	65
getMostVariedList	65
getNormalizedMatrix	66
getOrganism	66
getOrganismBox	67
getOrganismPathway	67
getPCAcontrolUpdatesJS	68
getPCAexplained	68
getPCAPlotUI	69
getPCselection	70
getPlotArea	70
getProgramTitle	71
getQAText	71
getQCLeftMenu	72
getQCPPanel	72
getSampleDetails	73
getSampleNames	73
getSamples	74
getSearchData	74
getSelectedCols	75
getSelectedDatasetInput	75
getSelectInputBox	76
getSelHeat	77
getShapeColor	77
getStartPlotsMsg	78
getStartupMsg	78
getTableDetails	79
getTableModal	79
getTableStyle	80
getTabUpdateJS	81
getTextOnOff	81
getUp	82
getUpDown	82
getVariationData	83
get_conditions_given_selection	83
heatmapControlsUI	84
heatmapJScode	84
heatmapServer	85
heatmapUI	85
hideObj	86
histogramControlsUI	86

installpack	87
IQRPlotControlsUI	87
kmeansControlsUI	88
lcfMetRadio	88
loadpack	89
mainPlotControlsUI	89
mainScatterNew	90
niceKmeans	90
normalizationMethods	91
palUI	92
panel.cor	92
panel.hist	93
pcaPlotControlsUI	93
plotData	94
plotMarginsUI	94
plotSizeMarginsUI	95
plotSizeUI	96
plotTypeUI	96
plot_pca	97
prepDataContainer	98
prepDEOutput	99
prepGroup	99
prepHeatData	100
prepPCADat	101
push	101
removeCols	102
removeExtraCols	102
round_vals	103
runDE	103
runDESeq2	104
runEdgeR	104
runHeatmap	105
runHeatmap2	106
runLimma	106
run_pca	107
selectConditions	108
selectedInput	108
selectGroupInfo	109
sepRadio	110
setBatch	110
showObj	111
startDEBrowser	111
startHeatmap	112
textareaInput	112
togglePanels	113

`actionButtonDE`

Buttons including Action Buttons and Event Buttons

Description

Creates an action button whose value is initially zero, and increments by one each time it is pressed.

Usage

```
actionButtonDE(
  inputId,
  label,
  styleclass = "",
  size = "",
  block = FALSE,
  icon = NULL,
  css.class = "",
  ...
)
```

Arguments

<code>inputId</code>	Specifies the input slot that will be used to access the value.
<code>label</code>	The contents of the button—usually a text label, but you could also use any other HTML, like an image.
<code>styleclass</code>	The Bootstrap styling class of the button—options are primary, info, success, warning, danger, inverse, link or blank
<code>size</code>	The size of the button—options are large, small, mini
<code>block</code>	Whether the button should fill the block
<code>icon</code>	Display an icon for the button
<code>css.class</code>	Any additional CSS class one wishes to add to the action button
<code>...</code>	Other argument to feed into shiny::actionButton

Examples

```
actionButtonDE("goDE", "Go to DE Analysis")
```

`addDataCols`

addDataCols

Description

add additional data columns to de results

Usage

```
addDataCols(data = NULL, de_res = NULL, cols = NULL, conds = NULL)
```

Arguments

data,	loaded dataset
de_res,	de results
cols,	columns
conds,	inputconds

Value

data

Examples

```
x <- addDataCols()
```

addID

addID

Description

Adds an id to the data frame being used.

Usage

```
addID(data = NULL)
```

Arguments

data,	loaded dataset
-------	----------------

Value

data

Examples

```
x <- addID()
```

all2all	<i>all2all</i>
---------	----------------

Description

Prepares all2all scatter plots for given datasets.

Usage

```
all2all(data, cex = 2)
```

Arguments

data,	data that have the sample names in the header.
cex	text size

Value

all2all scatter plots

Examples

```
plot<-all2all(mtcars)
```

all2allControlsUI	<i>all2allControlsUI</i>
-------------------	--------------------------

Description

Generates the controls in the left menu for an all2all plot

Usage

```
all2allControlsUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

returns the controls for left menu

Note

```
all2allControlsUI
```

Examples

```
x <- all2allControlsUI("bar")
```

applyFilters

applyFilters

Description

Applies filters based on user selected parameters to be displayed within the DEBrowser.

Usage

```
applyFilters(filt_data = NULL, cols = NULL, cond = NULL, input = NULL)
```

Arguments

filt_data,	loaded dataset
cols,	selected samples
cond,	selected conditions
input,	input parameters

Value

data

Examples

```
x <- applyFilters()
```

applyFiltersNew

applyFiltersNew

Description

Apply filters based on foldChange cutoff and padj value. This function adds a "Legend" column with "Up", "Down" or "NS" values for visualization.

Usage

```
applyFiltersNew(data = NULL, input = NULL)
```

Arguments

data,	loaded dataset
input,	input parameters

Value

data

Examples

```
x <- applyFiltersNew()
```

```
applyFiltersToMergedComparison
applyFiltersToMergedComparison
```

Description

Gathers the merged comparison data to be used within the DEBrowser.

Usage

```
applyFiltersToMergedComparison(merged = NULL, nc = NULL, input = NULL)
```

Arguments

merged,	merged data
nc,	the number of comparisons
input,	input params

Value

data

Examples

```
x <- applyFiltersToMergedComparison()
```

```
barMainPlotControlsUI barMainPlotControlsUI
```

Description

Generates the controls in the left menu for a bar main plot

Usage

```
barMainPlotControlsUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

returns the controls for left menu

Note

```
barMainPlotControlsUI
```

Examples

```
x <- barMainPlotControlsUI("bar")
```

batchEffectUI	<i>batchEffectUI</i> Creates a panel to coorect batch effect
---------------	--

Description

batchEffectUI Creates a panel to coorect batch effect

Usage

```
batchEffectUI(id)
```

Arguments

id, namespace id

Value

panel

Examples

```
x <- batchEffectUI("batcheffect")
```

batchMethod	<i>batchMethod</i>
-------------	--------------------

Description

select batch effect method

Usage

```
batchMethod(id)
```

Arguments

id, namespace id

Value

radio control

Note

```
batchMethod
```

Examples

```
x <- batchMethod("batch")
```

`BoxMainPlotControlsUI` *BoxMainPlotControlsUI*

Description

Generates the controls in the left menu for a Box main plot

Usage

```
BoxMainPlotControlsUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

returns the controls for left menu

Note

```
BoxMainPlotControlsUI
```

Examples

```
x <- BoxMainPlotControlsUI("box")
```

`changeClusterOrder` *changeClusterOrder*

Description

change order of K-means clusters

Usage

```
changeClusterOrder(order = NULL, cld = NULL)
```

Arguments

order ,	order
cld ,	data

Value

heatmap plot area

Note

```
changeClusterOrder
```

Examples

```
x <- changeClusterOrder()
```

checkCountData	<i>checkCountData</i>
----------------	-----------------------

Description

Returns if there is a problem in the count data.

Usage

```
checkCountData(input = NULL)
```

Arguments

input,	inputs
--------	--------

Value

error if there is a problem about the loaded data

Note

```
checkCountData
```

Examples

```
x <- checkCountData()
```

checkMetaData	<i>checkMetaData</i>
---------------	----------------------

Description

Returns if there is a problem in the count data.

Usage

```
checkMetaData(input = NULL, counttable = NULL)
```

Arguments

input,	input
counttable,	counttable

Value

error if there is a problem about the loaded data

Note

```
checkMetaData
```

Examples

```
x <- checkMetaData()
```

```
clusterData
```

```
clusterData
```

Description

Gathers the Cluster analysis data to be used within the GO Term plots.

Usage

```
clusterData(dat = NULL)
```

Arguments

```
dat,           the data to cluster
```

Value

clustered data

Note

```
clusterData
```

Examples

```
mycluster <- clusterData()
```

```
clustFunParamsUI
```

```
clustFunParamsUI
```

Description

get cluster function parameter control

Usage

```
clustFunParamsUI()
```

Value

cluster params

Note

```
clustFunParamsUI
```

Examples

```
x <- clustFunParamsUI()
```

```
compareClust
```

```
compareClust
```

Description

Compares the clustered data to be displayed within the GO Term plots.

Usage

```
compareClust(  
  dat = NULL,  
  ont = "CC",  
  org = "org.Hs.eg.db",  
  fun = "enrichGO",  
  title = "Ontology Distribution Comparison",  
  pvalueCutoff = 0.01  
)
```

Arguments

dat,	data to compare clusters
ont,	the ontology to use
org,	the organism used
fun,	fun
title,	title of the comparison
pvalueCutoff,	pvalueCutoff

Value

compared cluster

Note

```
compareClust
```

Examples

```
x <- compareClust()
```

`condSelectUI`

condSelectUI Creates a panel to select samples for each condition

Description

`condSelectUI` Creates a panel to select samples for each condition

Usage

```
condSelectUI()
```

Value

panel

Examples

```
x <- condSelectUI()
```

`correctCombat`

Correct Batch Effect using Combat in sva package

Description

Batch effect correction

Usage

```
correctCombat(input = NULL, idata = NULL, metadata = NULL)
```

Arguments

<code>input</code> ,	input values
<code>idata</code> ,	data
<code>metadata</code> ,	metadata

Value

data

Examples

```
x<-correctCombat ()
```

correctHarman	<i>Correct Batch Effect using Harman</i>
---------------	--

Description

Batch effect correction

Usage

```
correctHarman(input = NULL, idata = NULL, metadata = NULL)
```

Arguments

input,	input values
idata,	data
metadata,	metadata

Value

data

Examples

```
x<-correctHarman ()
```

customColorsUI	<i>customColorsUI</i>
----------------	-----------------------

Description

get Custom Color controls

Usage

```
customColorsUI(id)
```

Arguments

id,	namespace ID
-----	--------------

Value

color range

Note

```
getColRng
```

Examples

```
x <- customColorsUI("heatmap")
```

cutOffSelectionUI *cutOffSelectionUI*

Description

Gathers the cut off selection for DE analysis

Usage

cutOffSelectionUI(id)

Arguments

id, namespace id

Value

returns the left menu according to the selected tab;

Note

cutOffSelectionUI

Examples

x <- cutOffSelectionUI("cutoff")

dataLCFUI *dataLCFUI Creates a panel to filter low count genes and regions*

Description

dataLCFUI Creates a panel to filter low count genes and regions

Usage

dataLCFUI(id)

Arguments

id, namespace id

Value

panel

Examples

x <- dataLCFUI("lcf")

dataLoadUI*dataLoadUI*

Description

Creates a panel to upload the data

Usage

```
dataLoadUI(id)
```

Arguments

id, namespace id

Value

panel

Examples

```
x <- dataLoadUI("load")
```

debrowserall2all*debrowserall2all*

Description

Module for a bar plot that can be used in data prep, main plots low count removal modules or any desired module

Usage

```
debrowserall2all(input, output, session, data = NULL, cex = 2)
```

Arguments

input ,	input variables
output ,	output objects
session ,	session
data ,	a matrix that includes expression values
cex ,	the size of the dots

Value

all2all plot

Examples

```
x <- debrowserall2all()
```

debrowserbarmainplot *debrowserbarmainplot*

Description

Module for a bar plot that can be used in data prep, main plots low count removal modules or any desired module

Usage

```
debrowserbarmainplot(  
  input,  
  output,  
  session,  
  data = NULL,  
  cols = NULL,  
  conds = NULL,  
  key = NULL  
)
```

Arguments

input,	input variables
output,	output objects
session,	session
data,	a matrix that includes expression values
cols,	columns
conds,	conditions
key,	the gene or region name

Value

density plot

Examples

```
x <- debrowserbarmainplot()
```

debrowserbatcheffect *debrowserbatcheffect*

Description

Module to correct batch effect

Usage

```
debrowserbatcheffect(input, output, session, ldata = NULL)
```

Arguments

input,	input variables
output,	output objects
session,	session
ldata,	loaded data

Value

main plot
panel

Examples

```
x <- debrowserbatcheffect()
```

debrowserboxmainplot *debrowserboxmainplot*

Description

Module for a box plot that can be used in DEanalysis main part and used heatmaps

Usage

```
debrowserboxmainplot(  
  input = NULL,  
  output = NULL,  
  session = NULL,  
  data = NULL,  
  cols = NULL,  
  conds = NULL,  
  key = NULL  
)
```

Arguments

<code>input</code> ,	input variables
<code>output</code> ,	output objects
<code>session</code> ,	session
<code>data</code> ,	a matrix that includes expression values
<code>cols</code> ,	columns
<code>conds</code> ,	conditions
<code>key</code> ,	the gene or region name

Value

`density plot`

Examples

```
x <- debrowserboxmainplot()
```

`debrowsercondselect` *debrowsercondselect*

Description

Condition selection This is not a module. Module construction didn't used here, just use it as functions not in a module.

Usage

```
debrowsercondselect(
  input = NULL,
  output = NULL,
  session = NULL,
  data = NULL,
  metadata = NULL
)
```

Arguments

<code>input</code> ,	input variables
<code>output</code> ,	output objects
<code>session</code> ,	session
<code>data</code> ,	count data
<code>metadata</code> ,	metadata

Value

`main plot`
`panel`

Examples

```
x <- debrowsercondselect()
```

```
debrowserdataload      debrowserdataload
```

Description

Module to load count data and metadata

Usage

```
debrowserdataload(  
  input = NULL,  
  output = NULL,  
  session = NULL,  
  nextpagebutton = NULL  
)
```

Arguments

input,	input variables
output,	output objects
session,	session
nextpagebutton,	the name of the next page button after loading the data

Value

main plot

panel

Examples

```
x <- debrowserdataload()
```

`debrowserdeanalysis` *debrowserdeanalysis*

Description

Module to perform and visualize DE results.

Usage

```
debrowserdeanalysis(
  input = NULL,
  output = NULL,
  session = NULL,
  data = NULL,
  columns = NULL,
  conds = NULL,
  params = NULL
)
```

Arguments

<code>input</code> ,	input variables
<code>output</code> ,	output objects
<code>session</code> ,	session
<code>data</code> ,	a matrix that includes expression values
<code>columns</code> ,	columns
<code>conds</code> ,	conditions
<code>params</code> ,	de parameters

Value

DE panel

Examples

```
x <- debrowserdeanalysis()
```

`debrowserdensityplot` *debrowserdensityplot*

Description

Module for a density plot that can be used in data prep and low count removal modules

Usage

```
debrowserdensityplot(input = NULL, output = NULL, session = NULL, data = NULL)
```

Arguments

input,	input variables
output,	output objects
session,	session
data,	a matrix that includes expression values

Value

density plot

Examples

```
x <- debrowserdensityplot()
```

debrowserheatmap *debrowserheatmap*

Description

Heatmap module to create interactive heatmaps and get selected list from a heatmap

Usage

```
debrowserheatmap(input, output, session, expdata = NULL)
```

Arguments

input,	input variables
output,	output objects
session,	session
expdata,	a matrix that includes expression values

Value

heatmapply plot

Examples

```
x <- debrowserheatmap()
```

debrowserhistogram *debrowserhistogram*

Description

Module for a histogram that can be used in data prep and low count removal modules

Usage

```
debrowserhistogram(input = NULL, output = NULL, session = NULL, data = NULL)
```

Arguments

input,	input variables
output,	output objects
session,	session
data,	a matrix that includes expression values

Value

histogram

Examples

```
x <- debrowserhistogram()
```

debrowserIQRplot *debrowserIQRplot*

Description

Module for an IQR plot that can be used in data prep and low count removal modules

Usage

```
debrowserIQRplot(input = NULL, output = NULL, session = NULL, data = NULL)
```

Arguments

input,	input variables
output,	output objects
session,	session
data,	a matrix that includes expression values

Value

IQR

Examples

```
x <- debrowserIQRplot()
```

```
debrowserlowcountfilter  
debrowserlowcountfilter
```

Description

Module to filter low count genes/regions

Usage

```
debrowserlowcountfilter(  
  input = NULL,  
  output = NULL,  
  session = NULL,  
  ldata = NULL  
)
```

Arguments

input,	input variables
output,	output objects
session,	session
ldata,	loaded data

Value

main plot
panel

Examples

```
x <- debrowserlowcountfilter()
```

debrowsermainplot *debrowsermainplot*

Description

Module for a scatter, volcano and ma plots that are going to be used as a mainplot in debrowser

Usage

```
debrowsermainplot(input = NULL, output = NULL, session = NULL, data = NULL)
```

Arguments

input,	input variables
output,	output objects
session,	session
data,	a matrix that includes expression values

Value

main plot
panel

Examples

```
x <- debrowsermainplot()
```

debrowserpcaplot *debrowserpcaplot*

Description

Module for a pca plot with its loadings as a mainplot in debrowser

Usage

```
debrowserpcaplot(
  input = NULL,
  output = NULL,
  session = NULL,
  pcadata = NULL,
  metadata = NULL
)
```

Arguments

input,	input variables
output,	output objects
session,	session
pcadata,	a matrix that includes expression values
metadata,	metadata to color the plots

Value

main plot
panel

Examples

```
x <- debrowserpcaplot()
```

dendControlsUI

dendControlsUI

Description

get distance metric parameters

Usage

```
dendControlsUI(id, dendtype = "Row")
```

Arguments

id,	module ID
dendtype,	Row or Col

Value

controls

Note

```
dendControlsUI
```

Examples

```
x <- dendControlsUI("heatmap")
```

`densityPlotControlsUI` *densityPlotControlsUI*

Description

Generates the controls in the left menu for a densityPlot

Usage

`densityPlotControlsUI(id)`

Arguments

`id`, namespace id

Value

returns the left menu

Note

`densityPlotControlsUI`

Examples

```
x <- densityPlotControlsUI("density")
```

`deServer`

deServer

Description

Sets up shinyServer to be able to run DEBrowser interactively.

Usage

`deServer(input, output, session)`

Arguments

<code>input</code> ,	input params from UI
<code>output</code> ,	output params to UI
<code>session</code> ,	session variable

Value

the panel for main plots;

Note

`deServer`

Examples

```
deServer
```

deUI

deUI

Description

Creates a shinyUI to be able to run DEBrowser interactively.

Usage

```
deUI()
```

Value

the panel for main plots;

Note

```
deUI
```

Examples

```
x<-deUI()
```

distFunParamsUI

distFunParamsUI

Description

get distance metric parameters

Usage

```
distFunParamsUI()
```

Value

funParams

Note

```
distFunParamsUI
```

Examples

```
x <- distFunParamsUI()
```

drawKEGG*drawKEGG***Description**

draw KEGG patwhay with expression values

Usage

```
drawKEGG(input = NULL, dat = NULL, pid = NULL)
```

Arguments

input,	input
dat,	expression matrix
pid,	pathway id

Value

enriched DO

Note

`drawKEGG`

Examples

```
x <- drawKEGG()
```

drawPCAExplained

Creates a more detailed plot using the PCA results from the selected dataset.

Description

Creates a more detailed plot using the PCA results from the selected dataset.

Usage

```
drawPCAExplained(explainedData = NULL)
```

Arguments

explainedData,	
	selected data

Value

explained plot

Examples

```
x <- drawPCAExplained()
```

fileTypes

fileTypes

Description

Returns fileTypes that are going to be used in creating fileUpload UI

Usage

```
fileTypes()
```

Value

file types

Note

```
fileTypes
```

Examples

```
x <- fileTypes()
```

fileUploadBox

fileUploadBox

Description

File upload module

Usage

```
fileUploadBox(id = NULL, inputId = NULL, label = NULL)
```

Arguments

id,	namespace id
inputId,	input file ID
label,	label

Value

radio control

Note

```
fileUploadBox
```

Examples

```
x <- fileUploadBox("meta", "metadata", "Metadata")
```

generateTestData	<i>generateTestData</i>
------------------	-------------------------

Description

This generates a test data that is suitable to main plots in debrowser

Usage

```
generateTestData(dat = NULL)
```

Arguments

dat,	DESeq results will be generated for loaded data
------	---

Value

testData	
----------	--

Examples

```
x <- generateTestData()
```

getAfterLoadMsg	<i>getAfterLoadMsg</i>
-----------------	------------------------

Description

Generates and displays the message to be shown after loading data within the DEBrowser.

Usage

```
getAfterLoadMsg()
```

Value

return After Load Msg	
-----------------------	--

Note

getAfterLoadMsg	
-----------------	--

Examples

```
x <- getAfterLoadMsg()
```

```
getAll2AllPlotUI      getAll2AllPlotUI
```

Description

all2all plots UI.

Usage

```
getAll2AllPlotUI(id)
```

Arguments

`id`, namespace id

Value

the panel for all2all plots;

Note

```
getAll2AllPlotUI
```

Examples

```
x <- getAll2AllPlotUI("bar")
```

```
getBarMainPlot      getBarMainPlot
```

Description

Makes Density plots

Usage

```
getBarMainPlot(  
  data = NULL,  
  cols = NULL,  
  conds = NULL,  
  key = NULL,  
  title = "",  
  input = NULL  
)
```

Arguments

<code>data,</code>	count or normalized data
<code>cols,</code>	cols
<code>conds,</code>	conds
<code>key,</code>	key
<code>title,</code>	title
<code>input,</code>	input

Examples

```
getBarMainPlot()
```

`getBarMainPlotUI` *getBarMainPlotUI*

Description

main bar plots UI.

Usage

```
getBarMainPlotUI(id)
```

Arguments

<code>id,</code>	namespace id
------------------	--------------

Value

the panel for Density plots;

Note

```
getBarMainPlotUI
```

Examples

```
x <- getBarMainPlotUI("bar")
```

```
getBoxMainPlot      getBoxMainPlot
```

Description

Makes Density plots

Usage

```
getBoxMainPlot(  
  data = NULL,  
  cols = NULL,  
  conds = NULL,  
  key = NULL,  
  title = "",  
  input = NULL  
)
```

Arguments

data,	count or normalized data
cols,	cols
conds,	conds
key,	key
title,	title
input,	input

Examples

```
getBoxMainPlot()
```

```
getBoxMainPlotUI      getBoxMainPlotUI
```

Description

main Box plots UI.

Usage

```
getBoxMainPlotUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

the panel for Density plots;

Note

`getBoxMainPlotUI`

Examples

```
x <- getBoxMainPlotUI("box")
```

`getBTableUI`

getBTableUI prepares a Modal to put a table

Description

`getBTableUI` prepares a Modal to put a table

Usage

```
getBTableUI(
  name = NULL,
  label = NULL,
  trigger = NULL,
  size = "large",
  modal = NULL
)
```

Arguments

<code>name</code> ,	<code>name</code>
<code>label</code> ,	<code>label</code>
<code>trigger</code> ,	trigger button for the modal
<code>size</code> ,	size of the modal
<code>modal</code> ,	modal yes/no

Value

the modal

Examples

```
x<- getBTableUI()
```

```
getColors           getColors
```

Description

get colors for the domains

Usage

```
getColors(domains = NULL)
```

Arguments

domains, domains to be colored

Value

colors

Examples

```
x<-getColors()
```

```
getColorShapeSelection      getColorShapeSelection
```

Description

Generates the fill and shape selection boxes for PCA plots. metadata file has to be loaded in this case

Usage

```
getColorShapeSelection(metadata = NULL, input = NULL, session = NULL)
```

Arguments

metadata, metadata table
input, input
session, session

Value

Color and shape selection boxes

Examples

```
x <- getColorShapeSelection()
```

`getCompSelection` *getCompSelection*

Description

Gathers the user selected comparison set to be used within the DEBrowser.

Usage

```
getCompSelection(name = NULL, count = NULL)
```

Arguments

<code>name</code> ,	the name of the selectInput
<code>count</code> ,	comparison count

Note

```
getCompSelection
```

Examples

```
x <- getCompSelection(name="comp", count = 2)
```

`getConditionSelector` *getConditionSelector*

Description

Selects user input conditions to run in DESeq.

Usage

```
getConditionSelector(num = 0, choices = NULL, selected = NULL)
```

Arguments

<code>num</code> ,	panel that is going to be shown
<code>choices</code> ,	sample list
<code>selected</code> ,	selected smaple list

Examples

```
x <- getConditionSelector()
```

```
getConditionSelectorFromMeta
    getConditionSelectorFromMeta
```

Description

Selects user input conditions to run in DESeq from metadata

Usage

```
getConditionSelectorFromMeta(
  metadata = NULL,
  input = NULL,
  index = 1,
  num = 0,
  choices = NULL,
  selected = NULL
)
```

Arguments

metadata,	meta data table
input,	input
index,	index
num,	num
choices,	choices
selected,	selected

Examples

```
x <- getConditionSelectorFromMeta()
```

```
getCondMsg      getCondMsg
```

Description

Generates and displays the current conditions and their samples within the DEBrowser.

Usage

```
getCondMsg(dc = NULL, input = NULL, cols = NULL, cond = NULL)
```

Arguments

dc,	columns
input,	selected comparison
cols,	columns
cond,	selected conditions

Value

return conditions

Note

`getCondMsg`

Examples

```
x <- getCondMsg()
```

`getCutOffSelection` *getCutOffSelection*

Description

Gathers the cut off selection for DE analysis

Usage

```
getCutOffSelection(nc = 1)
```

Arguments

`nc`, total number of comparisons

Value

returns the left menu according to the selected tab;

Note

`getCutOffSelection`

Examples

```
x <- getCutOffSelection()
```

```
getDataAssesmentText    getDataAssesmentText DataAssesment text
```

Description

```
getDataAssesmentText DataAssesment text
```

Usage

```
getDataAssesmentText()
```

Value

```
help text for data assesment
```

Examples

```
x<- getDataAssesmentText()
```

```
getDataForTables      getDataForTables get data to fill up tables tab
```

Description

```
getDataForTables get data to fill up tables tab
```

Usage

```
getDataForTables(  
  input = NULL,  
  init_data = NULL,  
  filt_data = NULL,  
  selected = NULL,  
  getMostVaried = NULL,  
  mergedComp = NULL,  
  explainedData = NULL  
)
```

Arguments

input,	input parameters
init_data,	initial dataset
filt_data,	filt_data
selected,	selected genes
getMostVaried,	most varied genes
mergedComp,	merged comparison set
explainedData,	pca gene set

Value

data

Examples

```
x <- getDataForTables()
```

getDataPreparationText

getDataPreparationText DataPreparation text

Description

`getDataPreparationText DataPreparation text`

Usage

```
getDataPreparationText()
```

Value

help text for data preparation

Examples

```
x<- getDataPreparationText()
```

getDEAnalysisText

getDEAnalysisText DEAnalysis text

Description

`getDEAnalysisText DEAnalysis text`

Usage

```
getDEAnalysisText()
```

Value

help text for DE Analysis

Examples

```
x<- getDEAnalysisText()
```

```
getDensityPlot      getDensityPlot
```

Description

Makes Density plots

Usage

```
getDensityPlot(data = NULL, input = NULL, title = "")
```

Arguments

data,	count or normalized data
input,	input
title,	title

Examples

```
getDensityPlot()
```

```
getDensityPlotUI      getDensityPlotUI
```

Description

Density plot UI.

Usage

```
getDensityPlotUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

the panel for Density plots;

Note

```
getDensityPlotUI
```

Examples

```
x <- getDensityPlotUI("density")
```

`getDEResultsUI`

getDEResultsUI Creates a panel to visualize DE results

Description

`getDEResultsUI` Creates a panel to visualize DE results

Usage

```
getDEResultsUI(id)
```

Arguments

`id`, namespace id

Value

panel

Examples

```
x <- getDEResultsUI("batcheffect")
```

`getDomains`

getDomains

Description

Get domains for the main plots.

Usage

```
getDomains(filt_data = NULL)
```

Arguments

`filt_data`, data to get the domains

Value

domains

Examples

```
x<-getDomains()
```

getDown	<i>getDown get down regulated data</i>
---------	--

Description

getDown get down regulated data

Usage

```
getDown(filt_data = NULL)
```

Arguments

filt_data, filt_data

Value

data

Examples

```
x <- getDown()
```

getDownloadSection	<i>getDownloadSection</i>
--------------------	---------------------------

Description

download section button and dataset selection box in the menu for user to download selected data.

Usage

```
getDownloadSection(choices = NULL)
```

Arguments

choices, main vs. QC section

Value

the panel for download section in the menu;

Note

```
getDownloadSection
```

Examples

```
x<- getDownloadSection()
```

getEnrichDO

*getEnrichDO***Description**

Gathers the Enriched DO Term analysis data to be used within the GO Term plots.

Usage

```
getEnrichDO(genelist = NULL, pvalueCutoff = 0.01)
```

Arguments

genelist,	gene list
pvalueCutoff,	the p value cutoff

Value

enriched DO

Note

```
getEnrichDO
```

Examples

```
x <- getEnrichDO()
```

getEnrichGO

*getEnrichGO***Description**

Gathers the Enriched GO Term analysis data to be used within the GO Term plots.

Usage

```
getEnrichGO(
  genelist = NULL,
  pvalueCutoff = 0.01,
  org = "org.Hs.eg.db",
  ont = "CC"
)
```

Arguments

genelist,	gene list
pvalueCutoff,	p value cutoff
org,	the organism used
ont,	the ontology used

Value

Enriched GO

Note

`getEnrichGO`

Examples

```
x <- getEnrichGO()
```

`getEnrichKEGG`

getEnrichKEGG

Description

Gathers the Enriched KEGG analysis data to be used within the GO Term plots.

Usage

```
getEnrichKEGG(geneList = NULL, pvalueCutoff = 0.01, org = "org.Hs.eg.db")
```

Arguments

geneList,	gene list
pvalueCutoff,	the p value cutoff
org,	the organism used

Value

Enriched KEGG

Note

`getEnrichKEGG`

Examples

```
x <- getEnrichKEGG()
```

`getEntrezIds` *getEntrezIds*

Description

Gathers the gene list to use for GOTerm analysis.

Usage

```
getEntrezIds(genes = NULL, org = "org.Hs.eg.db")
```

Arguments

<code>genes</code> ,	gene list with fold changes
<code>org</code> ,	organism for gene symbol entrez ID conversion

Value

ENTREZ ID list

Note

GOTerm
`getEntrezIds` symbol to ENTREZ ID conversion

Examples

```
x <- getEntrezIds()
```

`getEntrezTable` *getEntrezTable*

Description

Gathers the entrezIds of the genes in given list and their data

Usage

```
getEntrezTable(genes = NULL, dat = NULL, org = "org.Hs.eg.db")
```

Arguments

<code>genes</code> ,	gene list
<code>dat</code> ,	data matrix
<code>org</code> ,	organism for gene symbol entrez ID conversion

Value

table with the entrez IDs in the rownames

Note

GOTerm

getEntrezTable symbol to ENTREZ ID conversion

Examples

```
x <- getEntrezTable()
```

`getGeneList``getGeneList`

Description

Gathers the gene list to use for GOTerm analysis.

Usage

```
getGeneList(genes = NULL, org = "org.Hs.eg.db")
```

Arguments

`genes`, gene list

`org`, orgranism for gene symbol entrez ID conversion

Value

ENTREZ ID list

Note

GOTerm

getGeneList symbol to ENTREZ ID conversion

Examples

```
x <- getGeneList(c('OCLN', 'ABCC2'))
```

getGeneSetData *getGeneSetData*

Description

Gathers the specified gene set list to be used within the DEBrowser.

Usage

```
getGeneSetData(data = NULL, geneset = NULL)
```

Arguments

data,	loaded dataset
geneset,	given gene set

Value

data

Examples

```
x <- getGeneSetData()
```

getGOLeftMenu *getGOLeftMenu*

Description

Generates the GO Left menu to be displayed within the DEBrowser.

Usage

```
getGOLeftMenu()
```

Value

returns the left menu according to the selected tab;

Note

```
getGOLeftMenu
```

Examples

```
x <- getGOLeftMenu()
```

`getGoPanel`*getGoPanel*

Description

Creates go term analysis panel within the shiny display.

Usage

```
getGoPanel()
```

Value

the panel for go term analysis;

Note

```
getGoPanel
```

Examples

```
x <- getGoPanel()
```

`getGOPlots`*getGOPLOTS*

Description

Go term analysis panel. Generates appropriate GO plot based on user selection.

Usage

```
getGOPLOTS(dataset = NULL, input = NULL)
```

Arguments

<code>dataset</code> ,	the dataset used
<code>input</code> ,	input params

Value

the panel for go plots;

Note

```
getGOPLOTS
```

Examples

```
x<- getGOPLOTS()
```

`getHeatmapUI`*getHeatmapUI***Description**

Generates the left menu to be used for heatmap plots

Usage

```
getHeatmapUI(id)
```

Arguments

<code>id,</code>	module ID
------------------	-----------

Value

heatmap plot area

Note

```
getHeatmapUI
```

Examples

```
x <- getHeatmapUI("heatmap")
```

`getHelpButton`

getHelpButton prepares a helpbutton for to go to a specific site in the documentation

Description

getHelpButton prepares a helpbutton for to go to a specific site in the documentation

Usage

```
getHelpButton(name = NULL, link = NULL)
```

Arguments

<code>name,</code>	name that are going to come after info
<code>link,</code>	link of the help

Value

the info button

Examples

```
x<- getHelpButton()
```

`getHideLegendOnOff` *getHideLegendOnOff*

Description

hide legend

Usage

```
getHideLegendOnOff(id = "pca")
```

Arguments

`id`, namespace id

Examples

```
x <- getHideLegendOnOff("pca")
```

`getHistogramUI` *getHistogramUI*

Description

Histogram plots UI.

Usage

```
getHistogramUI(id)
```

Arguments

`id`, namespace id

Value

the panel for PCA plots;

Note

```
getHistogramUI
```

Examples

```
x <- getHistogramUI("histogram")
```

<code>getIntroText</code>	<i>getIntroText Intro text</i>
---------------------------	--------------------------------

Description

`getIntroText` Intro text

Usage

`getIntroText()`

Value

the JS for tab updates

Examples

```
x<- getIntroText()
```

<code>getIQRPlot</code>	<i>getIQRPlot</i>
-------------------------	-------------------

Description

Makes IQR boxplot plot

Usage

`getIQRPlot(data = NULL, input = NULL, title = "")`

Arguments

<code>data,</code>	count or normalized data
<code>input,</code>	input
<code>title,</code>	title

Examples

```
getIQRPlot()
```

`getIQRPlotUI``getIQRPlotUI`

Description

IQR plot UI.

Usage

```
getIQRPlotUI(id)
```

Arguments

`id`, namespace id

Value

the panel for IQR plots;

Note

```
getIQRPlotUI
```

Examples

```
x <- getIQRPlotUI("IQR")
```

`getJSLine``getJSLine`

Description

heatmap JS code for selection functionality

Usage

```
getJSLine()
```

Value

JS Code

Examples

```
x <- getJSLine()
```

`getKEGGModal`*getKEGGModal prepares a modal for KEGG plots***Description**

`getKEGGModal` prepares a modal for KEGG plots

`getKEGGModal` prepares a helpbutton for to go to a specific site in the documentation

Usage

```
getKEGGModal()
```

```
getKEGGModal()
```

Value

the info button

the info button

Examples

```
x<- getKEGGModal()
```

```
x<- getKEGGModal()
```

`getLeftMenu`*getLeftMenu***Description**

Generates the left menu for for plots within the DEBrowser.

Usage

```
getLeftMenu(input = NULL)
```

Arguments

`input`, input values

Value

returns the left menu according to the selected tab;

Note

```
getLeftMenu
```

Examples

```
x <- getLeftMenu()
```

getLegendColors *getLegendColors*

Description

Generates colors according to the data

Usage

```
getLegendColors(Legend = c("up", "down", "NS"))
```

Arguments

Legend, unique Legends

Value

mainPlotControls

Note

getLegendColors

Examples

```
x <- getLegendColors(c("up", "down", "GS", "NS"))
```

getLegendRadio *getLegendRadio*

Description

Radio buttons for the types in the legend

Usage

```
getLegendRadio(id)
```

Arguments

id, namespace id

Value

radio control

Note

getLegendRadio

Examples

```
x <- getLegendRadio("deprog")
```

getLegendSelect	<i>getLegendSelect</i>
-----------------	------------------------

Description

select legend

Usage

```
getLegendSelect(id = "pca")
```

Arguments

id, namespace id

Note

`getLegendSelect`

Examples

```
x <- getLegendSelect("pca")
```

getLevelOrder	<i>getLevelOrder</i>
---------------	----------------------

Description

Generates the order of the overlapping points

Usage

```
getLevelOrder(Level = c("up", "down", "NS"))
```

Arguments

Level, factor levels shown in the legend

Value

order

Note

`getLevelOrder`

Examples

```
x <- getLevelOrder(c("up", "down", "GS", "NS"))
```

getLoadingMsg

getLoadingMsg

Description

Creates and displays the loading message/gif to be displayed within the DEBrowser.

Usage

```
getLoadingMsg(output = NULL)
```

Arguments

output, output message

Value

loading msg

Note

```
getLoadingMsg
```

Examples

```
x <- getLoadingMsg()
```

getLogo

getLogo

Description

Generates and displays the logo to be shown within DEBrowser.

Usage

```
getLogo()
```

Value

return logo

Note

```
getLogo
```

Examples

```
x <- getLogo()
```

```
getMainPanel      getMainPanel
```

Description

main panel for volcano, scatter and maplot. Barplot and box plots are in this page as well.

Usage

```
getMainPanel()
```

Value

the panel for main plots;

Note

```
getMainPanel
```

Examples

```
x <- getMainPanel()
```

```
getMainPlotsLeftMenu  getMainPlotsLeftMenu
```

Description

Generates the Main PLots Left menu to be displayed within the DEBrowser.

Usage

```
getMainPlotsLeftMenu()
```

Value

returns the left menu according to the selected tab;

Note

```
getMainPlotsLeftMenu
```

Examples

```
x <- getMainPlotsLeftMenu()
```

getMainPlotUI	<i>getMainPlotUI</i>
---------------	----------------------

Description

main plot for volcano, scatter and maplot.

Usage

```
getMainPlotUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

the panel for main plots;

Note

```
getMainPlotUI
```

Examples

```
x <- getMainPlotUI("main")
```

getMean	<i>getMean</i>
---------	----------------

Description

Gathers the mean for selected condition.

Usage

```
getMean(data = NULL, selcols = NULL)
```

Arguments

data,	dataset
selcols,	input cols

Value

data

Examples

```
x <- getMean()
```

getMergedComparison *getMergedComparison*

Description

Gathers the merged comparison data to be used within the DEBrowser.

Usage

```
getMergedComparison(dc = NULL, nc = NULL, input = NULL)
```

Arguments

dc,	data container
nc,	the number of comparisons
input,	input params

Value

data

Examples

```
x <- getMergedComparison()
```

getMetaSelector *getMetaSelector*

Description

Return the sample selection box using meta data table

Usage

```
getMetaSelector(metadata = NULL, input = NULL, n = 0)
```

Arguments

metadata,	meta data table
input,	input params
n,	the box number

Value

meta select box

Examples

```
x<-getMetaSelector()
```

getMethodDetails *get the detail boxes after DE method selected*

Description

get the detail boxes after DE method selected

Usage

```
getMethodDetails(num = 0, input = NULL)
```

Arguments

num,	panel that is going to be shown
input,	user input

Examples

```
x <- getMethodDetails()
```

getMostVariedList *getMostVariedList*

Description

Calculates the most varied genes to be used for specific plots within the DEBrowser.

Usage

```
getMostVariedList(datavar = NULL, cols = NULL, input = NULL)
```

Arguments

datavar,	loaded dataset
cols,	selected columns
input,	input

Value

data

Examples

```
x <- getMostVariedList()
```

`getNormalizedMatrix` *getNormalizedMatrix*

Description

Normalizes the matrix passed to be used within various methods within DEBrowser. Requires edgeR package

Usage

```
getNormalizedMatrix(M = NULL, method = "TMM")
```

Arguments

<code>M</code> ,	numeric matrix
<code>method</code> ,	normalization method for edgeR. default is TMM

Value

normalized matrix

Note

```
getNormalizedMatrix
```

Examples

```
x <- getNormalizedMatrix(mtcars)
```

`getOrganism` *getOrganism*

Description

`getOrganism`

Usage

```
getOrganism(org)
```

Arguments

<code>org</code> ,	organism
--------------------	----------

Value

organism name for keg

Note`getOrganism`**Examples**

```
x <- getOrganism()
```

getOrganismBox *getOrganismBox*

Description

Get the organism Box.

Usage`getOrganismBox()`**Value**`selectInput`**Note**

`getOrganismBox`
`getOrganismBox` makes the organism box

Examples

```
x <- getOrganismBox()
```

getOrganismPathway *getOrganismPathway*

Description`getOrganismPathway`**Usage**`getOrganismPathway(org)`**Arguments**

org, organism

Value

organism name for pathway

Note

```
getOrganismPathway
```

Examples

```
x <- getOrganismPathway()
```

getPCAcontrolUpdatesJS *getPCAcontrolUpdatesJS* in the prep menu we have two PCA plots to show how batch effect correction worked. One set of PCA input controls updates two PCA plots with this JS.

Description

getPCAcontrolUpdatesJS in the prep menu we have two PCA plots to show how batch effect correction worked. One set of PCA input controls updates two PCA plots with this JS.

Usage

```
getPCAcontrolUpdatesJS()
```

Value

the JS for tab updates

Examples

```
x<- getTabUpdateJS()
```

getPCAexplained *getPCAexplained*

Description

Creates a more detailed plot using the PCA results from the selected dataset.

Usage

```
getPCAexplained(datasetInput = NULL, pca_data = NULL, input = NULL)
```

Arguments

datasetInput,	selected data
pca_data,	from user
input,	input params

Value

explained plot

Examples

```
load(system.file("extdata", "demo", "demodata.Rda", package="debrowser"))
input<-c()
input$qcplot<-"pca"
input$col_list<-colnames(demodata[,1:6])
dat <- getNormalizedMatrix(demodata[,1:6])
pca_data <- run_pca(dat)
x <- getPCAExplained(dat, pca_data, input)
```

getPCAPlotUI

getPCAPlotUI

Description

PCA plots UI.

Usage

```
getPCAPlotUI(id)
```

Arguments

`id`, namespace id

Value

the panel for PCA plots;

Note

```
getPCAPlotUI
```

Examples

```
x <- getPCAPlotUI("pca")
```

`getPCselection` *getPCselection*

Description

Generates the PC selection number to be used within DEBrowser.

Usage

```
getPCselection(id, num = 1, xy = "x")
```

Arguments

<code>id</code> ,	namespace id
<code>num</code> ,	PC selection number
<code>xy</code> ,	x or y coordinate

Value

PC selection for PCA analysis

Note

```
getPCselection
```

Examples

```
x <- getPCselection("pca")
```

`getPlotArea` *getPlotArea*

Description

returns plot area either for heatmaply or heatmap.2

Usage

```
getPlotArea(input = NULL, session = NULL)
```

Arguments

<code>input</code> ,	input variables
<code>session</code> ,	session

Value

heatmapply/heatmap.2 plot area

Examples

```
x <- getPlotArea()
```

<i>getProgramTitle</i>	<i>getProgramTitle</i>
------------------------	------------------------

Description

Generates the title of the program to be displayed within DEBrowser. If it is called in a program, the program title will be hidden

Usage

```
getProgramTitle(session = NULL)
```

Arguments

session, session var

Value

program title

Note

```
getProgramTitle
```

Examples

```
title<-getProgramTitle()
```

<i>getQAText</i>	<i>getQAText Some questions and answers</i>
------------------	---

Description

getQAText Some questions and answers

Usage

```
getQAText()
```

Value

help text for QA

Examples

```
x<- getQAText()
```

getQCLeftMenu	<i>getQCLeftMenu</i>
---------------	----------------------

Description

Generates the left menu to be used for QC plots within the DEBrowser.

Usage

```
getQCLeftMenu(input = NULL)
```

Arguments

input, input values

Value

QC left menu

Note

```
getQCLeftMenu
```

Examples

```
x <- getQCLeftMenu()
```

getQCPanel	<i>getQCPanel</i>
------------	-------------------

Description

Gathers the conditional panel for QC plots

Usage

```
getQCPanel(input = NULL)
```

Arguments

input, user input

Value

the panel for QC plots

Note

```
getQCSection
```

Examples

```
x <- getQCPanel()
```

getSampleDetails	<i>getSampleDetails</i>
------------------	-------------------------

Description

get sample details

Usage

```
getSampleDetails(output = NULL, summary = NULL, details = NULL, data = NULL)
```

Arguments

output,	output
summary,	summary output name
details,	details ouput name
data,	data

Value

panel

Examples

```
x <- getSampleDetails()
```

getSampleNames	<i>getSampleNames</i>
----------------	-----------------------

Description

Prepares initial samples to fill condition boxes. it reads the sample names from the data and splits into two.

Usage

```
getSampleNames(cnames = NULL, part = 1)
```

Arguments

cnames,	sample names in the header of a dataset
part,	c(1,2). 1=first half and 2= second half

Value

sample names.

Examples

```
x<-getSampleNames()
```

`getSamples`

getSamples

Description

Gathers the sample names to be used within DEBrowser.

Usage

```
getSamples(cnames = NULL, index = 1)
```

Arguments

<code>cnames,</code>	names of the samples
<code>index,</code>	starting column in a tab separated file

Value

choices

Examples

```
x <- getSamples()
```

`getSearchData`

getSearchData

Description

search the geneset in the tables and return it

Usage

```
getSearchData(dat = NULL, input = NULL)
```

Arguments

<code>dat,</code>	table data
<code>input,</code>	input params

Value

```
data
```

Examples

```
x <- getSearchData()
```

```
getSelectedCols      getSelectedCols
```

Description

gets selected columns

Usage

```
getSelectedCols(data = NULL, datasetInput = NULL, input = NULL)
```

Arguments

data,	all loaded data
datasetInput,	selected dataset
input,	user input params

Examples

```
getSelectedCols()
```

```
getSelectedDatasetInput      getSelectedDatasetInput
```

Description

Gathers the user selected dataset output to be displayed.

Usage

```
getSelectedDatasetInput(  
  rdata = NULL,  
  getSelected = NULL,  
  getMostVaried = NULL,  
  mergedComparison = NULL,  
  input = NULL  
)
```

Arguments

rdata,	filtered dataset
getSelected,	selected data
getMostVaried,	most varied data
mergedComparison,	merged comparison data
input,	input parameters

Value

data

Examples

```
x <- getSelectedDatasetInput()
```

getSelectInputBox	<i>getSelectInputBox</i>
-------------------	--------------------------

Description

Selects user input conditions to run in DESeq.

Usage

```
getSelectInputBox(
  id = NULL,
  name = NULL,
  num = 0,
  choices = NULL,
  selected = NULL,
  cw = 2
)
```

Arguments

id,	input id
name,	label of the box
num,	panel that is going to be shown
choices,	sample list
selected,	selected sample list
cw,	column width

Examples

```
x <- getSelectInputBox()
```

getSelHeat	<i>getSelHeat</i>
------------	-------------------

Description

heatmap selection functionality

Usage

```
getSelHeat(expdata = NULL, input = NULL)
```

Arguments

expdata,	selected genes
input,	input params

Value

plot

Examples

```
x <- getSelHeat()
```

getShapeColor	<i>getShapeColor</i>
---------------	----------------------

Description

Generates the fill and shape selection boxes for PCA plots. metadata file has to be loaded in this case

Usage

```
getShapeColor(input = NULL)
```

Arguments

input,	input values
--------	--------------

Value

Color and shape from selection boxes or defaults

Examples

```
x <- getShapeColor()
```

<code>getStartPlotsMsg</code>	<i>getStartPlotsMsg</i>
-------------------------------	-------------------------

Description

Generates and displays the starting message to be shown once the user has first seen the main plots page within DEBrowser.

Usage

```
getStartPlotsMsg()
```

Value

return start plot msg

Note

```
getStartPlotsMsg
```

Examples

```
x <- getStartPlotsMsg()
```

<code>getStartupMsg</code>	<i>getStartupMsg</i>
----------------------------	----------------------

Description

Generates and displays the starting message within DEBrowser.

Usage

```
getStartupMsg()
```

Value

return startup msg

Note

```
getStartupMsg
```

Examples

```
x <- getStartupMsg()
```

getTableDetails	<i>getTableDetails</i>
-----------------	------------------------

Description

get table details To be able to put a table into two lines are necessary; into the server part; getTableDetails(output, session, "dataname", data, modal=TRUE) into the ui part; uiOutput(ns("dataname"))

Usage

```
getTableDetails(  
  output = NULL,  
  session = NULL,  
  tablename = NULL,  
  data = NULL,  
  modal = NULL  
)
```

Arguments

output,	output
session,	session
tablename,	table name
data,	matrix data
modal,	if it is true, the matrix is going to be in a modal

Value

panel

Examples

```
x <- getTableDetails()
```

getTableModal	<i>getTableModal</i> prepares table modal for KEGG
---------------	--

Description

getTableModal prepares table modal for KEGG

Usage

```
getTableModal()
```

Value

the info button

Examples

```
x<- getTableModal()
```

<code>getTableStyle</code>	<i>getTableStyle</i>
----------------------------	----------------------

Description

User defined selection that selects the style of table to display within the DEBrowser.

Usage

```
getTableStyle(
  dat = NULL,
  input = NULL,
  padj = c("padj"),
  foldChange = c("foldChange"),
  DEsection = TRUE
)
```

Arguments

dat,	dataset
input,	input params
padj,	the name of the padj value column in the dataset
foldChange,	the name of the foldChange column in the dataset
DEsection,	if it is in DESection or not

Note

```
getTableStyle
```

Examples

```
x <- getTableStyle()
```

`getTabUpdateJS`

getTabUpdateJS prepmenu tab and discovery menu tab updates

Description

`getTabUpdateJS` prepmenu tab and discovery menu tab updates

Usage

```
getTabUpdateJS()
```

Value

the JS for tab updates

Examples

```
x<- getTabUpdateJS()
```

`getTextOnOff`

getTextOnOff

Description

text on PCA plot on and off

Usage

```
getTextOnOff(id = "pca")
```

Arguments

`id`, namespace id

Note

```
getTextOnOff
```

Examples

```
x <- getTextOnOff("pca")
```

getUp	<i>getUp get up regulated data</i>
-------	------------------------------------

Description

getUp get up regulated data

Usage

```
getUp(filt_data = NULL)
```

Arguments

filt_data, filt_data

Value

data

Examples

```
x <- getUp()
```

getUpDown	<i>getUpDown get up+down regulated data</i>
-----------	---

Description

getUpDown get up+down regulated data

Usage

```
getUpDown(filt_data = NULL)
```

Arguments

filt_data, filt_data

Value

data

Examples

```
x <- getUpDown()
```

```
getVariationData      getVariationData
```

Description

Adds an id to the data frame being used.

Usage

```
getVariationData(inputdata = NULL, cols = NULL, conds = NULL, key = NULL)
```

Arguments

inputdata,	dataset
cols,	columns
conds,	conditions
key,	gene or region name

Value

```
plotdata
```

Examples

```
x <- getVariationData()
```

```
get_conditions_given_selection  
      get_conditions_given_selection
```

Description

Return the two set of conditions given the selection of meta select box

Usage

```
get_conditions_given_selection(metadata = NULL, selection = NULL)
```

Arguments

metadata,	meta data table
selection,	selection

Value

```
meta select box
```

Examples

```
x<-get_conditions_given_selection()
```

heatmapControlsUI *heatmapControlsUI*

Description

Generates the left menu to be used for heatmap plots

Usage

```
heatmapControlsUI(id)
```

Arguments

id, module ID

Value

HeatmapControls

Note

```
heatmapControlsUI
```

Examples

```
x <- heatmapControlsUI("heatmap")
```

heatmapJScode *heatmapJScode*

Description

heatmap JS code for selection functionality

Usage

```
heatmapJScode()
```

Value

JS Code

Examples

```
x <- heatmapJScode()
```

heatmapServer

heatmapServer

Description

Sets up shinyServer to be able to run heatmapServer interactively.

Usage

```
heatmapServer(input, output, session)
```

Arguments

input,	input params from UI
output,	output params to UI
session,	session variable

Value

the panel for main plots;

Note

```
heatmapServer
```

Examples

```
heatmapServer
```

heatmapUI

heatmapUI

Description

Creates a shinyUI to be able to run DEBrowser interactively.

Usage

```
heatmapUI(input, output, session)
```

Arguments

input,	input variables
output,	output objects
session,	session

Value

the panel for heatmapUI;

Note

```
heatmapUI
```

Examples

```
x<-heatmapUI()
```

```
hideObj
```

```
hideObj
```

Description

Hides a shiny object.

Usage

```
hideObj(btns = NULL)
```

Arguments

btns,	hide group of objects with shinyjs
-------	------------------------------------

Examples

```
x <- hideObj()
```

```
histogramControlsUI
```

```
histogramControlsUI
```

Description

Generates the controls in the left menu for a histogram

Usage

```
histogramControlsUI(id)
```

Arguments

id,	namespace id
-----	--------------

Value

returns the left menu

Note

```
histogramControlsUI
```

Examples

```
x <- histogramControlsUI("histogram")
```

<code>installpack</code>	<i>installpack</i>
--------------------------	--------------------

Description

install packages if they don't exist display.

Usage

```
installpack(package_name = NULL)
```

Arguments

package_name, package name to be installed

Note

```
installpack
```

Examples

```
x <- installpack()
```

<code>IQRPlotControlsUI</code>	<i>IQRPlotControlsUI</i>
--------------------------------	--------------------------

Description

Generates the controls in the left menu for an IQR plot#'

Usage

```
IQRPlotControlsUI(id)
```

Arguments

id, namespace id

Value

returns the left menu

Note

```
IQRPlotControlsUI
```

Examples

```
x <- IQRPlotControlsUI("IQR")
```

kmeansControlsUI *kmeansControlsUI*

Description

get kmeans controls

Usage

`kmeansControlsUI(id)`

Arguments

`id`, module ID

Value

controls

Note

`kmeansControlsUI`

Examples

`x <- kmeansControlsUI("heatmap")`

lcfMetRadio *lcfMetRadio*

Description

Radio buttons for low count removal methods

Usage

`lcfMetRadio(id)`

Arguments

`id`, namespace id

Value

radio control

Note

`lcfMetRadio`

Examples

```
x <- lcfMetRadio("lcf")
```

loadpack

loadpack

Description

load packages

Usage

```
loadpack(package_name = NULL)
```

Arguments

package_name, package name to be loaded

Note

```
loadpack
```

Examples

```
x <- loadpack()
```

mainPlotControlsUI

mainPlotControlsUI

Description

Generates the left menu to be used for main plots

Usage

```
mainPlotControlsUI(id)
```

Arguments

id, module ID

Value

mainPlotControls

Note

```
mainPlotControlsUI
```

Examples

```
x <- mainPlotControlsUI("main")
```

mainScatterNew	<i>mainScatterNew</i>
----------------	-----------------------

Description

Creates the main scatter, volcano or MA plot to be displayed within the main panel.

Usage

```
mainScatterNew(input = NULL, data = NULL, source = NULL)
```

Arguments

input,	input params
data,	dataframe that has log2FoldChange and log10padj values
source,	for event triggering to select genes

Value

scatter, volcano or MA plot

Examples

```
x <- mainScatterNew()
```

niceKmeans	<i>niceKmeans</i>
------------	-------------------

Description

Generates hierarchically clustered K-means clusters

Usage

```
niceKmeans(df = NULL, input = NULL, iter.max = 1000, nstart = 100)
```

Arguments

df,	data
input,	user inputs
iter.max,	max iteration for kmeans clustering
nstart,	n for kmeans clustering

Value

heatmap plot area

Note

niceKmeans

Examples

```
x <- niceKmeans()
```

normalizationMethods *normalizationMethods*

Description

Select box to select normalization method prior to batch effect correction

Usage

```
normalizationMethods(id)
```

Arguments

id, namespace id

Value

radio control

Note

normalizationMethods

Examples

```
x <- normalizationMethods("batch")
```

palUI*palUI***Description**

get pallete

Usage

```
palUI(id)
```

Arguments

id,	namespace ID
-----	--------------

Value

pals

Note

```
palUI
```

Examples

```
x <- palUI("heatmap")
```

panel.cor*panel.cor***Description**

Prepares the correlations for the all2all plot.

Usage

```
panel.cor(x, y, prefix = "rho=", cex.cor = 2, ...)
```

Arguments

x,	numeric vector x
y,	numeric vector y
prefix,	prefix for the text
cex.cor,	correlation font size
...,	additional parameters

Value

all2all correlation plots

Examples

```
panel.cor(c(1,2,3), c(4,5,6))
```

panel.hist

panel.hist

Description

Prepares the histogram for the all2all plot.

Usage

```
panel.hist(x, ...)
```

Arguments

x,	a vector of values for which the histogram is desired
...,	any additional params

Value

all2all histogram plots

Examples

```
panel.hist(1)
```

pcaPlotControlsUI

pcaPlotControlsUI

Description

Generates the PCA PLots Left menu to be displayed within the DEBrowser.

Usage

```
pcaPlotControlsUI(id = "pca")
```

Arguments

id,	namespace id
-----	--------------

Value

returns the left menu according to the selected tab;

Note

```
pcaPlotControlsUI
```

Examples

```
x <- pcaPlotControlsUI("pca")
```

plotData

plotData

Description

prepare plot data for mainplots

Usage

```
plotData(pdata = NULL, input = NULL)
```

Arguments

pdata,	data
input,	input

Value

prepdata

Note

plotData

Examples

```
x <- plotData()
```

plotMarginsUI

plotMarginsUI

Description

Margins module for plotly plots

Usage

```
plotMarginsUI(id, t = 20, b = 100, l = 100, r = 20)
```

Arguments

id,	id
t,	top margin
b,	bottom margin
l,	left margin
r,	right margin

Value

size and margins controls

Note

`plotMarginsUI`

Examples

```
x <- plotMarginsUI("heatmap")
```

`plotSizeMarginsUI` *plotSizeMarginsUI*

Description

Size and margins module for `plotly` plots

Usage

```
plotSizeMarginsUI(id, w = 800, h = 640, t = 20, b = 100, l = 100, r = 20)
```

Arguments

<code>id</code> ,	id
<code>w</code> ,	width
<code>h</code> ,	height
<code>t</code> ,	top margin
<code>b</code> ,	bottom margin
<code>l</code> ,	left margin
<code>r</code> ,	right margin

Value

size and margins controls

Note

`plotSizeMarginsUI`

Examples

```
x <- plotSizeMarginsUI("heatmap")
```

plotSizeUI *plotSizeUI*

Description

Size module for plotly plots

Usage

```
plotSizeUI(id, w = 800, h = 600)
```

Arguments

id,	id
w,	width
h,	height

Value

size and margins controls

Note

```
plotSizeUI
```

Examples

```
x <- plotSizeUI("heatmap")
```

plotTypeUI *plotTypeUI*

Description

Plot download type

Usage

```
plotTypeUI(id)
```

Arguments

id,	id
-----	----

Value

size and margins controls

Note

```
plotTypeUI
```

Examples

```
x <- plotTypeUI("heatmap")
```

```
plot_pca
```

```
plot_pca
```

Description

Plots the PCA results for the selected dataset.

Usage

```
plot_pca(  
  dat = NULL,  
  pcx = 1,  
  pcy = 2,  
  metadata = NULL,  
  color = NULL,  
  shape = NULL,  
  size = NULL,  
  textonoff = "Off",  
  legendSelect = "samples",  
  input = NULL  
)
```

Arguments

dat,	data
pcx,	x axis label
pcy,	y axis label
metadata,	additional data
color,	color for plot
shape,	shape for plot
size,	size of the plot
textonoff,	text on off
legendSelect,	select legend
input,	input param

Value

pca list

Examples

```
load(system.file("extdata", "demo", "demodata.Rda",
  package="debrowser"))
metadata<-cbind(colnames(demodata[,1:6]),
  colnames(demodata[,1:6]),
  c(rep("Cond1",3), rep("Cond2",3)))
colnames(metadata)<-c("samples", "color", "shape")

a <- plot_pca(getNormalizedMatrix(
  demodata[rowSums(demodata[,1:6])>10,1:6]),
  metadata = metadata, color = "samples",
  size = 5, shape = "shape")
```

prepDataContainer *prepDataContainer*

Description

Prepares the data container that stores values used within DESeq.

Usage

```
prepDataContainer(data = NULL, counter = NULL, input = NULL)
```

Arguments

data,	loaded dataset
counter,	the number of comparisons
input,	input parameters

Value

data

Examples

```
x <- prepDataContainer()
```

prepDEOutput *prepDEOutput*

Description

Prepares the output data from DE analysis to be used within DEBrowser

Usage

```
prepDEOutput(  
  data = NULL,  
  cols = NULL,  
  cond = NULL,  
  inputcond = NULL,  
  i = NULL,  
  input = NULL  
)
```

Arguments

data,	loaded dataset
cols,	columns
cond,	conds
inputcond,	inputconds
i,	selected comparison number
input,	input

Value

data

Examples

```
x <- prepDEOutput()
```

prepGroup *prepGroup*

Description

prepare group table

Usage

```
prepGroup(conds = NULL, cols = NULL)
```

100

prepHeatData

Arguments

conds,	inputconds
cols,	columns

Value

data

Examples

```
x <- prepGroup()
```

prepHeatData	<i>prepHeatData</i>
--------------	---------------------

Description

scales the data

Usage

```
prepHeatData(expdata = NULL, input = NULL)
```

Arguments

expdata,	a matrixthat includes expression values
input,	input variables

Value

heatdata

Examples

```
x <- prepHeatData()
```

```
prepPCADat
```

prepPCADat

Description

prepares pca data with metadata. If metadata doesn't exists it puts all the sampels into a signlge group; "Conds".

Usage

```
prepPCADat(pca_data = NULL, metadata = NULL, input = NULL, pcx = 1, pcy = 2)
```

Arguments

pca_data,	pca run results
metadata,	additional meta data
input,	input
pcx,	x axis label
pcy,	y axis label

Value

Color and shape from selection boxes or defaults

Examples

```
x <- prepPCADat()
```

```
push
```

push

Description

Push an object to the list.

Usage

```
push(l, ...)
```

Arguments

l,	that are going to push to the list
...,	list object

Value

combined list

Examples

```
mylist <- list()
newlist <- push ( 1, mylist )
```

`removeCols`*removeCols*

Description

remove unnecessary columns

Usage

```
removeCols(cols = NULL, dat = NULL)
```

Arguments

cols,	columns that are going to be removed from data frame
dat,	data

Value

data

Examples

```
x <- removeCols()
```

`removeExtraCols`*removeExtraCols*

Description

remove extra columns for QC plots

Usage

```
removeExtraCols(dat = NULL)
```

Arguments

dat,	selected data
------	---------------

Examples

```
removeExtraCols()
```

round_vals	<i>round_vals</i>
------------	-------------------

Description

Plot PCA results.

Usage

```
round_vals(1)
```

Arguments

1, the value

Value

round value

Examples

```
x<-round_vals(5.1323223)
```

runDE	<i>runDE</i>
-------	--------------

Description

Run DE algorithms on the selected parameters. Output is to be used for the interactive display.

Usage

```
runDE(data = NULL, columns = NULL, cond = NULL, params = NULL)
```

Arguments

data,	A matrix that includes all the expression raw counts, rownames has to be the gene, isoform or region names/IDs
columns,	is a vector that includes the columns that are going to be analyzed. These columns has to match with the given data.
cond,	experimental conditions. The order has to match with the column order
params,	all params for the DE methods

Value

de results

Examples

```
x <- runDE()
```

`runDESeq2`*runDESeq2***Description**

Run DESeq2 algorithm on the selected conditions. Output is to be used for the interactive display.

Usage

```
runDESeq2(data = NULL, columns = NULL, conds = NULL, params = NULL)
```

Arguments

<code>data</code> ,	A matrix that includes all the expression raw counts, rownames has to be the gene, isoform or region names/IDs
<code>columns</code> ,	is a vector that includes the columns that are going to be analyzed. These columns has to match with the given data.
<code>conds</code> ,	experimental conditions. The order has to match with the column order
<code>params</code> ,	<code>fitType</code> : either "parametric", "local", or "mean" for the type of fitting of dispersions to the mean intensity. See <code>estimateDispersions</code> for description. <code>betaPrior</code> : whether or not to put a zero-mean normal prior on the non-intercept coefficients. See <code>nbinomWaldTest</code> for description of the calculation of the beta prior. By default, the beta prior is used only for the Wald test, but can also be specified for the likelihood ratio test. <code>testType</code> : either "Wald" or "LRT", which will then use either Wald significance tests (defined by <code>nbinomWaldTest</code>), or the likelihood ratio test on the difference in deviance between a full and reduced model formula (defined by <code>nbinomLRT</code>). <code>rowsum.filter</code> : regions/genes/isoforms with total count (across all samples) below this value will be filtered out

Value

`deseq2` results

Examples

```
x <- runDESeq2()
```

`runEdgeR`*runEdgeR***Description**

Run EdgeR algorithm on the selected conditions. Output is to be used for the interactive display.

Usage

```
runEdgeR(data = NULL, columns = NULL, conds = NULL, params = NULL)
```

Arguments

data,	A matrix that includes all the expression raw counts, rownames has to be the gene, isoform or region names/IDs
columns,	is a vector that includes the columns that are going to be analyzed. These columns has to match with the given data.
conds,	experimental conditions. The order has to match with the column order
params,	normfact: Calculate normalization factors to scale the raw library sizes. Values can be "TMM", "RLE", "upperquartile", "none". dispersion: either a numeric vector of dispersions or a character string indicating that dispersions should be taken from the data object. If a numeric vector, then can be either of length one or of length equal to the number of genes. Allowable character values are "common", "trended", "tagwise" or "auto". Default behavior ("auto" is to use most complex dispersions found in data object. testType: exactTest or glmLRT. exactTest: Computes p-values for differential abundance for each gene between two digital libraries, conditioning on the total count for each gene. The counts in each group as a proportion of the whole are assumed to follow a binomial distribution. glmLRT: Fit a negative binomial generalized log-linear model to the read counts for each gene. Conduct genewise statistical tests for a given coefficient or coefficient contrast. rowsum.filter: regions/genes/isoforms with total count (across all samples) below this value will be filtered out

Value

edgeR results

Examples

```
x <- runEdgeR()
```

runHeatmap

runHeatmap

Description

Creates a heatmap based on the user selected parameters within shiny

Usage

```
runHeatmap(input = NULL, session = NULL, expdata = NULL)
```

Arguments

input,	input variables
session,	session
expdata,	a matrix that includes expression values

Value

heatmapply plot

Examples

```
x <- runHeatmap()
```

runHeatmap2

runHeatmap2

Description

Creates a heatmap based on the user selected parameters within shiny

Usage

```
runHeatmap2(input = NULL, session = NULL, expdata = NULL)
```

Arguments

input,	input variables
session,	session
expdata,	a matrix that includes expression values

Value

heatmap.2

Examples

```
x <- runHeatmap2()
```

runLimma

runLimma

Description

Run Limma algorithm on the selected conditions. Output is to be used for the interactive display.

Usage

```
runLimma(data = NULL, columns = NULL, cond = NULL, params = NULL)
```

Arguments

data,	A matrix that includes all the expression raw counts, rownames has to be the gene, isoform or region names/IDs
columns,	is a vector that includes the columns that are going to be analyzed. These columns has to match with the given data.
conds,	experimental conditions. The order has to match with the column order
params,	normfact: Calculate normalization factors to scale the raw library sizes. Values can be "TMM","RLE","upperquartile","none". fitType, fitting method; "ls" for least squares or "robust" for robust regression normBet: Normalizes expression intensities so that the intensities or log-ratios have similar distributions across a set of arrays. rowsum.filter: regions/genes/isoforms with total count (across all samples) below this value will be filtered out

Value

Limma results

Examples

```
x <- runLimma()
```

run_pca

run_pca

Description

Runs PCA on the selected dataset.

Usage

```
run_pca(x = NULL, retx = TRUE, center = TRUE, scale = TRUE)
```

Arguments

x,	dataframe with experiment data
retx,	specifies if the data should be returned
center,	center the PCA (Boolean)
scale,	scale the PCA (Boolean)

Value

pca list

Examples

```
load(system.file("extdata", "demo", "demodata.Rda",
                package="debrowser"))
pca_data<-run_pca(getNormalizedMatrix(
  demodata[rowSums(demodata[,1:6])>10,1:6]))
```

`selectConditions` *selectConditions*

Description

Selects user input conditions, multiple if present, to be used in DESeq.

Usage

```
selectConditions(
  Dataset = NULL,
  metadata = NULL,
  choicecounter = NULL,
  session = NULL,
  input = NULL
)
```

Arguments

<code>Dataset</code> ,	used dataset
<code>metadata</code> ,	metadatable to select from metadata
<code>choicecounter</code> ,	choicecounter to add multiple comparisons
<code>session</code> ,	session
<code>input</code> ,	input params

Value

the panel for go plots;

Note

`selectConditions`

Examples

```
x<- selectConditions()
```

`selectedInput` *selectedInput*

Description

Selects user input conditions to run in DESeq.

Usage

```
selectedInput(id = NULL, num = 0, default = NULL, input = NULL)
```

Arguments

id,	input id
num,	panel that is going to be shown
default,	default text
input,	input params

Examples

```
x <- selectedInput()
```

selectGroupInfo *selectGroupInfo*

Description

Group info column selection. This can be used in batch effect or coloring the groups in the plots.

Usage

```
selectGroupInfo(  
  metadata = NULL,  
  input = NULL,  
  selectname = "groupselect",  
  label = "Group info"  
)
```

Arguments

metadata,	metadata
input,	input values
selectname,	name of the select box
label,	label of the select box

Note

```
selectGroupInfo
```

Examples

```
x <- selectGroupInfo()
```

sepRadio	<i>sepRadio</i>
----------	-----------------

Description

Radio button for separators

Usage

```
sepRadio(id, name)
```

Arguments

id,	module id
name,	name

Value

radio control

Note

```
sepRadio
```

Examples

```
x <- sepRadio("meta", "metadata")
```

setBatch	<i>setBatch to skip batch effect correction batch variable set with the filter results</i>
----------	--

Description

setBatch to skip batch effect correction batch variable set with the filter results

Usage

```
setBatch(fd = NULL)
```

Arguments

fd,	filtered data
-----	---------------

Value

fd data

Examples

```
x <- setBatch()
```

*showObj**showObj*

Description

Displays a shiny object.

Usage

```
showObj(btns = NULL)
```

Arguments

btns, show group of objects with shinyjs

Examples

```
x <- showObj()
```

*startDEBrowser**startDEBrowser*

Description

Starts the DEBrowser to be able to run interactively.

Usage

```
startDEBrowser()
```

Value

the app

Note

```
startDEBrowser
```

Examples

```
startDEBrowser()
```

`startHeatmap`

startHeatmap

Description

Starts the DEBrowser heatmap

Usage

```
startHeatmap()
```

Value

the app

Note

```
startHeatmap
```

Examples

```
startHeatmap()
```

`textareaInput`

textareaInput

Description

Generates a text area input to be used for gene selection within the DEBrowser.

Usage

```
textareaInput(id, label, value, rows = 20, cols = 35, class = "form-control")
```

Arguments

<code>id</code> ,	id of the control
<code>label</code> ,	label of the control
<code>value</code> ,	initial value
<code>rows</code> ,	the # of rows
<code>cols</code> ,	the # of cols
<code>class</code> ,	css class

Examples

```
x <- textareaInput("genesetarea", "Gene Set",
"Fgf21", rows = 5, cols = 35)
```

togglePanels

togglePanels

Description

User defined toggle to display which panels are to be shown within DEBrowser.

Usage

```
togglePanels(num = NULL, nums = NULL, session = NULL)
```

Arguments

num,	selected panel
nums,	all panels
session,	session info

Note

```
togglePanels
```

Examples

```
x <- togglePanels()
```

Index

actionButtonDE, 6
addDataCols, 6
addID, 7
all2all, 8
all2allControlsUI, 8
applyFilters, 9
applyFiltersNew, 9
applyFiltersToMergedComparison, 10

barMainPlotControlsUI, 10
batchEffectUI, 11
batchMethod, 11
BoxMainPlotControlsUI, 12

changeClusterOrder, 12
checkCountData, 13
checkMetaData, 13
clusterData, 14
clustFunParamsUI, 14
compareClust, 15
condSelectUI, 16
correctCombat, 16
correctHarman, 17
customColorsUI, 17
cutOffSelectionUI, 18

dataLCFUI, 18
dataLoadUI, 19
debrowserall2all, 19
debrowserbarmainplot, 20
debrowserbatcheffect, 21
debrowserboxmainplot, 21
debrowsercondselect, 22
debrowserdataload, 23
debrowserdeanalysis, 24
debrowerdensityplot, 24
debrowserheatmap, 25
debrowserhistogram, 26
debrowerIQRplot, 26
debrowserlowcountfilter, 27
debrowsermainplot, 28
debrowerpcaplot, 28
dendControlsUI, 29
densityPlotControlsUI, 30

deServer, 30
deUI, 31
distFunParamsUI, 31
drawKEGG, 32
drawPCAExplained, 32

fileTypes, 33
fileUploadBox, 33

generateTestData, 34
get_conditions_given_selection, 83
getAfterLoadMsg, 34
getAll2AllPlotUI, 35
getBarMainPlot, 35
getBarMainPlotUI, 36
getBoxMainPlot, 37
getBoxMainPlotUI, 37
getBTableUI, 38
getColors, 39
getColorShapeSelection, 39
getCompSelection, 40
getConditionSelector, 40
getConditionSelectorFromMeta, 41
getCondMsg, 41
getCutOffSelection, 42
getDataAssesmentText, 43
getDataForTables, 43
getDataPreparationText, 44
getDEAnalysisText, 44
getDensityPlot, 45
getDensityPlotUI, 45
getDEResultsUI, 46
getDomains, 46
getDown, 47
getDownloadSection, 47
getEnrichD0, 48
getEnrichGO, 48
getEnrichKEGG, 49
getEntrezIds, 50
getEntrezTable, 50
getGeneList, 51
getGeneSetData, 52
getGOLeftMenu, 52
getGoPanel, 53

getGOPlots, 53
getHeatmapUI, 54
getHelpButton, 54
getHideLegendOnOff, 55
getHistogramUI, 55
getIntroText, 56
getIQRPlot, 56
getIQRPlotUI, 57
getJSLine, 57
getKEGGModal, 58
getLeftMenu, 58
getLegendColors, 59
getLegendRadio, 59
getLegendSelect, 60
getLevelOrder, 60
getLoadingMsg, 61
getLogo, 61
getMainPanel, 62
getMainPlotsLeftMenu, 62
getMainPlotUI, 63
getMean, 63
getMergedComparison, 64
getMetaSelector, 64
getMethodDetails, 65
getMostVariedList, 65
getNormalizedMatrix, 66
getOrganism, 66
getOrganismBox, 67
getOrganismPathway, 67
getPCAcontrolUpdatesJS, 68
getPCAexplained, 68
getPCAPlotUI, 69
getPCselection, 70
getPlotArea, 70
getProgramTitle, 71
getQAText, 71
getQCLeftMenu, 72
getQCPanel, 72
getSampleDetails, 73
getSampleNames, 73
getSamples, 74
getSearchData, 74
getSelectedCols, 75
getSelectedDatasetInput, 75
getSelectInputBox, 76
getSelHeat, 77
getShapeColor, 77
getStartPlotsMsg, 78
getStartupMsg, 78
getTableDetails, 79
getTableModal, 79
getTableStyle, 80
getTabUpdateJS, 81
getTextOnOff, 81
getUp, 82
getUpDown, 82
getVariationData, 83
heatmapControlsUI, 84
heatmapJScode, 84
heatmapServer, 85
heatmapUI, 85
hideObj, 86
histogramControlsUI, 86
installpack, 87
IQRPlotControlsUI, 87
kmeansControlsUI, 88
lcfMetRadio, 88
loadpack, 89
mainPlotControlsUI, 89
mainScatterNew, 90
niceKmeans, 90
normalizationMethods, 91
palUI, 92
panel.cor, 92
panel.hist, 93
pcaPlotControlsUI, 93
plot_pca, 97
plotData, 94
plotMarginsUI, 94
plotSizeMarginsUI, 95
plotSizeUI, 96
plotTypeUI, 96
prepDataContainer, 98
prepDEOutput, 99
prepGroup, 99
prepHeatData, 100
prepPCADat, 101
push, 101
removeCols, 102
removeExtraCols, 102
round_vals, 103
run_pca, 107
runDE, 103
runDESeq2, 104
runEdgeR, 104
runHeatmap, 105
runHeatmap2, 106
runLimma, 106

selectConditions, 108
selectedInput, 108
selectGroupInfo, 109
sepRadio, 110
setBatch, 110
showObj, 111
startDEBrowser, 111
startHeatmap, 112

textareaInput, 112
togglePanels, 113