

Package ‘maskBAD’

October 17, 2020

Version 1.32.0

Title Masking probes with binding affinity differences

Author Michael Dannemann <michael_dannemann@eva.mpg.de>

Maintainer Michael Dannemann <michael_dannemann@eva.mpg.de>

Depends R (>= 2.10), gcrma (>= 2.27.1), affy

Suggests hgu95av2probe, hgu95av2cdf

Description Package includes functions to analyze and mask microarray expression data.

License GPL (>= 2)

biocViews Microarray

git_url <https://git.bioconductor.org/packages/maskBAD>

git_branch RELEASE_3_11

git_last_commit f701205

git_last_commit_date 2020-04-27

Date/Publication 2020-10-16

R topics documented:

exmask	1
newAffyBatch	2
newCdf	2
sequenceMask	3

Index

4

exmask	<i>Output object of the function mask</i>
--------	---

Description

This data is the output object of the function `mask` for the AffyBatch object `newAffyBatch`.

Usage

`exmask`

Format

List of 1 or 2 objects.

Source

??

References

??

newAffyBatch

AffyBatch with reduced genes

Description

This data is an AffyBatch object with a subset of 100 genes with human chimpanzee data (cdf hgu95av2) - 10 individuals each.

Usage

`newAffyBatch`

Format

AffyBatch object

Source

??

References

Khaitovich et al., Parallel Patterns of Evolution in the Genomes and Transcriptomes of Humans and Chimpanzees, Science 2005

newCdf

Object of type environment

Description

The environment object is part of the masked object newAffyBatch.

Usage

`newCdf`

Format

Object of type environment

Source

??

References

??

sequenceMask

Object containing sequence information for probes.

Description

This data is a table with information about sequence difference between human and chimpanzee for all available probes.

Usage

sequenceMask

Format

data.frame.

Source

??

References

??

Index

* datasets

exmask, [1](#)
newAffyBatch, [2](#)
newCdf, [2](#)
sequenceMask, [3](#)

exmask, [1](#)

newAffyBatch, [2](#)
newCdf, [2](#)

sequenceMask, [3](#)