

Package ‘spicyR’

October 17, 2020

Type Package

Title Spatial analysis of in situ cytometry data

Version 1.0.1

Description spicyR provides a series of functions to aid in the analysis of both immunofluorescence and mass cytometry imaging data as well as other assays that can deeply phenotype individual cells and their spatial location.

License GPL (>=2)

biocViews SingleCell, CellBasedAssays

Encoding UTF-8

VignetteBuilder knitr

BugReports <https://github.com/ellisppatrick/spicyR/issues>

Imports ggplot2, class, concaveman, grid, BiocParallel, spatstat, lmerTest, BiocGenerics, S4Vectors, lme4, methods, mgcv, pheatmap, purrr, rlang, grDevices, IRanges, stats

Suggests BiocStyle, knitr, rmarkdown

Depends R (>= 4.0.0)

RoxygenNote 7.1.1

git_url <https://git.bioconductor.org/packages/spicyR>

git_branch RELEASE_3_11

git_last_commit e5a79d2

git_last_commit_date 2020-07-10

Date/Publication 2020-10-16

Author Nicolas Canete [aut],
Ellis Patrick [aut, cre]

Maintainer Ellis Patrick <ellis.patrick@sydney.edu.au>

R topics documented:

Accessors	2
as.data.frame.SegmentedCells	4
getPairwise	4
hatchingPlot	5
lisa	7

melanomaResponders	8
plot,SegmentedCells,ANY-method	9
scale_region	10
SegmentedCells-class	10
show-SegmentedCells	12
signifPlot	13
SpicyResults-class	13
spicyTest	15
spicyTestBootstrap	15
topPairs	16

Index**17**

Accessors*Accessors for SegmentedCells***Description**

Methods to access various components of the ‘SegmentedCells‘ object.

Usage

```
cellSummary(x, imageID = NULL, bind = TRUE)

cellSummary(x, imageID = NULL) <- value

cellMarks(x, imageID = NULL, bind = TRUE)

cellMarks(x, imageID = NULL) <- value

cellMorph(x, imageID = NULL, bind = TRUE)

cellMorph(x, imageID = NULL) <- value

imagePheno(x, imageID = NULL, bind = TRUE, expand = FALSE)

imagePheno(x, imageID = NULL) <- value

imageID(x, imageID = NULL)

cellID(x, imageID = NULL)

cellID(x) <- value

imageCellID(x, imageID = NULL)

imageCellID(x) <- value

cellType(x, imageID = NULL)

cellType(x, imageID = NULL) <- value
```

```

filterCells(x, select)

region(x, imageID = NULL, annot = FALSE)

region(x, imageID = NULL) <- value

```

Arguments

x	A ‘SegmentedCells‘ object.
imageID	A vector of imageIDs to specifically extract.
bind	When false outputs a list of DataFrames split by imageID
expand	Used to expand the phenotype information from per image to per cell.
value	The relevant information used to replace.
select	A logical vector of the cells to be kept.
annot	Add cell annotation when selecting region information.

Value

DataFrame or a list of DataFrames

Descriptions

- ‘cellSummary‘: Retrieves the DataFrame containing ‘x‘ and ‘y‘ coordinates of each cell as well as ‘cellID‘, ‘imageID‘ and ‘cellType‘. imageID can be used to select specific images and bind=FALSE outputs the information as a list split by imageID.
- ‘cellMorph‘: Retrieves the DataFrame containing morphology information.
- ‘cellMarks‘: Retrieves the DataFrame containing intensity of gene or protein markers.
- ‘imagePheno‘: Retrieves the DataFrame containing the phenotype information for each image. Using expand = TRUE will produce a DataFrame with the number of rows equal to the number of cells.

Examples

```

### Something that resembles cellProfiler data

set.seed(51773)

n = 10

cells <- data.frame(row.names = seq_len(n))
cells$ObjectNumber <- seq_len(n)
cells$ImageNumber <- rep(1:2,c(n/2,n/2))
cells$AreaShape_Center_X <- runif(n)
cells$AreaShape_Center_Y <- runif(n)
cells$AreaShape_round <- rexp(n)
cells$AreaShape_diameter <- rexp(n, 2)
cells$Intensity_Mean_CD8 <- rexp(n, 10)
cells$Intensity_Mean_CD4 <- rexp(n, 10)

cellExp <- SegmentedCells(cells, cellProfiler = TRUE)

### Cluster cell types

```

```

intensities <- cellMarks(cellExp)
kM <- kmeans(intensities,2)
cellType(cellExp) <- paste('cluster',kM$cluster, sep = '')

cellSummary(cellExp, imageID = 1)

```

as.data.frame.SegmentedCells
as.data.frame

Description

Function to coerce a SegmentedCells object to a data frame.

Usage

```
## S3 method for class 'SegmentedCells'
as.data.frame(x, ...)
```

Arguments

x	A SegmentedCells object.
...	Other arguments.

Value

A data.frame

```

## Generate toy data set.seed(51773) x <- round(c(runif(200),runif(200)+1,runif(200)+2,runif(200)+3,
runif(200)+3,runif(200)+2,runif(200)+1,runif(200)),4) y <- round(c(runif(200),runif(200)+1,runif(200)+2,runif(200)+3,
runif(200),runif(200)+1,runif(200)+2,runif(200)+3),4) cellType <- factor(paste('c',rep(rep(c(1:2),rep(200,2)),4),sep
= "")) imageID <- rep(c('s1', 's2'),c(800,800)) cells <- data.frame(x, y, cellType, imageID)

## Store data in SegmentedCells object cellExp <- SegmentedCells(cells, cellTypeString = 'cell-
Type')

## Generate LISA cellsDF <- as.data.frame(cellExp)

NULL

```

getPairwise

Get statistic from pairwise L curve of a single image.

Description

Get statistic from pairwise L curve of a single image.

Usage

```
getPairwise(cells, from, to, dist = NULL)
```

Arguments

cells	A SegmentedCells or data frame that contains at least the variables x and y, giving the location coordinates of each cell, and cellType.
from	The 'from' cellType for generating the L curve.
to	The 'to' cellType for generating the L curve.
dist	The distance at which the statistic is obtained.

Value

Statistic from pairwise L curve of a single image.

Examples

```
data("melanomaResponders")
pairAssoc <- getPairwise(melanomaResponders)
```

*hatchingPlot**hatchingPlot*

Description

The hatchingPlot() function is used to create hatching patterns for representing spatial regions and cell-types.

The hatching geom is used to create hatching patterns for representation of spatial regions.

Usage

```
hatchingPlot(
  data,
  imageID = NULL,
  window = "concave",
  line.spacing = 21,
  nbp = 250,
  window.length = 0
)

geom_hatching(
  mapping = NULL,
  data = NULL,
  stat = "identity",
  position = "identity",
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE,
  line.spacing = 21,
  window = "square",
  window.length = 0,
  nbp = 250,
  line.width = 1,
  ...
)
```

Arguments

<code>data</code>	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
<code>imageID</code>	A vector of imageIDs to be plotted
<code>window</code>	Should the window around the regions be 'square', 'convex' or 'concave'.
<code>line.spacing</code>	A integer indicating the spacing between hatching lines.
<code>nbp</code>	An integer tuning the granularity of the grid used when defining regions
<code>window.length</code>	A tuning parameter for controlling the level of concavity when estimating concave windows.
<code>mapping</code>	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
<code>stat</code>	The statistical transformation to use on the data for this layer as a string.
<code>position</code>	adjustment, either as a string, or the result of a call to a position adjustment function.
<code>na.rm</code>	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>line.width</code>	A numeric controlling the width of the hatching lines
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.

Value

A ggplot object
A ggplot geom

Examples

```
## Generate toy data
set.seed(51773)
x <- round(c(runif(200),runif(200)+1,runif(200)+2,runif(200)+3,
             runif(200)+3,runif(200)+2,runif(200)+1,runif(200)),4)
y <- round(c(runif(200),runif(200)+1,runif(200)+2,runif(200)+3,
             runif(200),runif(200)+1,runif(200)+2,runif(200)+3),4)
cellType <- factor(paste('c',rep(rep(c(1:2),rep(200,2)),4),sep = ''))
imageID <- rep(c('s1', 's2'),c(800,800))
```

```

cells <- data.frame(x, y, cellType, imageID)

## Store data in SegmentedCells object
cellExp <- SegmentedCells(cells, cellTypeString = 'cellType')

## Generate LISA
lisaCurves <- lisa(cellExp)

## Cluster regions
kM <- kmeans(lisaCurves,2)
region(cellExp) <- paste('region',kM$cluster,sep = '_')

## Plot regions
hatchingPlot(cellExp)

library(ggplot2)

# Extract the region information along with x-y coordinates
df <- region(cellExp, annot = TRUE)

# Plot the regions with geom_hatching()
p <- ggplot(df,aes(x = x,y = y, colour = cellType, region = region)) +
  geom_point() +
  facet_wrap(~imageID) +
  geom_hatching()

```

lisa*Generate local indicators of spatial association***Description**

Generate local indicators of spatial association

Usage

```

lisa(
  cells,
  Rs = NULL,
  BPPARAM = BiocParallel::SerialParam(),
  window = "square",
  window.length = NULL,
  whichParallel = "imageID",
  sigma = NULL
)

```

Arguments

cells	A SegmentedCells or data frame that contains at least the variables x and y, giving the coordinates of each cell, and cellType.
-------	---

Rs	A vector of the radii that the measures of association should be calculated.
BPPARAM	A BiocParallelParam object.
window	Should the window around the regions be 'square', 'convex' or 'concave'.
window.length	A tuning parameter for controlling the level of concavity when estimating concave windows.
whichParallel	Should the function use parallelization on the imageID or the cellType.
sigma	A numeric variable used for scaling when fitting inhomogeneous L-curves

Value

A matrix of LISA curves

Examples

```
# Read in data as a SegmentedCells objects
isletFile <- system.file("extdata","isletCells.txt.gz", package = "spicyR")
cells <- read.table(isletFile, header=TRUE)
cellExp <- SegmentedCells(cells, cellProfiler = TRUE)

# Cluster cell types
markers <- cellMarks(cellExp)
kM <- kmeans(markers,8)
cellType(cellExp) <- paste('cluster',kM$cluster, sep = '')

# Generate LISA
lisaCurves <- lisa(cellExp)

# Cluster the LISA curves
kM <- kmeans(lisaCurves,2)
region(cellExp) <- paste('region',kM$cluster,sep = '_')
```

melanomaResponders *Melanoma responders/non-responders dataset.*

Description

A dataset containing cell-types of 27 melanoma patients that did and did not respond to treatment. Each subject has 5 images. The data has already been summarised into 9 cell-types.

Usage

`melanomaResponders`

Format

`melanomaResponders` a SegmentedCells object

plot,SegmentedCells,ANY-method
A basic plot for SegmentedCells object

Description

This function generates a basic x-y plot of the location coordinates and cellType data.

Usage

```
## S4 method for signature 'SegmentedCells,ANY'
plot(x, imageID = NULL)
```

Arguments

x	A SegmentedCells object.
imageID	The image that should be plotted.

Value

A ggplot object.

usage

```
'plot(x, imageID = NULL)'
```

Examples

```
### Something that resembles cellProfiler data

set.seed(51773)

n = 10

cells <- data.frame(row.names = seq_len(n))
cells$ObjectNumber <- seq_len(n)
cells$ImageNumber <- rep(1:2,c(n/2,n/2))
cells$AreaShape_Center_X <- runif(n)
cells$AreaShape_Center_Y <- runif(n)
cells$AreaShape_round <- rexp(n)
cells$AreaShape_diameter <- rexp(n, 2)
cells$Intensity_Mean_CD8 <- rexp(n, 10)
cells$Intensity_Mean_CD4 <- rexp(n, 10)

cellExp <- SegmentedCells(cells, cellProfiler = TRUE)

### Cluster cell types
markers <- cellMarks(cellExp)
kM <- kmeans(markers,2)
cellType(cellExp) <- paste('cluster',kM$cluster, sep = '')

#plot(cellExp, imageID=1)
```

scale_region	<i>Scale constructor for regions</i>
--------------	--------------------------------------

Description

Region scale constructor.

Usage

```
scale_region(aesthetics = "region", ..., guide = "legend")
scale_region_manual(..., values)
```

Arguments

aesthetics	The names of the aesthetics that this scale works with
...	Arguments passed on to discrete_scale
guide	A function used to create a guide or its name. See guides() for more info.
values	a set of aesthetic values to map data values to. If this is a named vector, then the values will be matched based on the names. If unnamed, values will be matched in order (usually alphabetical) with the limits of the scale. Any data values that don't match will be given na.value.

Value

a ggplot guide

SegmentedCells-class	<i>The SegmentatedCells class</i>
----------------------	-----------------------------------

Description

The SegmentatedCells S4 class is for storing data from segmented imaging cytometry and spatial omics data. It extends DataFrame and defines methods that take advantage of DataFrame nesting to represent elements of cell-based experiments with spatial orientation that are commonly encountered. This object is able to store information on a cell's spatial location, cellType, morphology, intensity of gene/protein markers as well as image level phenotype information.

Usage

```
SegmentedCells(
  cellData,
  cellProfiler = FALSE,
  spatialCoords = c("x", "y"),
  cellTypeString = "cellType",
  intensityString = "intensity_",
  morphologyString = "morphology_",
  phenotypeString = "phenotype_",
  cellIDString = "cellID",
```

```

    imageCellIDString = "imageCellID",
    imageIDString = "imageID"
)

```

Arguments

<code>cellData</code>	A data frame that contains at least the columns <code>x</code> and <code>y</code> giving the location coordinates of each cell.
<code>cellProfiler</code>	A logical indicating that <code>cellData</code> is in a format similar to what <code>cellProfiler</code> outputs.
<code>spatialCoords</code>	The column names corresponding to spatial coordinates. eg. <code>x</code> , <code>y</code> , <code>z</code> ...
<code>cellTypeString</code>	The name of the column that contains cell type calls.
<code>intensityString</code>	A string which can be used to identify the columns which contain marker intensities. (This needs to be extended to take the column names themselves.)
<code>morphologyString</code>	A string which can be used to identify the columns which contains morphology information.
<code>phenotypeString</code>	A string which can be used to identify the columns which contains phenotype information.
<code>cellIDString</code>	The column name for <code>cellID</code> .
<code>imageCellIDString</code>	The column name for <code>imageCellID</code> .
<code>imageIDString</code>	The column name for <code>imageIDString</code> .

Value

A `SegmentedCells` object

Examples

```

### Something that resembles cellProfiler data

set.seed(51773)

n = 10

cells <- data.frame(row.names = seq_len(n))
cells$ObjectNumber <- seq_len(n)
cells$ImageNumber <- rep(seq_len(2),c(n/2,n/2))
cells$AreaShape_Center_X <- runif(n)
cells$AreaShape_Center_Y <- runif(n)
cells$AreaShape_round <- rexp(n)
cells$AreaShape_diameter <- rexp(n, 2)
cells$Intensity_Mean_CD8 <- rexp(n, 10)
cells$Intensity_Mean_CD4 <- rexp(n, 10)

cellExp <- SegmentedCells(cells, cellProfiler = TRUE)

### Cluster cell types
intensities <- cellMarks(cellExp)
kM <- kmeans(intensities,2)

```

```
cellType(cellExp) <- paste('cluster',kM$cluster, sep = '')
cellSummary(cellExp)
```

show-SegmentedCells *Show SegmentedCells*

Description

This outputs critical information about aSegmentedCells.

Arguments

object A SegmentedCells.

Value

Information of the number of images, cells, intensities, morphologies and phenotypes.

usage

‘show(object)‘

Examples

```
### Something that resembles cellProfiler data

set.seed(51773)

n = 10

cells <- data.frame(row.names = seq_len(n))
cells$ObjectNumber <- seq_len(n)
cells$ImageNumber <- rep(1:2,c(n/2,n/2))
cells$AreaShape_Center_X <- runif(n)
cells$AreaShape_Center_Y <- runif(n)
cells$AreaShape_round <- rexp(n)
cells$AreaShape_diameter <- rexp(n, 2)
cells$Intensity_Mean_CD8 <- rexp(n, 10)
cells$Intensity_Mean_CD4 <- rexp(n, 10)

cellExp <- SegmentedCells(cells, cellProfiler = TRUE)

### Cluster cell types
markers <- cellMarks(cellExp)
kM <- kmeans(markers,2)
cellType(cellExp) <- paste('cluster',kM$cluster, sep = '')

cellExp
```

<code>signifPlot</code>	<i>Plots result of signifPlot.</i>
-------------------------	------------------------------------

Description

Plots result of signifPlot.

Usage

```
signifPlot(
  results,
  fdr = FALSE,
  breaks = c(-5, 5, 0.5),
  colors = c("blue", "white", "red"),
  marksToPlot = NULL
)
```

Arguments

<code>results</code>	Data frame obtained from spicy.
<code>fdr</code>	TRUE if FDR correction is used.
<code>breaks</code>	Vector of 3 numbers giving breaks used in pheatmap. The first number is the minimum, the second is the maximum, the third is the number of breaks.
<code>colors</code>	Vector of colours to use in pheatmap.
<code>marksToPlot</code>	Vector of marks to include in pheatmap.

Value

a pheatmap object

Examples

```
data(spicyTest)
signifPlot(spicyTest, breaks=c(-3, 3, 0.5))
```

<code>SpicyResults-class</code>	<i>Performs spatial tests on spatial cytometry data.</i>
---------------------------------	--

Description

Performs spatial tests on spatial cytometry data.

Usage

```
spicy(
  cells,
  condition = NULL,
  subject = NULL,
  covariates = NULL,
  from = NULL,
  to = NULL,
  dist = NULL,
  integrate = TRUE,
  nsim = NULL,
  verbose = TRUE,
  weights = TRUE,
  ...
)
```

Arguments

<code>cells</code>	A SegmentedCells or data frame that contains at least the variables <code>x</code> and <code>y</code> , giving the location coordinates of each cell, and <code>cellType</code> .
<code>condition</code>	Vector of conditions to be tested corresponding to each image if <code>cells</code> is a data frame.
<code>subject</code>	Vector of subject IDs corresponding to each image if <code>cells</code> is a data frame.
<code>covariates</code>	Vector of covariate names that should be included in the mixed effects model as fixed effects.
<code>from</code>	vector of cell types which you would like to compare to the <code>to</code> vector
<code>to</code>	vector of cell types which you would like to compare to the <code>from</code> vector
<code>dist</code>	The distance at which the statistic is obtained.
<code>integrate</code>	Should the statistic be the integral from 0 to <code>dist</code> , or the value of the L curve at <code>dist</code> .
<code>nsim</code>	Number of simulations to perform. If empty, the p-value from <code>lmerTest</code> is used.
<code>verbose</code>	logical indicating whether to output messages.
<code>weights</code>	logical indicating whether to include weights based on cell counts.
<code>...</code>	Other options to pass to bootstrap.

Value

Data frame of p-values.

Examples

```
data("melanomaResponders")

# Test with random effect for patient on only one pairwise combination of cell types.
spicy(melanomaResponders, condition = "condition", subject = "subject",
      from = "CD8+PD1+PDL1-", to = "CD8-PD1+PDL1+")

# Test all pairwise combination of cell types without random effect of patient.
#spicyTest <- spicy(melanomaResponders, condition = "condition")
```

```
# Test all pairwise combination of cell types with random effect of patient.  
#spicy(melanomaResponders, condition = "condition", subject = "subject")  
  
# Test all pairwise combination of cell types with random effect of patient using  
# a bootstrap to calculate significance.  
#spicy(melanomaResponders, condition = "condition", subject = "subject", nsim = 199)
```

spicyTest

Results from spicy for melanomaResponders data

Description

Results from the call: spicyTest <- spicy(melanomaResponders, condition = "condition", subject = "subject")

Usage

spicyTest

Format

spicyTest a spicy object

spicyTestBootstrap

Results from spicy with bootstrap for melanomaResponders data

Description

Results from the call: spicyTestBootstrap <- spicy(melanomaResponders, condition = "condition", subject = "subject", nsim = 199)

Usage

spicyTestBootstrap

Format

spicyTestBootstrap a spicy object

topPairs*A table of the significant results from spicy tests*

Description

A table of the significant results from spicy tests

Usage

```
topPairs(x, coef = 1, n = 10, adj = "fdr", cutoff = NULL)
```

Arguments

x	The output from spicy.
coef	Which coefficient to list.
n	Extract the top n most significant pairs.
adj	Which p-value adjustment method to use, argument for p.adjust().
cutoff	A p-value threshold to extract significant pairs.

Value

A data.frame

Examples

```
data(spicyTest)
topPairs(spicyTest)
```

Index

- * datasets
 - melanomaResponders, 8
 - spicyTest, 15
 - spicyTestBootstrap, 15
- Accessors, 2
- as.data.frame.SegmentedCells, 4
- cellID (Accessors), 2
- cellID, SegmentedCells-method (Accessors), 2
- cellID<- (Accessors), 2
- cellID<-, SegmentedCells-method (Accessors), 2
- cellMarks (Accessors), 2
- cellMarks, SegmentedCells-method (Accessors), 2
- cellMarks<- (Accessors), 2
- cellMarks<-, SegmentedCells-method (Accessors), 2
- cellMorph (Accessors), 2
- cellMorph, SegmentedCells-method (Accessors), 2
- cellMorph<- (Accessors), 2
- cellMorph<-, SegmentedCells-method (Accessors), 2
- cellSummary (Accessors), 2
- cellSummary, SegmentedCells-method (Accessors), 2
- cellSummary<- (Accessors), 2
- cellSummary<-, SegmentedCells-method (Accessors), 2
- cellType (Accessors), 2
- cellType, SegmentedCells-method (Accessors), 2
- cellType<- (Accessors), 2
- cellType<-, SegmentedCells-method (Accessors), 2
- filterCells (Accessors), 2
- filterCells, SegmentedCells-method (Accessors), 2
- geom_hatching (hatchingPlot), 5
- getPairwise, 4
- hatchingPlot, 5
- imageCellID (Accessors), 2
- imageCellID, SegmentedCells-method (Accessors), 2
- imageCellID<- (Accessors), 2
- imageCellID<-, SegmentedCells-method (Accessors), 2
- imageID (Accessors), 2
- imageID, SegmentedCells-method (Accessors), 2
- imagePheno (Accessors), 2
- imagePheno, SegmentedCells-method (Accessors), 2
- imagePheno<- (Accessors), 2
- imagePheno<-, SegmentedCells-method (Accessors), 2
- lisa, 7
- melanomaResponders, 8
- plot (plot, SegmentedCells, ANY-method), 9
- plot, SegmentedCells (plot, SegmentedCells, ANY-method), 9
- plot, SegmentedCells, ANY-method, 9
- region (Accessors), 2
- region, SegmentedCells-method (Accessors), 2
- region<- (Accessors), 2
- region<-, SegmentedCells-method (Accessors), 2
- scale_region, 10
- scale_region_manual (scale_region), 10
- SegmentedCells (SegmentedCells-class), 10
- SegmentedCells, SegmentedCells-method (SegmentedCells-class), 10
- SegmentedCells-class, 10
- show (show-SegmentedCells), 12

show-SegmentedCells, [12](#)
signifPlot, [13](#)
spicy(SpicyResults-class), [13](#)
spicy,spicy-method
 (SpicyResults-class), [13](#)
SpicyResults,list,ANY-method
 (SpicyResults-class), [13](#)
SpicyResults-class, [13](#)
spicyTest, [15](#)
spicyTestBootstrap, [15](#)

topPairs, [16](#)
topPairs,SpicyResults-method
 (topPairs), [16](#)