## **Package 'Travel'**

October 14, 2021

Title An utility to create an ALTREP object with a virtual pointer

#### Version 1.0.0

**Description** Creates a virtual pointer for R's ALTREP object which does not have the data allocates in memory. The pointer is made by the file mapping of a virtual file so it behaves exactly the same as a regular pointer. All the requests to access the pointer will be sent to the underlying file system and eventually handled by a customized data-reading function.

The main purpose of the package is to reduce the memory consumption when using R's vector to represent a large data. The use cases of the package include on-disk data representation, compressed vector(e.g. RLE) and etc.

License GPL-3

biocViews Infrastructure
Encoding UTF-8
LazyData true
Roxygen list(markdown = TRUE)
RoxygenNote 7.1.1
SystemRequirements C++11 Windows: Dokan Linux&Mac: fuse, pkg-config
LinkingTo Rcpp
Imports Rcpp

Suggests testthat, BiocStyle, knitr, rmarkdown, inline, parallel

VignetteBuilder knitr

URL https://github.com/Jiefei-Wang/Travel

BugReports https://github.com/Jiefei-Wang/Travel/issues

git\_url https://git.bioconductor.org/packages/Travel
git\_branch RELEASE\_3\_13
git\_last\_commit\_8b0cf33
git\_last\_commit\_date 2021-05-19
Date/Publication 2021-10-14
Author Jiefei Wang [aut, cre]
Maintainer Jiefei Wang <szwjf08@gmail.com>

3

### **R** topics documented:

wrap_altrep	2
-------------	---

#### Index

wrap\_altrep

Create a new ALTREP object from an R ALTREP

#### Description

Create a new ALTREP object from an R ALTREP, the new ALTREP object owns a data pointer. However, it is a dummy pointer in the sense that the data is not in the memory. The pointer can be operated as a normal pointer but the request of accessing the data will be send to the wrapped ALTREP object.

#### Usage

wrap\_altrep(x)

#### Arguments

x an ALTREP object

#### Value

A new ALTREP object

#### Examples

```
x <- 1:10
y <- wrap_altrep(x)</pre>
```

# Index

wrap\_altrep, 2