

Package ‘interacCircos’

October 17, 2024

Type Package

Title The Generation of Interactive Circos Plot

Description Implement in an efficient approach to display the genomic data, relationship, information in an interactive circular genome(Circos) plot. 'interacCircos' are inspired by 'circosJS', 'BioCircos.js' and 'NG-Circos' and we integrate the modules of 'circosJS', 'BioCircos.js' and 'NG-Circos' into this R package, based on 'htmlwidgets' framework.

Version 1.14.0

License GPL-3

Encoding UTF-8

LazyData true

Depends R (>= 4.1)

Imports RColorBrewer, htmlwidgets, plyr, methods

RoxygenNote 7.1.1

Suggests knitr, rmarkdown

VignetteBuilder knitr

biocViews Visualization

git_url <https://git.bioconductor.org/packages/interacCircos>

git_branch RELEASE_3_19

git_last_commit 2895989

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-10-16

Author Zhe Cui [aut, cre]

Maintainer Zhe Cui <mrcuizhe@gmail.com>

Contents

arcExample	2
bubbleExample	3

chord.pExample	4
chordExample	4
Circos	5
CircosArc	56
CircosAuxLine	57
CircosBackground	58
CircosBubble	60
CircosChord	61
CircosChord.p	63
CircosCnv	64
CircosGene	65
CircosHeatmap	67
CircosHistogram	68
CircosLegend	69
CircosLine	70
CircosLink	72
CircosLollipop	73
CircosModuleList	75
CircosScatter	76
CircosSnp	78
CircosText	79
CircosWig	81
cnvExample	82
geneExample	83
heatmapExample	83
hg19_ideogram	84
histogramExample	84
lineExample	85
linkExample	85
lollipopExample	86
scatterExample	87
snpExample	87
wigExample	88
Index	89

arcExample*Arc plot example data*

Description

The data is in matrix with column names

Usage

arcExample

Format

A data frame with 7 columns:

chr chromosome
start start position
end end position
color color
des description
link hyperlink
html The external html language

bubbleExample

Bubble plot example data

Description

The data is in matrix with column names

Usage

bubbleExample

Format

A data frame with 8 columns:

chr chromosome
start start position
end end position
name name for description
value value
color specified color for bubble
layer layer number
html The external html language

`chord.pExample` *Example data of chord plot of circosJS*

Description

The data is in matrix with column names

Usage

```
chord.pExample
```

Format

A data frame in which each row represents the relationship from one genome position(source) to another one(target):

source_chr chromosome name of source
source_start start position of source
source_end end position of source
target_chr chromosome name of target
target_start start position of target
target_end end position of target

`chordExample` *Example data of chord plot of NG-Circos*

Description

The data is in matrix with column names. The order and number is same as column, representing the same items

Usage

```
chordExample
```

Format

A data frame in which each value represents the relationship from a column to a row:

C.CK Genome 1, the name for each arc
C.NPK Genome 2, the name for each arc
GC.CK Genome 2, the name for each arc
GC.NPK Genome 2, the name for each arc

Alphaproteobacteria Genome 2, the name for each arc
Betaproteobacteria Genome 2, the name for each arc
Gammaproteobacteria Genome 2, the name for each arc
Deltaproteobacteria Genome 8, the name for each arc
Acidobacteria Genome 9, the name for each arc
Actinobacteria Genome 10, the name for each arc
Bacteroidetes Genome 11, the name for each arc
Chloroflexi Genome 12, the name for each arc
Firmicutes Genome 13, the name for each arc
Gemmatimonadetes Genome 14, the name for each arc
Planctomyces Genome 15, the name for each arc
Thaumarchaeota Genome 16, the name for each arc
Verrucomicrobia Genome 17, the name for each arc
Ascomycota Genome 18, the name for each arc
Basidiomycota Genome 19, the name for each arc
Zygomycota Genome 20, the name for each arc

Circos

interacCircos

Description

Visualization of Interactive Circos Plot

Usage

```
Circos(  
  moduleList = CircosModuleList(),  
  genome = "hg19",  
  genome2 = "hg19",  
  genomeFillColor = "Spectral",  
  chrPad = 0.02,  
  width = NULL,  
  height = NULL,  
  innerRadius = 216,  
  outerRadius = 240,  
  svgClassName = "interacCircos",  
  displayGenomeBorder = TRUE,  
  genomeBorderColor = "#000",  
  genomeBorderSize = 0.5,  
  genomeTicksDisplay = FALSE,  
  genomeTicksLen = 5,
```

```
genomeTicksColor = "#000",
genomeTicksTextSize = "0.6em",
genomeTicksRealLength = TRUE,
genomeTicksTextColor = "#000",
genomeTicksScale = 3e+07,
genomeTicksOffset = 0,
genomeLabelDisplay = TRUE,
genomeLabelTextSize = "10pt",
genomeLabelTextColor = "#000",
genomeLabelDx = 0,
genomeLabelDy = 0,
compareEvent = FALSE,
compareEventGroupGapRate = 0.1,
compareEventGroupDistance = 0,
zoom = TRUE,
TEXTModuleDragEvent = FALSE,
CNVxlink = FALSE,
CNVMouseEvent = TRUE,
CNVMouseClickDisplay = FALSE,
CNVMouseClickColor = "red",
CNVMouseClickArcOpacity = 1,
CNVMouseClickArcStrokeColor = "#F26223",
CNVMouseClickArcStrokeWidth = 0,
CNVMouseClickTextFromData = "fourth",
CNVMouseClickTextOpacity = 1,
CNVMouseClickTextColor = "red",
CNVMouseClickTextSize = 8,
CNVMouseClickTextPostionX = 0,
CNVMouseClickTextPostionY = 0,
CNVMouseClickTextDrag = TRUE,
CNVMouseDownDisplay = FALSE,
CNVMouseDownColor = "green",
CNVMouseDownArcOpacity = 1,
CNVMouseDownArcStrokeColor = "#F26223",
CNVMouseDownArcStrokeWidth = 0,
CNVMouseEnterDisplay = FALSE,
CNVMouseEnterColor = "yellow",
CNVMouseEnterArcOpacity = 1,
CNVMouseEnterArcStrokeColor = "#F26223",
CNVMouseEnterArcStrokeWidth = 0,
CNVMouseLeaveDisplay = FALSE,
CNVMouseLeaveColor = "pink",
CNVMouseLeaveArcOpacity = 1,
CNVMouseLeaveArcStrokeColor = "#F26223",
CNVMouseLeaveArcStrokeWidth = 0,
CNVMouseMoveDisplay = FALSE,
CNVMouseMoveColor = "red",
CNVMouseMoveArcOpacity = 1,
```

```
CNVMouseMoveArcStrokeColor = "#F26223",
CNVMouseMoveArcStrokeWidth = 0,
CNVMouseOutDisplay = FALSE,
CNVMouseOutAnimationTime = 500,
CNVMouseOutColor = "red",
CNVMouseOutArcOpacity = 1,
CNVMouseOutArcStrokeColor = "red",
CNVMouseOutArcStrokeWidth = 0,
CNVMouseUpDisplay = FALSE,
CNVMouseUpColor = "grey",
CNVMouseUpArcOpacity = 1,
CNVMouseUpArcStrokeColor = "#F26223",
CNVMouseUpArcStrokeWidth = 0,
CNVMouseOverDisplay = FALSE,
CNVMouseOverColor = "red",
CNVMouseOverArcOpacity = 1,
CNVMouseOverArcStrokeColor = "#F26223",
CNVMouseOverArcStrokeWidth = 3,
CNVMouseOverTooltipsSetting = "style1",
CNVMouseOverTooltipsHtml = " ",
CNVMouseOverTooltipsPosition = "absolute",
CNVMouseOverTooltipsBackgroundColor = "white",
CNVMouseOverTooltipsBorderStyle = "solid",
CNVMouseOverTooltipsBorderWidth = 0,
CNVMouseOverTooltipsPadding = "3px",
CNVMouseOverTooltipsBorderRadius = "3px",
CNVMouseOverTooltipsOpacity = 0.8,
HEATMAPMouseEvent = TRUE,
HEATMAPMouseClickDisplay = FALSE,
HEATMAPMouseClickColor = "green",
HEATMAPMouseClickOpacity = 1,
HEATMAPMouseClickStrokeColor = "none",
HEATMAPMouseClickStrokeWidth = "none",
HEATMAPMouseDownDisplay = FALSE,
HEATMAPMouseDownColor = "green",
HEATMAPMouseDownOpacity = 1,
HEATMAPMouseDownStrokeColor = "none",
HEATMAPMouseDownStrokeWidth = "none",
HEATMAPMouseEnterDisplay = FALSE,
HEATMAPMouseEnterColor = "green",
HEATMAPMouseEnterOpacity = 1,
HEATMAPMouseEnterStrokeColor = "none",
HEATMAPMouseEnterStrokeWidth = "none",
HEATMAPMouseLeaveDisplay = FALSE,
HEATMAPMouseLeaveColor = "green",
HEATMAPMouseLeaveOpacity = 1,
HEATMAPMouseLeaveStrokeColor = "none",
HEATMAPMouseLeaveStrokeWidth = "none",
```

```
HEATMAPMouseMoveDisplay = FALSE,
HEATMAPMouseMoveColor = "green",
HEATMAPMouseMoveOpacity = 1,
HEATMAPMouseMoveStrokeColor = "none",
HEATMAPMouseMoveStrokeWidth = "none",
HEATMAPMouseOutDisplay = FALSE,
HEATMAPMouseOutAnimationTime = 500,
HEATMAPMouseOutColor = "green",
HEATMAPMouseOutOpacity = 1,
HEATMAPMouseOutStrokeColor = "none",
HEATMAPMouseOutStrokeWidth = "none",
HEATMAPMouseUpDisplay = FALSE,
HEATMAPMouseUpColor = "green",
HEATMAPMouseUpOpacity = 1,
HEATMAPMouseUpStrokeColor = "none",
HEATMAPMouseUpStrokeWidth = "none",
HEATMAPMouseOverDisplay = FALSE,
HEATMAPMouseOverColor = "none",
HEATMAPMouseOverOpacity = 1,
HEATMAPMouseOverStrokeColor = "none",
HEATMAPMouseOverStrokeWidth = "none",
HEATMAPMouseOverTooltipsSetting = "style1",
HEATMAPMouseOverTooltipsHtml = " ",
HEATMAPMouseOverTooltipsPosition = "absolute",
HEATMAPMouseOverTooltipsBackgroundColor = "white",
HEATMAPMouseOverTooltipsBorderStyle = "solid",
HEATMAPMouseOverTooltipsBorderWidth = 0,
HEATMAPMouseOverTooltipsPadding = "3px",
HEATMAPMouseOverTooltipsBorderRadius = "3px",
HEATMAPMouseOverTooltipsOpacity = 0.8,
BUBBLEExlink = FALSE,
BUBBLEMouseEvent = TRUE,
BUBBLEMouseClickDisplay = FALSE,
BUBBLEMouseClickColor = "green",
BUBBLEMouseClickOpacity = 1,
BUBBLEMouseClickStrokeColor = "none",
BUBBLEMouseClickStrokeWidth = "none",
BUBBLEMouseDownDisplay = FALSE,
BUBBLEMouseDownColor = "green",
BUBBLEMouseDownOpacity = 1,
BUBBLEMouseDownStrokeColor = "none",
BUBBLEMouseDownStrokeWidth = "none",
BUBBLEMouseEnterDisplay = FALSE,
BUBBLEMouseEnterColor = "green",
BUBBLEMouseEnterOpacity = 1,
BUBBLEMouseEnterStrokeColor = "none",
BUBBLEMouseEnterStrokeWidth = "none",
BUBBLEMouseLeaveDisplay = FALSE,
```

```
BUBBLEMouseLeaveColor = "green",
BUBBLEMouseLeaveOpacity = 1,
BUBBLEMouseLeaveStrokeColor = "none",
BUBBLEMouseLeaveStrokeWidth = "none",
BUBBLEMouseMoveDisplay = FALSE,
BUBBLEMouseMoveColor = "green",
BUBBLEMouseMoveOpacity = 1,
BUBBLEMouseMoveStrokeColor = "none",
BUBBLEMouseMoveStrokeWidth = "none",
BUBBLEMouseOutDisplay = FALSE,
BUBBLEMouseOutAnimationTime = 500,
BUBBLEMouseOutColor = "green",
BUBBLEMouseOutOpacity = 1,
BUBBLEMouseOutStrokeColor = "none",
BUBBLEMouseOutStrokeWidth = "none",
BUBBLEMouseUpDisplay = FALSE,
BUBBLEMouseUpColor = "green",
BUBBLEMouseUpOpacity = 1,
BUBBLEMouseUpStrokeColor = "none",
BUBBLEMouseUpStrokeWidth = "none",
BUBBLEMouseOverDisplay = FALSE,
BUBBLEMouseOverColor = "green",
BUBBLEMouseOverOpacity = 1,
BUBBLEMouseOverStrokeColor = "none",
BUBBLEMouseOverStrokeWidth = "none",
BUBBLEMouseOverToolipsSetting = "style1",
BUBBLEMouseOverToolipsHtml = " ",
BUBBLEMouseOverToolipsPosition = "absolute",
BUBBLEMouseOverToolipsBackgroundColor = "white",
BUBBLEMouseOverToolipsBorderStyle = "solid",
BUBBLEMouseOverToolipsBorderWidth = 0,
BUBBLEMouseOverToolipsPadding = "3px",
BUBBLEMouseOverToolipsBorderRadius = "3px",
BUBBLEMouseOverToolipsOpacity = 0.8,
SNPxlink = FALSE,
SNPMouseEvent = TRUE,
SNPMouseCombinationEvent = FALSE,
SNPMouseCombinationImageDisplay = FALSE,
SNPMouseCombinationImageTitle = "This is image",
SNPMouseCombinationImageTitleSize = 5,
SNPMouseCombinationImageTitleWeight = "bold",
SNPMouseCombinationImageTitleColor = "black",
SNPMouseCombinationImagePositionX = 0,
SNPMouseCombinationImagePositionY = 0,
SNPMouseCombinationImageHeight = 200,
SNPMouseCombinationImageWidth = 300,
SNPMouseCombinationGraphDisplay = FALSE,
SNPMouseCombinationGraphTitle = "This is graph",
```

```
SNPMouseCombinationGraphTitleSize = 5,
SNPMouseCombinationGraphTitleWeight = "bold",
SNPMouseCombinationGraphTitleColor = "black",
SNPMouseCombinationGraphType = "histogram",
SNPMouseCombinationGraphPositionX = 0,
SNPMouseCombinationGraphPositionY = 0,
SNPMouseCombinationGraphHeight = 200,
SNPMouseCombinationGraphWidth = 300,
SNPMouseCombinationGraphHistogramBarColor = "blue",
SNPMouseCombinationGraphHistogramPadding = 30,
SNPMouseCombinationGraphHistogramPositionCorrectX = 0,
SNPMouseCombinationGraphPieAutoColor = TRUE,
SNPMouseCombinationGraphPieColor = c("blue", "orange"),
SNPMouseCombinationGraphPieSize = 50,
SNPMouseCombinationGraphPieStroke = TRUE,
SNPMouseCombinationGraphPieStrokeColor = "black",
SNPMouseCombinationGraphPieStrokeWidth = 1,
SNPMouseCombinationGraphPieOpacity = 1,
SNPMouseCombinationGraphLineType = "linear",
SNPMouseCombinationGraphLineColor = "black",
SNPMouseCombinationGraphLineWidth = 1,
SNPMouseCombinationGraphLinePoint = FALSE,
SNPMouseCombinationGraphLinePointSize = 5,
SNPMouseCombinationGraphLinePointAutoColor = TRUE,
SNPMouseCombinationGraphLinePointColor = c("blue", "orange"),
SNPMouseCombinationGraphLinePointStroke = TRUE,
SNPMouseCombinationGraphLinePointStrokeColor = "black",
SNPMouseCombinationGraphLinePointStrokeWidth = 1,
SNPMouseCombinationGraphLinePointOpacity = 1,
SNPMouseCombinationGraphLinePositionCorrectX = 0,
SNPMouseCombinationTextDisplay = FALSE,
SNPMouseCombinationTextColor = "red",
SNPMouseCombinationTextSize = 3,
SNPMouseCombinationTextWeight = "bold",
SNPMouseCombinationTextPositionCorrectX = 0,
SNPMouseCombinationTextPositionCorrectY = 0,
SNPMouseClickDisplay = FALSE,
SNPMouseClickColor = "red",
SNPMouseClickCircleSize = 4,
SNPMouseClickCircleOpacity = 1,
SNPMouseClickCircleStrokeColor = "#F26223",
SNPMouseClickCircleStrokeWidth = 0,
SNPMouseClickTextFromData = "fourth",
SNPMouseClickTextOpacity = 1,
SNPMouseClickTextColor = "red",
SNPMouseClickTextSize = 8,
SNPMouseClickTextPostionX = 1,
SNPMouseClickTextPostionY = 10,
```

```
SNPMouseClickTextDrag = TRUE,  
SNPMouseDownDisplay = FALSE,  
SNPMouseDownColor = "green",  
SNPMouseDownCircleSize = 4,  
SNPMouseDownCircleOpacity = 1,  
SNPMouseDownCircleStrokeColor = "#F26223",  
SNPMouseDownCircleStrokeWidth = 0,  
SNPMouseEnterDisplay = FALSE,  
SNPMouseEnterColor = "yellow",  
SNPMouseEnterCircleSize = 4,  
SNPMouseEnterCircleOpacity = 1,  
SNPMouseEnterCircleStrokeColor = "#F26223",  
SNPMouseEnterCircleStrokeWidth = 0,  
SNPMouseLeaveDisplay = FALSE,  
SNPMouseLeaveColor = "pink",  
SNPMouseLeaveCircleSize = 4,  
SNPMouseLeaveCircleOpacity = 1,  
SNPMouseLeaveCircleStrokeColor = "#F26223",  
SNPMouseLeaveCircleStrokeWidth = 0,  
SNPMouseMoveDisplay = FALSE,  
SNPMouseMoveColor = "red",  
SNPMouseMoveCircleSize = 2,  
SNPMouseMoveCircleOpacity = 1,  
SNPMouseMoveCircleStrokeColor = "#F26223",  
SNPMouseMoveCircleStrokeWidth = 0,  
SNPMouseOutDisplay = FALSE,  
SNPMouseOutAnimationTime = 500,  
SNPMouseOutColor = "red",  
SNPMouseOutCircleSize = 2,  
SNPMouseOutCircleOpacity = 1,  
SNPMouseOutCircleStrokeColor = "red",  
SNPMouseOutCircleStrokeWidth = 0,  
SNPMouseUpDisplay = FALSE,  
SNPMouseUpColor = "grey",  
SNPMouseUpCircleSize = 2,  
SNPMouseUpCircleOpacity = 1,  
SNPMouseUpCircleStrokeColor = "#F26223",  
SNPMouseUpCircleStrokeWidth = 0,  
SNPMouseOverDisplay = FALSE,  
SNPMouseOverColor = "red",  
SNPMouseOverCircleSize = 2,  
SNPMouseOverCircleOpacity = 1,  
SNPMouseOverCircleStrokeColor = "#F26223",  
SNPMouseOverCircleStrokeWidth = 3,  
SNPMouseOverToolipsSetting = "style1",  
SNPMouseOverToolipsHtml = " ",  
SNPMouseOverToolipsPosition = "absolute",  
SNPMouseOverToolipsBackgroundColor = "white",
```

```
SNPMouseOverToolipsBorderStyle = "solid",
SNPMouseOverToolipsBorderWidth = 0,
SNPMouseOverToolipsPadding = "3px",
SNPMouseOverToolipsBorderRadius = "3px",
SNPMouseOverToolipsOpacity = 0.8,
LINKxlink = FALSE,
LINKMouseEvent = TRUE,
LINKMouseClickDisplay = FALSE,
LINKMouseClickOpacity = 1,
LINKMouseClickStrokeColor = "green",
LINKMouseClickStrokeWidth = 4,
LINKMouseDownDisplay = FALSE,
LINKMouseDownOpacity = 1,
LINKMouseDownStrokeColor = "none",
LINKMouseDownStrokeWidth = "none",
LINKMouseEnterDisplay = FALSE,
LINKMouseEnterOpacity = 1,
LINKMouseEnterStrokeColor = "none",
LINKMouseEnterStrokeWidth = "none",
LINKMouseLeaveDisplay = FALSE,
LINKMouseLeaveOpacity = 1,
LINKMouseLeaveStrokeColor = "none",
LINKMouseLeaveStrokeWidth = "none",
LINKMouseMoveDisplay = FALSE,
LINKMouseMoveOpacity = 1,
LINKMouseMoveStrokeColor = "none",
LINKMouseMoveStrokeWidth = "none",
LINKMouseOutDisplay = FALSE,
LINKMouseOutAnimationTime = 500,
LINKMouseOutOpacity = 1,
LINKMouseOutStrokeColor = "none",
LINKMouseOutStrokeWidth = "none",
LINKMouseUpDisplay = FALSE,
LINKMouseUpOpacity = 1,
LINKMouseUpStrokeColor = "none",
LINKMouseUpStrokeWidth = "none",
LINKMouseOverDisplay = FALSE,
LINKMouseOverOpacity = 1,
LINKMouseOverStrokeColor = "none",
LINKMouseOverStrokeWidth = "none",
LINKMouseOverToolipsSetting = "style1",
LINKMouseOverToolipsHtml = " ",
LINKMouseOverToolipsPosition = "absolute",
LINKMouseOverToolipsBackgroundColor = "white",
LINKMouseOverToolipsBorderStyle = "solid",
LINKMouseOverToolipsBorderWidth = 0,
LINKMouseOverToolipsPadding = "3px",
LINKMouseOverToolipsBorderRadius = "3px",
```

```
LINKMouseOverToolipsOpacity = 1,  
LINKLabelDragEvent = FALSE,  
CHORDMouseEvent = TRUE,  
CHORDMouseFillColorExcluded = "#FFFFFF",  
CHORDMouseClickDisplay = FALSE,  
CHORDMouseClickOpacity = 1,  
CHORDMouseClickStrokeColor = "none",  
CHORDMouseClickStrokeWidth = "none",  
CHORDMouseDownDisplay = FALSE,  
CHORDMouseDownOpacity = 1,  
CHORDMouseDownStrokeColor = "none",  
CHORDMouseDownStrokeWidth = "none",  
CHORDMouseEnterDisplay = FALSE,  
CHORDMouseEnterOpacity = 1,  
CHORDMouseEnterStrokeColor = "none",  
CHORDMouseEnterStrokeWidth = "none",  
CHORDMouseLeaveDisplay = FALSE,  
CHORDMouseLeaveOpacity = 1,  
CHORDMouseLeaveStrokeColor = "none",  
CHORDMouseLeaveStrokeWidth = "none",  
CHORDMouseMoveDisplay = FALSE,  
CHORDMouseMoveOpacity = 1,  
CHORDMouseMoveStrokeColor = "none",  
CHORDMouseMoveStrokeWidth = "none",  
CHORDMouseOutDisplay = FALSE,  
CHORDMouseOutAnimationTime = 500,  
CHORDMouseOutOpacity = 1,  
CHORDMouseOutStrokeColor = "none",  
CHORDMouseOutStrokeWidth = "none",  
CHORDMouseUpDisplay = FALSE,  
CHORDMouseUpOpacity = 1,  
CHORDMouseUpStrokeColor = "none",  
CHORDMouseUpStrokeWidth = "none",  
CHORDMouseOverDisplay = FALSE,  
CHORDMouseOverOpacity = 1,  
CHORDMouseOverStrokeColor = "none",  
CHORDMouseOverStrokeWidth = "none",  
HISTOGRAMxlink = FALSE,  
HISTOGRAMMouseEvent = TRUE,  
HISTOGRAMMouseClickDisplay = FALSE,  
HISTOGRAMMouseClickColor = "red",  
HISTOGRAMMouseClickOpacity = 1,  
HISTOGRAMMouseClickStrokeColor = "none",  
HISTOGRAMMouseClickStrokeWidth = "none",  
HISTOGRAMMouseDownDisplay = FALSE,  
HISTOGRAMMouseDownColor = "red",  
HISTOGRAMMouseDownOpacity = 1,  
HISTOGRAMMouseDownStrokeColor = "none",
```

```
HISTOGRAMMouseDownStrokeWidth = "none",
HISTOGRAMMouseEnterDisplay = FALSE,
HISTOGRAMMouseEnterColor = "red",
HISTOGRAMMouseEnterOpacity = 1,
HISTOGRAMMouseEnterStrokeColor = "none",
HISTOGRAMMouseEnterStrokeWidth = "none",
HISTOGRAMMouseLeaveDisplay = FALSE,
HISTOGRAMMouseLeaveColor = "red",
HISTOGRAMMouseLeaveOpacity = 1,
HISTOGRAMMouseLeaveStrokeColor = "none",
HISTOGRAMMouseLeaveStrokeWidth = "none",
HISTOGRAMMouseMoveDisplay = FALSE,
HISTOGRAMMouseMoveColor = "red",
HISTOGRAMMouseMoveOpacity = 1,
HISTOGRAMMouseMoveStrokeColor = "none",
HISTOGRAMMouseMoveStrokeWidth = "none",
HISTOGRAMMouseOutDisplay = FALSE,
HISTOGRAMMouseOutAnimationTime = 500,
HISTOGRAMMouseOutColor = "red",
HISTOGRAMMouseOutOpacity = 1,
HISTOGRAMMouseOutStrokeColor = "none",
HISTOGRAMMouseOutStrokeWidth = "none",
HISTOGRAMMouseUpDisplay = FALSE,
HISTOGRAMMouseUpColor = "red",
HISTOGRAMMouseUpOpacity = 1,
HISTOGRAMMouseUpStrokeColor = "none",
HISTOGRAMMouseUpStrokeWidth = "none",
HISTOGRAMMouseOverDisplay = FALSE,
HISTOGRAMMouseOverColor = "red",
HISTOGRAMMouseOverOpacity = 1,
HISTOGRAMMouseOverStrokeColor = "none",
HISTOGRAMMouseOverStrokeWidth = "none",
HISTOGRAMMouseOverTooltipsSetting = "style1",
HISTOGRAMMouseOverTooltipsHtml = " ",
HISTOGRAMMouseOverTooltipsPosition = "absolute",
HISTOGRAMMouseOverTooltipsBackgroundColor = "white",
HISTOGRAMMouseOverTooltipsBorderStyle = "solid",
HISTOGRAMMouseOverTooltipsBorderWidth = 0,
HISTOGRAMMouseOverTooltipsPadding = "3px",
HISTOGRAMMouseOverTooltipsBorderRadius = "3px",
HISTOGRAMMouseOverTooltipsOpacity = 1,
LINEMouseEvent = TRUE,
LINEMouseEventDisplay = FALSE,
LINEMouseEventLineOpacity = 1,
LINEMouseEventLineStrokeColor = "none",
LINEMouseEventLineStrokeWidth = "none",
LINEMouseEventDownDisplay = FALSE,
LINEMouseEventDownLineOpacity = 1,
```

```
LINEMouseDownLineStrokeColor = "none",
LINEMouseDownLineStrokeWidth = "none",
LINEMouseEnterDisplay = FALSE,
LINEMouseEnterLineOpacity = 1,
LINEMouseEnterLineStrokeColor = "none",
LINEMouseEnterLineStrokeWidth = "none",
LINEMouseLeaveDisplay = FALSE,
LINEMouseLeaveLineOpacity = 1,
LINEMouseLeaveLineStrokeColor = "none",
LINEMouseLeaveLineStrokeWidth = "none",
LINEMouseMoveDisplay = FALSE,
LINEMouseMoveLineOpacity = 1,
LINEMouseMoveLineStrokeColor = "none",
LINEMouseMoveLineStrokeWidth = "none",
LINEMouseOutDisplay = FALSE,
LINEMouseOutAnimationTime = 500,
LINEMouseOutlineOpacity = 1,
LINEMouseOutlineStrokeColor = "none",
LINEMouseOutlineStrokeWidth = "none",
LINEMouseUpDisplay = FALSE,
LINEMouseUpLineOpacity = 1,
LINEMouseUpLineStrokeColor = "none",
LINEMouseUpLineStrokeWidth = "none",
LINEMouseOverDisplay = FALSE,
LINEMouseOverLineOpacity = 1,
LINEMouseOverLineStrokeColor = "none",
LINEMouseOverLineStrokeWidth = "none",
LINEMouseOverToolipsSetting = "style1",
LINEMouseOverToolipsHtml = " ",
LINEMouseOverToolipsPosition = "absolute",
LINEMouseOverToolipsBackgroundColor = "white",
LINEMouseOverToolipsBorderStyle = "solid",
LINEMouseOverToolipsBorderWidth = 0,
LINEMouseOverToolipsPadding = "3px",
LINEMouseOverToolipsBorderRadius = "3px",
LINEMouseOverToolipsOpacity = 1,
WIGMouseEvent = TRUE,
WIGMouseClickDisplay = FALSE,
WIGMouseClickLineOpacity = 1,
WIGMouseClickLineStrokeColor = "none",
WIGMouseClickLineStrokeWidth = "none",
WIGMouseClickFillColor = "none",
WIGMouseDownDisplay = FALSE,
WIGMouseDownLineOpacity = 1,
WIGMouseDownLineStrokeColor = "none",
WIGMouseDownLineStrokeWidth = "none",
WIGMouseDownFillColor = "none",
WIGMouseEnterDisplay = FALSE,
```

```
WIGMouseEnterLineOpacity = 1,
WIGMouseEnterLineStrokeColor = "none",
WIGMouseEnterLineStrokeWidth = "none",
WIGMouseEnterFillColor = "none",
WIGMouseLeaveDisplay = FALSE,
WIGMouseLeaveLineOpacity = 1,
WIGMouseLeaveLineStrokeColor = "none",
WIGMouseLeaveLineStrokeWidth = "none",
WIGMouseLeaveFillColor = "none",
WIGMouseMoveDisplay = FALSE,
WIGMouseMoveLineOpacity = 1,
WIGMouseMoveLineStrokeColor = "none",
WIGMouseMoveLineStrokeWidth = "none",
WIGMouseMoveFillColor = "none",
WIGMouseOutDisplay = FALSE,
WIGMouseOutAnimationTime = 500,
WIGMouseOutLineOpacity = 1,
WIGMouseOutLineStrokeColor = "none",
WIGMouseOutLineStrokeWidth = "none",
WIGMouseOutFillColor = "none",
WIGMouseUpDisplay = FALSE,
WIGMouseUpLineOpacity = 1,
WIGMouseUpLineStrokeColor = "none",
WIGMouseUpLineStrokeWidth = "none",
WIGMouseUpFillColor = "none",
WIGMouseOverDisplay = FALSE,
WIGMouseOverLineOpacity = 1,
WIGMouseOverLineStrokeColor = "none",
WIGMouseOverLineStrokeWidth = "none",
WIGMouseOverFillColor = "none",
WIGMouseOverToolipsSetting = "style1",
WIGMouseOverToolipsHtml = " ",
WIGMouseOverToolipsPosition = "absolute",
WIGMouseOverToolipsBackgroundColor = "white",
WIGMouseOverToolipsBorderStyle = "solid",
WIGMouseOverToolipsBorderWidth = 0,
WIGMouseOverToolipsPadding = "3px",
WIGMouseOverToolipsBorderRadius = "3px",
WIGMouseOverToolipsOpacity = 1,
SCATTERxlink = FALSE,
SCATTERMouseEvent = TRUE,
SCATTERMouseEventClickDisplay = FALSE,
SCATTERMouseEventClickColor = "red",
SCATTERMouseEventClickCircleSize = 2,
SCATTERMouseEventClickCircleOpacity = 1,
SCATTERMouseEventClickCircleStrokeColor = "none",
SCATTERMouseEventClickCircleStrokeWidth = "none",
SCATTERMouseEventClickTextFromData = "fourth",
```

```
SCATTERMouseClickTextColor = "red",
SCATTERMouseClickTextSize = 8,
SCATTERMouseClickTextPostionX = 1,
SCATTERMouseClickTextPostionY = 10,
SCATTERMouseClickTextDrag = TRUE,
SCATTERMouseDownDisplay = FALSE,
SCATTERMouseDownColor = "red",
SCATTERMouseDownCircleSize = 2,
SCATTERMouseDownCircleOpacity = 1,
SCATTERMouseDownCircleStrokeColor = "none",
SCATTERMouseDownCircleStrokeWidth = "none",
SCATTERMouseEnterDisplay = FALSE,
SCATTERMouseEnterColor = "red",
SCATTERMouseEnterCircleSize = 2,
SCATTERMouseEnterCircleOpacity = 1,
SCATTERMouseEnterCircleStrokeColor = "none",
SCATTERMouseEnterCircleStrokeWidth = "none",
SCATTERMouseLeaveDisplay = FALSE,
SCATTERMouseLeaveColor = "red",
SCATTERMouseLeaveCircleSize = 2,
SCATTERMouseLeaveCircleOpacity = 1,
SCATTERMouseLeaveCircleStrokeColor = "none",
SCATTERMouseLeaveCircleStrokeWidth = "none",
SCATTERMouseMoveDisplay = FALSE,
SCATTERMouseMoveColor = "red",
SCATTERMouseMoveCircleSize = 2,
SCATTERMouseMoveCircleOpacity = 1,
SCATTERMouseMoveCircleStrokeColor = "none",
SCATTERMouseMoveCircleStrokeWidth = "none",
SCATTERMouseOutDisplay = FALSE,
SCATTERMouseOutAnimationTime = 500,
SCATTERMouseOutColor = "red",
SCATTERMouseOutCircleSize = 2,
SCATTERMouseOutCircleOpacity = 1,
SCATTERMouseOutCircleStrokeColor = "none",
SCATTERMouseOutCircleStrokeWidth = "none",
SCATTERMouseUpDisplay = FALSE,
SCATTERMouseUpColor = "red",
SCATTERMouseUpCircleSize = 2,
SCATTERMouseUpCircleOpacity = 1,
SCATTERMouseUpCircleStrokeColor = "none",
SCATTERMouseUpCircleStrokeWidth = "none",
SCATTERMouseOverDisplay = FALSE,
SCATTERMouseOverColor = "red",
SCATTERMouseOverCircleSize = 2,
SCATTERMouseOverCircleOpacity = 1,
SCATTERMouseOverCircleStrokeColor = "none",
```

```
SCATTERMouseOverCircleStrokeWidth = "none",
SCATTERMouseOverTooltipsSetting = "style1",
SCATTERMouseOverTooltipsHtml = " ",
SCATTERMouseOverTooltipsPosition = "absolute",
SCATTERMouseOverTooltipsBackgroundColor = "white",
SCATTERMouseOverTooltipsBorderStyle = "solid",
SCATTERMouseOverTooltipsBorderWidth = 0,
SCATTERMouseOverTooltipsPadding = "3px",
SCATTERMouseOverTooltipsBorderRadius = "3px",
SCATTERMouseOverTooltipsOpacity = 1,
ARCxlink = FALSE,
ARCMouseEvent = TRUE,
ARCMouseClickDisplay = FALSE,
ARCMouseClickColor = "red",
ARCMouseClickArcOpacity = 1,
ARCMouseClickArcStrokeColor = "none",
ARCMouseClickArcStrokeWidth = "none",
ARCMouseClickTextFromData = "fourth",
ARCMouseClickTextOpacity = 1,
ARCMouseClickTextColor = "red",
ARCMouseClickTextSize = 8,
ARCMouseClickTextPostionX = 1,
ARCMouseClickTextPostionY = 10,
ARCMouseClickTextDrag = TRUE,
ARCMouseDownDisplay = FALSE,
ARCMouseDownColor = "red",
ARCMouseDownArcOpacity = 1,
ARCMouseDownArcStrokeColor = "none",
ARCMouseDownArcStrokeWidth = "none",
ARCMouseEnterDisplay = FALSE,
ARCMouseEnterColor = "red",
ARCMouseEnterArcOpacity = 1,
ARCMouseEnterArcStrokeColor = "none",
ARCMouseEnterArcStrokeWidth = "none",
ARCMouseLeaveDisplay = FALSE,
ARCMouseLeaveColor = "red",
ARCMouseLeaveArcOpacity = 1,
ARCMouseLeaveArcStrokeColor = "none",
ARCMouseLeaveArcStrokeWidth = "none",
ARCMouseMoveDisplay = FALSE,
ARCMouseMoveColor = "red",
ARCMouseMoveArcOpacity = 1,
ARCMouseMoveArcStrokeColor = "none",
ARCMouseMoveArcStrokeWidth = "none",
ARCMouseOutDisplay = FALSE,
ARCMouseOutAnimationTime = 500,
ARCMouseOutColor = "red",
ARCMouseOutArcOpacity = 1,
```

```
ARCMouseOutArcStrokeColor = "none",
ARCMouseOutArcStrokeWidth = "none",
ARCMouseUpDisplay = FALSE,
ARCMouseUpColor = "red",
ARCMouseUpArcOpacity = 1,
ARCMouseUpArcStrokeColor = "none",
ARCMouseUpArcStrokeWidth = "none",
ARCMouseOverDisplay = FALSE,
ARCMouseOverColor = "red",
ARCMouseOverArcOpacity = 1,
ARCMouseOverArcStrokeColor = "none",
ARCMouseOverArcStrokeWidth = "none",
ARCMouseOverToolipsSetting = "style1",
ARCMouseOverToolipsHtml = " ",
ARCMouseOverToolipsPosition = "absolute",
ARCMouseOverToolipsBackgroundColor = "white",
ARCMouseOverToolipsBorderStyle = "solid",
ARCMouseOverToolipsBorderWidth = 0,
ARCMouseOverToolipsPadding = "3px",
ARCMouseOverToolipsBorderRadius = "3px",
ARCMouseOverToolipsOpacity = 1,
GENExlink = FALSE,
GENEMouseEvent = TRUE,
GENEMouseClickDisplay = FALSE,
GENEMouseClickColor = "red",
GENEMouseClickArcOpacity = 1,
GENEMouseClickArcStrokeColor = "none",
GENEMouseClickArcStrokeWidth = "none",
GENEMouseClickTextFromData = "fourth",
GENEMouseClickTextOpacity = 1,
GENEMouseClickTextColor = "red",
GENEMouseClickTextSize = 8,
GENEMouseClickTextPostionX = 1,
GENEMouseClickTextPostionY = 10,
GENEMouseClickTextDrag = TRUE,
GENEMouseDownDisplay = FALSE,
GENEMouseDownColor = "red",
GENEMouseDownArcOpacity = 1,
GENEMouseDownArcStrokeColor = "none",
GENEMouseDownArcStrokeWidth = "none",
GENEMouseEnterDisplay = FALSE,
GENEMouseEnterColor = "red",
GENEMouseEnterArcOpacity = 1,
GENEMouseEnterArcStrokeColor = "none",
GENEMouseEnterArcStrokeWidth = "none",
GENEMouseLeaveDisplay = FALSE,
GENEMouseLeaveColor = "red",
GENEMouseLeaveArcOpacity = 1,
```

```
GENEMouseLeaveArcStrokeColor = "none",
GENEMouseLeaveArcStrokeWidth = "none",
GENEMouseMoveDisplay = FALSE,
GENEMouseMoveColor = "red",
GENEMouseMoveArcOpacity = 1,
GENEMouseMoveArcStrokeColor = "none",
GENEMouseMoveArcStrokeWidth = "none",
GENEMouseOutDisplay = FALSE,
GENEMouseOutAnimationTime = 500,
GENEMouseOutColor = "red",
GENEMouseOutArcOpacity = 1,
GENEMouseOutArcStrokeColor = "none",
GENEMouseOutArcStrokeWidth = "none",
GENEMouseUpDisplay = FALSE,
GENEMouseUpColor = "red",
GENEMouseUpArcOpacity = 1,
GENEMouseUpArcStrokeColor = "none",
GENEMouseUpArcStrokeWidth = "none",
GENEMouseOverDisplay = FALSE,
GENEMouseOverColor = "red",
GENEMouseOverArcOpacity = 1,
GENEMouseOverArcStrokeColor = "none",
GENEMouseOverArcStrokeWidth = "none",
GENEMouseOverToolipsSetting = "style1",
GENEMouseOverToolipsHtml = " ",
GENEMouseOverToolipsPosition = "absolute",
GENEMouseOverToolipsBackgroundColor = "white",
GENEMouseOverToolipsBorderStyle = "solid",
GENEMouseOverToolipsBorderWidth = 0,
GENEMouseOverToolipsPadding = "3px",
GENEMouseOverToolipsBorderRadius = "3px",
GENEMouseOverToolipsOpacity = 1,
LOLLIPOPxlink = FALSE,
LOLLIPOPMouseEvent = TRUE,
LOLLIPOPMouseClickDisplay = FALSE,
LOLLIPOPMouseClickColor = "red",
LOLLIPOPMouseClickCircleSize = 2,
LOLLIPOPMouseClickCircleOpacity = 1,
LOLLIPOPMouseClickCircleStrokeColor = "none",
LOLLIPOPMouseClickCircleStrokeWidth = "none",
LOLLIPOPMouseClickTextFromData = "fourth",
LOLLIPOPMouseClickTextOpacity = 1,
LOLLIPOPMouseClickTextColor = "red",
LOLLIPOPMouseClickTextSize = 8,
LOLLIPOPMouseClickTextPostionX = 1,
LOLLIPOPMouseClickTextPostionY = 10,
LOLLIPOPMouseClickTextDrag = TRUE,
LOLLIPOPMouseDownDisplay = FALSE,
```

```
LOLLIPOPMouseDownColor = "red",
LOLLIPOPMouseDownCircleSize = 2,
LOLLIPOPMouseDownCircleOpacity = 1,
LOLLIPOPMouseDownCircleStrokeColor = "none",
LOLLIPOPMouseDownCircleStrokeWidth = "none",
LOLLIPOPMouseDownDisplay = FALSE,
LOLLIPOPMouseDownEnterColor = "red",
LOLLIPOPMouseDownEnterCircleSize = 2,
LOLLIPOPMouseDownEnterCircleOpacity = 1,
LOLLIPOPMouseDownEnterCircleStrokeColor = "none",
LOLLIPOPMouseDownEnterCircleStrokeWidth = "none",
LOLLIPOPMouseDownLeaveDisplay = FALSE,
LOLLIPOPMouseDownLeaveColor = "red",
LOLLIPOPMouseDownLeaveCircleSize = 2,
LOLLIPOPMouseDownLeaveCircleOpacity = 1,
LOLLIPOPMouseDownLeaveCircleStrokeColor = "none",
LOLLIPOPMouseDownLeaveCircleStrokeWidth = "none",
LOLLIPOPMouseDownMoveDisplay = FALSE,
LOLLIPOPMouseDownMoveColor = "red",
LOLLIPOPMouseDownMoveCircleSize = 2,
LOLLIPOPMouseDownMoveCircleOpacity = 1,
LOLLIPOPMouseDownMoveCircleStrokeColor = "none",
LOLLIPOPMouseDownMoveCircleStrokeWidth = "none",
LOLLIPOPMouseDownOutDisplay = FALSE,
LOLLIPOPMouseDownOutAnimationTime = 500,
LOLLIPOPMouseDownOutColor = "red",
LOLLIPOPMouseDownOutCircleSize = 2,
LOLLIPOPMouseDownOutCircleOpacity = 1,
LOLLIPOPMouseDownOutCircleStrokeColor = "none",
LOLLIPOPMouseDownOutCircleStrokeWidth = "none",
LOLLIPOPMouseDownUpDisplay = FALSE,
LOLLIPOPMouseDownUpColor = "red",
LOLLIPOPMouseDownUpCircleSize = 2,
LOLLIPOPMouseDownUpCircleOpacity = 1,
LOLLIPOPMouseDownUpCircleStrokeColor = "none",
LOLLIPOPMouseDownUpCircleStrokeWidth = "none",
LOLLIPOPMouseDownOverDisplay = FALSE,
LOLLIPOPMouseDownOverColor = "red",
LOLLIPOPMouseDownOverCircleSize = 2,
LOLLIPOPMouseDownOverCircleOpacity = 1,
LOLLIPOPMouseDownOverCircleStrokeColor = "none",
LOLLIPOPMouseDownOverCircleStrokeWidth = "none",
LOLLIPOPMouseDownOverTooltipsSetting = "style1",
LOLLIPOPMouseDownOverTooltipsHtml = " ",
LOLLIPOPMouseDownOverTooltipsPosition = "absolute",
LOLLIPOPMouseDownOverTooltipsBackgroundColor = "white",
LOLLIPOPMouseDownOverTooltipsBorderStyle = "solid",
LOLLIPOPMouseDownOverTooltipsBorderWidth = 0,
```

```

    LOLLIPOPMouseOverToolipsPadding = "3px",
    LOLLIPOPMouseOverToolipsBorderRadius = "3px",
    LOLLIPOPMouseOverToolipsOpacity = 1,
    elementId = NULL,
    ...
)

```

Arguments

moduleList	Module list displayed in plot
genome	Could be either 'hg19', which is default set to use chromosomes of hg19, or a list of chromosomes with length, for example, list("chr1"=100,"chr2"=200)
genome2	Second genome when compare module is applied, format is same as genome
genomeFillColor	Could be either a color palette from RColorBrewer, or a list of color name, for example, list("yellow","rgb(1,255,255)")
chrPad	Distance between each chromosome, default is 0.04
width, height	The width and height for svg element, could be px or percent or auto
innerRadius	Default 216, Inner radius of chromosome
outerRadius	Default 240, Outer radius of chromosome
svgClassName	The svg class name
displayGenomeBorder	Whether display a border for genome track or not
genomeBorderColor, genomeBorderSize	The color and size for border of genome
genomeTicksDisplay	Whether display the ticks for genome track
genomeTicksLen, genomeTicksColor, genomeTicksFontSize, genomeTicksTextColor, genomeTicksScale, genomeTicksRealLength, genomeTicksOffset	parameters only works when genomeTicksDisplay is TRUE and their details are available on document
genomeLabelDisplay, genomeLabelTextSize, genomeLabelTextColor, genomeLabelDx, genomeLabelDy	Whether display the label for chromosome panel. Other parameters only works when genomeTicksDisplay is TRUE and their details are available on document
compareEvent	Default False, open/not COMPARE module
compareEventGroupGapRate	Default 0.1, control the two-side gap rate on each group of genome
compareEventGroupDistance	Default 0, distance between two groups of genome
zoom	Whether or not the plot is zoomable?
TEXTModuleDragEvent	Are text annotations dragable?

CNVxlink Default False, add/not xlink for CNV module
CNVMouseEvent Default True, open/not open mouse event of CNV module
CNVMouseClickDisplay
 Default False, show/not the tooltip when mouse click on a CNV point
CNVMouseClickColor
 Color when mouse clicking
CNVMouseClickArcOpacity
 Arc opacity when mouse clicking the element
CNVMouseClickArcStrokeColor
 Arc stroke color when mouse clicking the element
CNVMouseClickArcStrokeWidth
 Arc stroke width when mouse clicking the element
CNVMouseClickTextFromData
 Text column when mouse clicking the element
CNVMouseClickTextOpacity
 Text opacity when mouse clicking the element
CNVMouseClickTextColor
 Text color when mouse clicking the element
CNVMouseClickTextSize
 Text size when mouse clicking the element
CNVMouseClickTextPostionX, CNVMouseClickTextPostionY
 Text coordinates when mouse clicking the element
CNVMouseClickTextDrag
 Whether text is draggable when mouse clicking the element
CNVMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a CNV point
CNVMouseDownColor
 Color when mouse moving down the element
CNVMouseDownArcOpacity
 Arc opacity when mouse moving down the element
CNVMouseDownArcStrokeColor
 Arc stroke color when mouse moving down the element
CNVMouseDownArcStrokeWidth
 Arc stroke width when mouse moving down the element
CNVMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a CNV point
CNVMouseEnterColor
 Color when mouse entering the element
CNVMouseEnterArcOpacity
 Arc opacity when mouse entering the element
CNVMouseEnterArcStrokeColor
 Arc stroke color when mouse entering the element
CNVMouseEnterArcStrokeWidth
 Arc stroke width when mouse entering the element

CNVMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a CNV point

CNVMouseLeaveColor
 Color when mouse leaving the element

CNVMouseLeaveArcOpacity
 Arc opacity when mouse leaving the element

CNVMouseLeaveArcStrokeColor
 Arc stroke color when mouse leaving the element

CNVMouseLeaveArcStrokeWidth
 Arc stroke width when mouse leaving the element

CNVMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a CNV point

CNVMouseMoveColor
 Color when mouse moving in the element

CNVMouseMoveArcOpacity
 Arc opacity when mouse moving in the element

CNVMouseMoveArcStrokeColor
 Arc stroke color when mouse moving in the element

CNVMouseMoveArcStrokeWidth
 Arc stroke width when mouse moving in the element

CNVMouseOutDisplay
 Defalut False, hide/not tooltip when mouse is not hovering a CNV point anymore

CNVMouseOutAnimationTime
 Animation time when mouse moving out the element

CNVMouseOutColor
 Color when mouse moving out the element

CNVMouseOutArcOpacity
 Arc opacity when mouse moving out the element

CNVMouseOutArcStrokeColor
 Arc stroke color when mouse moving out the element

CNVMouseOutArcStrokeWidth
 Arc stroke width when mouse moving out the element

CNVMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a CNV point

CNVMouseUpColor
 Color when mouse moving up the element

CNVMouseUpArcOpacity
 Arc opacity when mouse clicking the element

CNVMouseUpArcStrokeColor
 Arc stroke color when mouse clicking the element

CNVMouseUpArcStrokeWidth
 Arc stroke width when mouse clicking the element

CNVMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a CNV point

CNVMouseOverColor
Color when mouse moving over the element

CNVMouseOverArcOpacity
Arc opacity when mouse moving over the element

CNVMouseOverArcStrokeColor
Arc stroke color when mouse moving over the element

CNVMouseOverArcStrokeWidth
Arc stroke width when mouse moving over the element

CNVMouseOverTooltipsSetting
Default "style1"

CNVMouseOverTooltipsHtml
Default "

CNVMouseOverTooltipsPosition
Default "absolute"

CNVMouseOverTooltipsBackgroundColor
Default "white"

CNVMouseOverTooltipsBorderStyle
Default "solid"

CNVMouseOverTooltipsBorderWidth
Default 0

CNVMouseOverTooltipsPadding
Default "3px"

CNVMouseOverTooltipsBorderRadius
Default "3px"

CNVMouseOverTooltipsOpacity
Default 0.8

HEATMAPMouseEvent
Default True, open/not open mouse event of HEATMAP module

HEATMAPMouseClickDisplay
Default False, show/not the tooltip when mouse click on a HEATMAP point

HEATMAPMouseClickColor
Color when mouse clicking

HEATMAPMouseClickOpacity
Opacity when mouse clicking

HEATMAPMouseClickStrokeColor
Stroke color when mouse clicking

HEATMAPMouseClickStrokeWidth
Stroke width when mouse clicking

HEATMAPMouseDownDisplay
Default False, show/not the tooltip when mouse click down a HEATMAP point

HEATMAPMouseDownColor
Color when mouse moving down the element

HEATMAPMouseDownOpacity
Opacity when mouse moving down the element

HEATMAPMouseDownStrokeColor
Stroke color when mouse moving down the element

HEATMAPMouseDownStrokeWidth
 Stroke width when mouse moving down the element
HEATMAPMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a HEATMAP point
HEATMAPMouseEnterColor
 Color when mouse entering the element
HEATMAPMouseEnterOpacity
 Opacity when mouse entering the element
HEATMAPMouseEnterStrokeColor
 Stroke color when mouse entering the element
HEATMAPMouseEnterStrokeWidth
 Stroke width when mouse entering the element
HEATMAPMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a HEATMAP point
HEATMAPMouseLeaveColor
 Color when mouse leaving the element
HEATMAPMouseLeaveOpacity
 Opacity when mouse leaving the element
HEATMAPMouseLeaveStrokeColor
 Stroke color when mouse leaving the element
HEATMAPMouseLeaveStrokeWidth
 Stroke width when mouse leaving the element
HEATMAPMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a HEATMAP point
HEATMAPMouseMoveColor
 Color when mouse moving in the element
HEATMAPMouseMoveOpacity
 Opacity when mouse moving in the element
HEATMAPMouseMoveStrokeColor
 Stroke color when mouse moving in the element
HEATMAPMouseMoveStrokeWidth
 Stroke width when mouse moving in the element
HEATMAPMouseOutDisplay
 Defalut False, hide/not tooltip when mouse is not hovering a HEATMAP point anymore
HEATMAPMouseOutAnimationTime
 Animation time when mouse moving out the element
HEATMAPMouseOutColor
 Color when mouse moving out the element
HEATMAPMouseOutOpacity
 Opacity when mouse moving out the element
HEATMAPMouseOutStrokeColor
 Stroke color when mouse moving out the element
HEATMAPMouseOutStrokeWidth
 Stroke width when mouse moving out the element

HEATMAPMouseUpDisplay
Default False, show/not the tooltip when mouse click up a HEATMAP point

HEATMAPMouseUpColor
Color when mouse moving up the element

HEATMAPMouseUpOpacity
Opacity when mouse moving up the element

HEATMAPMouseUpStrokeColor
Stroke color when mouse moving up the element

HEATMAPMouseUpStrokeWidth
Stroke width when mouse moving up the element

HEATMAPMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a HEATMAP point

HEATMAPMouseOverColor
Color when mouse moving over the element

HEATMAPMouseOverOpacity
Opacity when mouse moving over the element

HEATMAPMouseOverStrokeColor
Stroke color when mouse moving over the element

HEATMAPMouseOverStrokeWidth
Stroke width when mouse moving over the element

HEATMAPMouseOverToolipsSetting
Default "style1"

HEATMAPMouseOverToolipsHtml
Default "

HEATMAPMouseOverToolipsPosition
Default "absolute"

HEATMAPMouseOverToolipsBackgroundColor
Default "white"

HEATMAPMouseOverToolipsBorderStyle
Default "solid"

HEATMAPMouseOverToolipsBorderWidth
Default 0

HEATMAPMouseOverToolipsPadding
Default "3px"

HEATMAPMouseOverToolipsBorderRadius
Default "3px"

HEATMAPMouseOverToolipsOpacity
Default 0.8

BUBBLExlink Default False, add/not xlink for BUBBLE module

BUBBLEMouseEvent
Default True, open/not open mouse event of BUBBLE module

BUBBLEMouseClickDisplay
Default False, show/not the tooltip when mouse click on a BUBBLE point

BUBBLEMouseClickColor
Color when mouse clicking

BUBBLEMouseClickOpacity
 Opacity when mouse clicking

BUBBLEMouseClickStrokeColor
 Stroke color when mouse clicking

BUBBLEMouseClickStrokeWidth
 Stroke width when mouse clicking

BUBBLEMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a BUBBLE point

BUBBLEMouseDownColor
 Color when mouse moving down the element

BUBBLEMouseDownOpacity
 Opacity when mouse moving down the element

BUBBLEMouseDownStrokeColor
 Stroke color when mouse moving down the element

BUBBLEMouseDownStrokeWidth
 Stroke width when mouse moving down the element

BUBBLEMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a BUBBLE point

BUBBLEMouseEnterColor
 Color when mouse entering the element

BUBBLEMouseEnterOpacity
 Opacity when mouse entering the element

BUBBLEMouseEnterStrokeColor
 Stroke color when mouse entering the element

BUBBLEMouseEnterStrokeWidth
 Stroke width when mouse entering the element

BUBBLEMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a BUBBLE point

BUBBLEMouseLeaveColor
 Color when mouse leaving the element

BUBBLEMouseLeaveOpacity
 Opacity when mouse leaving the element

BUBBLEMouseLeaveStrokeColor
 Stroke color when mouse leaving the element

BUBBLEMouseLeaveStrokeWidth
 Stroke width when mouse leaving the element

BUBBLEMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a BUBBLE point

BUBBLEMouseMoveColor
 Color when mouse moving in the element

BUBBLEMouseMoveOpacity
 Opacity when mouse moving in the element

BUBBLEMouseMoveStrokeColor
 Stroke color when mouse moving in the element

BUBBLEMouseMoveStrokeWidth
Stroke width when mouse moving in the element

BUBBLEMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a BUBBLE point anymore

BUBBLEMouseOutAnimationTime
Animation time when mouse moving out the element

BUBBLEMouseOutColor
Color when mouse moving out the element

BUBBLEMouseOutOpacity
Opacity when mouse moving out the element

BUBBLEMouseOutStrokeColor
Stroke color when mouse moving out the element

BUBBLEMouseOutStrokeWidth
Stroke width when mouse moving out the element

BUBBLEMouseUpDisplay
Default False, show/not the tooltip when mouse click up a BUBBLE point

BUBBLEMouseUpColor
Color when mouse moving up the element

BUBBLEMouseUpOpacity
Opacity when mouse moving up the element

BUBBLEMouseUpStrokeColor
Stroke color when mouse moving up the element

BUBBLEMouseUpStrokeWidth
Stroke width when mouse moving up the element

BUBBLEMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a BUBBLE point

BUBBLEMouseOverColor
Color when mouse moving over the element

BUBBLEMouseOverOpacity
Opacity when mouse moving over the element

BUBBLEMouseOverStrokeColor
Stroke color when mouse moving over the element

BUBBLEMouseOverStrokeWidth
Stroke width when mouse moving over the element

BUBBLEMouseOverToolipsSetting
Default "style1"

BUBBLEMouseOverToolipsHtml
Default "

BUBBLEMouseOverToolipsPosition
Default "absolute"

BUBBLEMouseOverToolipsBackgroundColor
Default "white"

BUBBLEMouseOverToolipsBorderStyle
Default "solid"

```

BUBBLEMouseOverToolipsBorderWidth
    Default 0
BUBBLEMouseOverToolipsPadding
    Default "3px"
BUBBLEMouseOverToolipsBorderRadius
    Default "3px"
BUBBLEMouseOverToolipsOpacity
    Default 0.8
SNPxlink      Default False, add/not xlink for SNP module
SNPMouseEvent  Default True, open/not open mouse event of SNP module
SNPMouseCombinationEvent
    Default False, open/not COMBINATION module for SNP module
SNPMouseCombinationImageDisplay
    Defalut False, open/not image display in COMBINATION module for SNP
    module
SNPMouseCombinationImageTitle
    Title of the image
SNPMouseCombinationImageTitleSize, SNPMouseCombinationImageTitleWeight,
SNPMouseCombinationImageTitleColor
    Size, weight and color of the title
SNPMouseCombinationImagePositionX, SNPMouseCombinationImagePositionY
    Coordinates for image
SNPMouseCombinationImageHeight, SNPMouseCombinationImageWidth
    Height and width of image
SNPMouseCombinationGraphDisplay
    Defalut False, open/not graph display in COMBINATION module for SNP mod-
    ule
SNPMouseCombinationGraphTitle
    Title of the graph
SNPMouseCombinationGraphTitleSize, SNPMouseCombinationGraphTitleWeight,
SNPMouseCombinationGraphTitleColor
    Size, weight and color of the title
SNPMouseCombinationGraphType
    Type of graph
SNPMouseCombinationGraphPositionX, SNPMouseCombinationGraphPositionY
    Coordinates for graph
SNPMouseCombinationGraphHeight, SNPMouseCombinationGraphWidth
    Height and width for graph
SNPMouseCombinationGraphHistogramBarColor
    Bar color of histogram graph
SNPMouseCombinationGraphHistogramPadding
    Padding between bar of histogram graph
SNPMouseCombinationGraphHistogramPositionCorrectX
    Correction distance of X axis in histogram

```

```

SNPMouseCombinationGraphPieAutoColor
    Whether use auto color for pie graph or not
SNPMouseCombinationGraphPieColor
    Color for pie graph if auto color is false
SNPMouseCombinationGraphPieSize
    Size of pie graph
SNPMouseCombinationGraphPieStroke
    Whether each pie has a stroke or not
SNPMouseCombinationGraphPieStrokeColor, SNPMouseCombinationGraphPieStrokeWidth
    The stroke color and width for pie graph
SNPMouseCombinationGraphPieOpacity
    Opacity for pie graph
SNPMouseCombinationGraphLineType, SNPMouseCombinationGraphLineColor,
SNPMouseCombinationGraphLineWidth
    Line type, color and width for line graph
SNPMouseCombinationGraphLinePoint
    Whether display the broken point in line graph
SNPMouseCombinationGraphLinePointSize
    Size of broken point
SNPMouseCombinationGraphLinePointAutoColor
    Whether display the broken point in auto color
SNPMouseCombinationGraphLinePointColor
    Color for broken point if auto color is false
SNPMouseCombinationGraphLinePointStroke
    Whether display the broken point stroke
SNPMouseCombinationGraphLinePointStrokeColor,
SNPMouseCombinationGraphLinePointStrokeWidth
    The stroke color and width for broken point
SNPMouseCombinationGraphLinePointOpacity
    Opacity for broken line
SNPMouseCombinationGraphLinePositionCorrectX
    Correction distance of X axis for line
SNPMouseCombinationTextDisplay
    Defalut False, open/not text display in COMBINATION module for SNP mod-
ule
SNPMouseCombinationTextColor,           SNPMouseCombinationTextSize,
SNPMouseCombinationTextWeight
    The color, size and weight for text
SNPMouseCombinationTextPositionCorrectX, SNPMouseCombinationTextPositionCorrectY
    The coordinates for text
SNPMouseClickDisplay
    Default False, show/not the tooltip when mouse click on a SNP point
SNPMouseClickColor
    Color after clicking the element
SNPMouseClickCircleSize
    Circle size after clicking the element

```

SNPMouseClickCircleOpacity
 Opacity after clicking the element
SNPMouseClickCircleStrokeColor
 Stroke color after clicking the element
SNPMouseClickCircleStrokeWidth
 Stroke width after clicking the element
SNPMouseClickTextFromData
 First,second,third,fourth column data click to show
SNPMouseClickTextOpacity
 Text opacity after clicking the element
SNPMouseClickTextColor
 Text color after clicking the element
SNPMouseClickTextSize
 Text size after clicking the element
SNPMouseClickTextPostionX, SNPMouseClickTextPostionY
 Text coordinate after clicking the element
SNPMouseClickTextDrag
 Whether text is draggable for element
SNPMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a SNP point
SNPMouseDownColor
 Color after mouse moving down the element
SNPMouseDownCircleSize
 Circle size after mouse moving down the element
SNPMouseDownCircleOpacity
 Circle opacity after mouse moving down the element
SNPMouseDownCircleStrokeColor
 Circle stroke color after mouse moving down the element
SNPMouseDownCircleStrokeWidth
 Circle stroke width after mouse moving down the element
SNPMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a SNP point
SNPMouseEnterColor
 Color after mouse entering enter the element
SNPMouseEnterCircleSize
 Circle size after mouse entering the element
SNPMouseEnterCircleOpacity
 Circle opacity after mouse entering the element
SNPMouseEnterCircleStrokeColor
 Circle stroke color after mouse entering the element
SNPMouseEnterCircleStrokeWidth
 Circle stroke width after mouse entering the element
SNPMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a SNP point

SNPMouseLeaveColor
 Color after mouse leaving the element
SNPMouseLeaveCircleSize
 Circle size after mouse leaving the element
SNPMouseLeaveCircleOpacity
 Circle opacity after mouse leaving the element
SNPMouseLeaveCircleStrokeColor
 Circle stroke color after mouse leaving the element
SNPMouseLeaveCircleStrokeWidth
 Circle stroke width after mouse leaving the element
SNPMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a SNP point
SNPMouseMoveColor
 Color after mouse moving in the element
SNPMouseMoveCircleSize
 Circle size after mouse moving in the element
SNPMouseMoveCircleOpacity
 Circle opacity after mouse moving in the element
SNPMouseMoveCircleStrokeColor
 Circle stroke color after mouse moving in the element
SNPMouseMoveCircleStrokeWidth
 Circle stroke width after mouse moving in the element
SNPMouseOutDisplay
 Defalut False, hide/not tooltip when mouse is not hovering a SNP point anymore
SNPMouseOutAnimationTime
 Animation time when mouse moving over the element
SNPMouseOutColor
 Color when mouse moving over the element
SNPMouseOutCircleSize
 Circle size when mouse moving over the element
SNPMouseOutCircleOpacity
 Opacity when mouse moving over the element
SNPMouseOutCircleStrokeColor
 Stroke color when mouse moving over the element
SNPMouseOutCircleStrokeWidth
 Stroke width when mouse moving over the element
SNPMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a SNP point
SNPMouseUpColor
 Color after mouse moving up the element
SNPMouseUpCircleSize
 Circle size after mouse moving up the element
SNPMouseUpCircleOpacity
 Circle opacity after mouse moving up the element

SNPMouseUpCircleStrokeColor
 Circle stroke color after mouse moving up the element
SNPMouseUpCircleStrokeWidth
 Circle stroke width after mouse moving up the element
SNPMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a SNP point
SNPMouseOverColor
 Color after mouse moving over the element
SNPMouseOverCircleSize
 Circle size after mouse moving over the element
SNPMouseOverCircleOpacity
 Circle opacity after mouse moving over the element
SNPMouseOverCircleStrokeColor
 Circle stroke color after mouse moving over the element
SNPMouseOverCircleStrokeWidth
 Circle stroke width after mouse moving over the element
SNPMouseOverToolipsSetting
 Default "chr :"
SNPMouseOverToolipsHtml
 Default ""
SNPMouseOverToolipsPosition
 Position for tooltips when mouse moving over
SNPMouseOverToolipsBackgroundColor
 Background color for tooltips when mouse moving over
SNPMouseOverToolipsBorderStyle
 Border style for tooltips when mouse moving over
SNPMouseOverToolipsBorderWidth
 Border width for tooltips when mouse moving over
SNPMouseOverToolipsPadding
 Padding for tooltips when mouse moving over
SNPMouseOverToolipsBorderRadius
 Border radius for tooltips when mouse moving over
SNPMouseOverToolipsOpacity
 Opacity for tooltips when mouse moving over
LINKxlink Default False, add/not xlink for LINK module
LINKMouseEvent Default True, open/not open mouse event of LINK module
LINKMouseClickDisplay
 Default False, show/not the tooltip when mouse click on a LINK point
LINKMouseClickOpacity
 Opacity when mouse clicking
LINKMouseClickStrokeColor
 Stroke color when mouse clicking
LINKMouseClickStrokeWidth
 Stroke width when mouse clicking

LINKMouseDownDisplay
Default False, show/not the tooltip when mouse click down a LINK point

LINKMouseDownOpacity
Opacity when mouse moving down the element

LINKMouseDownStrokeColor
Stroke color when mouse moving down the element

LINKMouseDownStrokeWidth
Stroke width when mouse moving down the element

LINKMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a LINK point

LINKMouseEnterOpacity
Opacity when mouse entering the element

LINKMouseEnterStrokeColor
Stroke color when mouse entering the element

LINKMouseEnterStrokeWidth
Stroke width when mouse entering the element

LINKMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a LINK point

LINKMouseLeaveOpacity
Opacity when mouse leaving the element

LINKMouseLeaveStrokeColor
Stroke color when mouse leaving the element

LINKMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

LINKMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a LINK point

LINKMouseMoveOpacity
Opacity when mouse moving in the element

LINKMouseMoveStrokeColor
Stroke color when mouse moving in the element

LINKMouseMoveStrokeWidth
Stroke width when mouse moving in the element

LINKMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a LINK point anymore

LINKMouseOutAnimationTime
Animation time when mouse moving out the element

LINKMouseOutOpacity
Opacity when mouse moving out the element

LINKMouseOutStrokeColor
Stroke color when mouse moving out the element

LINKMouseOutStrokeWidth
Stroke width when mouse moving out the element

LINKMouseUpDisplay
Default False, show/not the tooltip when mouse click up a LINK point

```

LINKMouseUpOpacity
    Opacity when mouse moving up the element
LINKMouseUpStrokeColor
    Stroke color when mouse moving up the element
LINKMouseUpStrokeWidth
    Stroke width when mouse moving up the element
LINKMouseOverDisplay
    Default False, show/not the tooltip when mouse hover on a LINK point
LINKMouseOverOpacity
    Opacity when mouse moving over the element
LINKMouseOverStrokeColor
    Stroke color when mouse moving over the element
LINKMouseOverStrokeWidth
    Stroke width when mouse moving over the element
LINKMouseOverToolipsSetting
    Default "style1"
LINKMouseOverToolipsHtml
    Default ""
LINKMouseOverToolipsPosition
    Default "absolute"
LINKMouseOverToolipsBackgroundColor
    Default "white"
LINKMouseOverToolipsBorderStyle
    Default "solid"
LINKMouseOverToolipsBorderWidth
    Default 0
LINKMouseOverToolipsPadding
    Default "3px"
LINKMouseOverToolipsBorderRadius
    Default "3px"
LINKMouseOverToolipsOpacity
    Default 0.8
LINKLabelDragEvent
    Defalut False, draggable for the label of LINK module
CHORDMouseEvent
    Default True, open/not open mouse event of CHORD module from NG-Circos
CHORDMouseFillColorExcluded
    A type of color in character, chord in this color will be hided
CHORDMouseClickDisplay
    Default False, show/not the tooltip when mouse click on a CHORD point
CHORDMouseClickOpacity
    Opacity when mouse clicking
CHORDMouseClickStrokeColor
    Stroke color when mouse clicking
CHORDMouseClickStrokeWidth
    Stroke width when mouse clicking

```

CHORDMouseDownDisplay
Default False, show/not the tooltip when mouse click down a CHORD point

CHORDMouseDownOpacity
Opacity when mouse moving down the element

CHORDMouseDownStrokeColor
Stroke color when mouse moving down the element

CHORDMouseDownStrokeWidth
Stroke width when mouse moving down the element

CHORDMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a CHORD point

CHORDMouseEnterOpacity
Opacity when mouse entering the element

CHORDMouseEnterStrokeColor
Stroke color when mouse entering the element

CHORDMouseEnterStrokeWidth
Stroke width when mouse entering the element

CHORDMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a CHORD point

CHORDMouseLeaveOpacity
Opacity when mouse leaving the element

CHORDMouseLeaveStrokeColor
Stroke color when mouse leaving the element

CHORDMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

CHORDMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a CHORD point

CHORDMouseMoveOpacity
Opacity when mouse moving in the element

CHORDMouseMoveStrokeColor
Stroke color when mouse moving in the element

CHORDMouseMoveStrokeWidth
Stroke width when mouse moving in the element

CHORDMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a CHORD point anymore

CHORDMouseOutAnimationTime
Animation time when mouse moving out the element

CHORDMouseOutOpacity
Opacity when mouse moving out the element

CHORDMouseOutStrokeColor
Stroke color when mouse moving out the element

CHORDMouseOutStrokeWidth
Stroke width when mouse moving out the element

CHORDMouseUpDisplay
Default False, show/not the tooltip when mouse click up a CHORD point

CHORDMouseUpOpacity
 Opacity when mouse moving up the element
CHORDMouseUpStrokeColor
 Stroke color when mouse moving up the element
CHORDMouseUpStrokeWidth
 Stroke width when mouse moving up the element
CHORDMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a CHORD point
CHORDMouseOverOpacity
 Opacity when mouse moving over the element
CHORDMouseOverStrokeColor
 Stroke color when mouse moving over the element
CHORDMouseOverStrokeWidth
 Stroke width when mouse moving over the element
HISTOGRAMxlink Default False, add/not xlink for HISTOGRAM module
HISTOGRAMMouseEvent
 Default True, open/not open mouse event of HISTOGRAM module
HISTOGRAMMouseClickDisplay
 Default False, show/not the tooltip when mouse click on a HISTOGRAM point
HISTOGRAMMouseClickColor
 Color when mouse clicking
HISTOGRAMMouseClickOpacity
 Opacity when mouse clicking
HISTOGRAMMouseClickStrokeColor
 Stroke color when mouse clicking
HISTOGRAMMouseClickStrokeWidth
 Stroke width when mouse clicking
HISTOGRAMMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a HISTOGRAM point
HISTOGRAMMouseDownColor
 Color when mouse moving down the element
HISTOGRAMMouseDownOpacity
 Opacity when mouse moving up the element
HISTOGRAMMouseDownStrokeColor
 Stroke color when mouse moving up the element
HISTOGRAMMouseDownStrokeWidth
 Stroke width when mouse moving up the element
HISTOGRAMMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a HISTOGRAM point
HISTOGRAMMouseEnterColor
 Color when mouse entering the element
HISTOGRAMMouseEnterOpacity
 Opacity when mouse entering the element

HISTOGRAMMouseEnterStrokeColor
Stroke color when mouse entering the element

HISTOGRAMMouseEnterStrokeWidth
Stroke width when mouse entering the element

HISTOGRAMMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a HISTOGRAM point

HISTOGRAMMouseLeaveColor
Color when mouse leaving the element

HISTOGRAMMouseLeaveOpacity
Opacity when mouse leaving the element

HISTOGRAMMouseLeaveStrokeColor
Stroke color when mouse leaving the element

HISTOGRAMMouseLeaveStrokeWidth
Stroke width when mouse leaving the element

HISTOGRAMMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a HISTOGRAM point

HISTOGRAMMouseMoveColor
Color when mouse moving in the element

HISTOGRAMMouseMoveOpacity
Opacity when mouse moving in the element

HISTOGRAMMouseMoveStrokeColor
Stroke color when mouse moving in the element

HISTOGRAMMouseMoveStrokeWidth
Stroke width when mouse moving in the element

HISTOGRAMMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a HISTOGRAM point anymore

HISTOGRAMMouseOutAnimationTime
Animation time when mouse moving out the element

HISTOGRAMMouseOutColor
Color when mouse moving out the element

HISTOGRAMMouseOutOpacity
Opacity when mouse moving out the element

HISTOGRAMMouseOutStrokeColor
Stroke color when mouse moving out the element

HISTOGRAMMouseOutStrokeWidth
Stroke width when mouse moving out the element

HISTOGRAMMouseUpDisplay
Default False, show/not the tooltip when mouse click up a HISTOGRAM point

HISTOGRAMMouseUpColor
Color when mouse moving up the element

HISTOGRAMMouseUpOpacity
Opacity when mouse moving up the element

```

HISTOGRAMMouseUpStrokeColor
    Stroke color when mouse moving up the element
HISTOGRAMMouseUpStrokeWidth
    Stroke width when mouse moving up the element
HISTOGRAMMouseOverDisplay
    Default False, show/not the tooltip when mouse hover on a HISTOGRAM point
HISTOGRAMMouseOverColor
    Color when mouse moving over the element
HISTOGRAMMouseOverOpacity
    Opacity when mouse moving over the element
HISTOGRAMMouseOverStrokeColor
    Stroke color when mouse moving over the element
HISTOGRAMMouseOverStrokeWidth
    Stroke width when mouse moving over the element
HISTOGRAMMouseOverToolipsSetting
    Default "style1"
HISTOGRAMMouseOverToolipsHtml
    Default ""
HISTOGRAMMouseOverToolipsPosition
    Default "absolute"
HISTOGRAMMouseOverToolipsBackgroundColor
    Default "white"
HISTOGRAMMouseOverToolipsBorderStyle
    Default "solid"
HISTOGRAMMouseOverToolipsBorderWidth
    Default 0
HISTOGRAMMouseOverToolipsPadding
    Default "3px"
HISTOGRAMMouseOverToolipsBorderRadius
    Default "3px"
HISTOGRAMMouseOverToolipsOpacity
    Default 0.8
LINEMouseEvent  Default True, open/not open mouse event of LINE module
LINEMouseClickDisplay
    Default False, show/not the tooltip when mouse click on a LINE point
LINEMouseClickLineOpacity
    Line opacity when mouse clicking the element
LINEMouseClickLineStrokeColor
    Stroke color when mouse clicking the element
LINEMouseClickLineStrokeWidth
    Stroke width when mouse clicking the element
LINEMouseDownDisplay
    Default False, show/not the tooltip when mouse click down a LINE point
LINEMouseDownLineOpacity
    Line opacity when mouse moving down the element

```

LINEMouseDownLineStrokeColor
Stroke color when mouse moving down the element

LINEMouseDownLineStrokeWidth
Stroke width when mouse moving down the element

LINEMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a LINE point

LINEMouseEnterLineOpacity
Line opacity when mouse entering the element

LINEMouseEnterLineStrokeColor
Stroke color when mouse entering the element

LINEMouseEnterLineStrokeWidth
Stroke width when mouse entering the element

LINEMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a LINE point

LINEMouseLeaveLineOpacity
Line opacity when mouse leaving the element

LINEMouseLeaveLineStrokeColor
Stroke color when mouse leaving the element

LINEMouseLeaveLineStrokeWidth
Stroke width when mouse leaving the element

LINEMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a LINE point

LINEMouseMoveLineOpacity
Line opacity when mouse moving in the element

LINEMouseMoveLineStrokeColor
Stroke color when mouse moving in the element

LINEMouseMoveLineStrokeWidth
Stroke width when mouse moving in the element

LINEMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a LINE point anymore

LINEMouseOutAnimationTime
Animation time when mouse moving out the element

LINEMouseOutLineOpacity
Line opacity when mouse moving out the element

LINEMouseOutLineStrokeColor
Stroke color when mouse moving out the element

LINEMouseOutLineStrokeWidth
Stroke width when mouse moving out the element

LINEMouseUpDisplay
Default False, show/not the tooltip when mouse click up a LINE point

LINEMouseUpLineOpacity
Line opacity when mouse moving up the element

LINEMouseUpLineStrokeColor
Stroke color when mouse moving up the element

```

LINEMouseUpLineStrokeWidth
    Stroke width when mouse moving up the element
LINEMouseOverDisplay
    Default False, show/not the tooltip when mouse hover on a LINE point
LINEMouseOverLineOpacity
    Line opacity when mouse moving over the element
LINEMouseOverLineStrokeColor
    Stroke color when mouse moving over the element
LINEMouseOverLineStrokeWidth
    Stroke width when mouse moving over the element
LINEMouseOverTooltipsSetting
    Default "style1"
LINEMouseOverTooltipsHtml
    Default ""
LINEMouseOverTooltipsPosition
    Default "absolute"
LINEMouseOverTooltipsBackgroundColor
    Default "white"
LINEMouseOverTooltipsBorderStyle
    Default "solid"
LINEMouseOverTooltipsBorderWidth
    Default 0
LINEMouseOverTooltipsPadding
    Default "3px"
LINEMouseOverTooltipsBorderRadius
    Default "3px"
LINEMouseOverTooltipsOpacity
    Default 0.8
WIGMouseEvent  Default True, open/not open mouse event of WIG module
WIGMouseClickDisplay
    Default False, show/not the tooltip when mouse click on a WIG point
WIGMouseClickLineOpacity
    Line opacity when mouse clicking the element
WIGMouseClickLineStrokeColor
    Stroke color when mouse clicking the element
WIGMouseClickLineStrokeWidth
    Stroke width when mouse clicking the element
WIGMouseClickFillColor
    Filling color when mouse clicking the element
WIGMouseDownDisplay
    Default False, show/not the tooltip when mouse click down a WIG point
WIGMouseDownLineOpacity
    Line opacity when mouse moving down the element
WIGMouseDownLineStrokeColor
    Stroke color when mouse moving down the element

```

WIGMouseDownLineWidth
Stroke width when mouse moving down the element

WIGMouseDownFillColor
Filling color when mouse moving down the element

WIGMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a WIG point

WIGMouseEnterLineOpacity
Line opacity when mouse entering the element

WIGMouseEnterLineColor
Stroke color when mouse entering the element

WIGMouseEnterLineWidth
Stroke width when mouse entering the element

WIGMouseEnterFillColor
Filling color when mouse entering the element

WIGMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a WIG point

WIGMouseLeaveLineOpacity
Line opacity when mouse leaving the element

WIGMouseLeaveLineColor
Stroke color when mouse leaving the element

WIGMouseLeaveLineWidth
Stroke width when mouse leaving the element

WIGMouseLeaveFillColor
Filling color when mouse leaving the element

WIGMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a WIG point

WIGMouseMoveLineOpacity
Line opacity when mouse moving in the element

WIGMouseMoveLineColor
Stroke color when mouse moving in the element

WIGMouseMoveLineWidth
Stroke width when mouse moving in the element

WIGMouseMoveFillColor
Filling color when mouse leaving the element

WIGMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a WIG point anymore

WIGMouseOutAnimationTime
Animation time when mouse moving out the element

WIGMouseOutLineOpacity
Line opacity when mouse moving out the element

WIGMouseOutLineColor
Stroke color when mouse moving out the element

WIGMouseOutLineWidth
Stroke width when mouse moving out the element

WIGMouseOutFillColor
 Filling color when mouse moving out the element
WIGMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a WIG point
WIGMouseUpLineOpacity
 Line opacity when mouse moving up the element
WIGMouseUpLineStrokeColor
 Stroke color when mouse moving up the element
WIGMouseUpLineStrokeWidth
 Stroke width when mouse moving up the element
WIGMouseUpFillColor
 Filling color when mouse moving up the element
WIGMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a WIG point
WIGMouseOverLineOpacity
 Line opacity when mouse moving over the element
WIGMouseOverLineStrokeColor
 Stroke color when mouse moving over the element
WIGMouseOverLineStrokeWidth
 Stroke width when mouse moving over the element
WIGMouseOverFillColor
 Filling color when mouse moving over the element
WIGMouseOverToolipsSetting
 Default "style1"
WIGMouseOverToolipsHtml
 Default ""
WIGMouseOverToolipsPosition
 Default "absolute"
WIGMouseOverToolipsBackgroundColor
 Default "white"
WIGMouseOverToolipsBorderStyle
 Default "solid"
WIGMouseOverToolipsBorderWidth
 Default 0
WIGMouseOverToolipsPadding
 Default "3px"
WIGMouseOverToolipsBorderRadius
 Default "3px"
WIGMouseOverToolipsOpacity
 Default 0.8
SCATTERxlink Default False, add/not xlink for SCATTER module
SCATTERMouseEvent
 Default True, open/not open mouse event of SCATTER module
SCATTERMouseEventClickDisplay
 Default False, show/not the tooltip when mouse click on a SCATTER point

SCATTERMouseClickColor
Color when mouse clicking the element
SCATTERMouseClickCircleSize
Circle size when mouse clicking the element
SCATTERMouseClickCircleOpacity
Circle opacity when mouse clicking the element
SCATTERMouseClickCircleStrokeColor
Circle stroke color when mouse clicking the element
SCATTERMouseClickCircleStrokeWidth
Circle stroke width when mouse clicking the element
SCATTERMouseClickTextFromData
Text column when mouse clicking the element
SCATTERMouseClickTextOpacity
Text opacity when mouse clicking the element
SCATTERMouseClickTextColor
Text color when mouse clicking the element
SCATTERMouseClickTextSize
Text size when mouse clicking the element
SCATTERMouseClickTextPostionX, SCATTERMouseClickTextPostionY
Text coordinates when mouse clicking the element
SCATTERMouseClickTextDrag
Whether text is draggable when clicking element
SCATTERMouseDownDisplay
Default False, show/not the tooltip when mouse click down a SCATTER point
SCATTERMouseDownColor
Color when mouse moving down the element
SCATTERMouseDownCircleSize
Circle size when mouse moving down the element
SCATTERMouseDownCircleOpacity
Circle opacity when mouse moving down the element
SCATTERMouseDownCircleStrokeColor
Circle stroke color when mouse moving down the element
SCATTERMouseDownCircleStrokeWidth
Circle stroke width when mouse moving down the element
SCATTERMouseEnterDisplay
Default False, show/not the tooltip when mouse moves over a SCATTER point
SCATTERMouseEnterColor
Color when mouse entering the element
SCATTERMouseEnterCircleSize
Circle size when mouse entering the element
SCATTERMouseEnterCircleOpacity
Circle opacity when mouse entering the element
SCATTERMouseEnterCircleStrokeColor
Circle stroke color when mouse entering the element

SCATTERMouseEnterCircleStrokeWidth
 Circle stroke width when mouse entering the element
SCATTERMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a SCATTER point
SCATTERMouseLeaveColor
 Color when mouse leaving the element
SCATTERMouseLeaveCircleSize
 Circle size when mouse leaving the element
SCATTERMouseLeaveCircleOpacity
 Circle opacity when mouse leaving the element
SCATTERMouseLeaveCircleStrokeColor
 Circle stroke color when mouse leaving the element
SCATTERMouseLeaveCircleStrokeWidth
 Circle stroke width when mouse leaving the element
SCATTERMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a SCATTER point
SCATTERMouseMoveColor
 Color when mouse moving in the element
SCATTERMouseMoveCircleSize
 Circle size when mouse moving in the element
SCATTERMouseMoveCircleOpacity
 Circle opacity when mouse moving in the element
SCATTERMouseMoveCircleStrokeColor
 Circle stroke color when mouse moving in the element
SCATTERMouseMoveCircleStrokeWidth
 Circle stroke width when mouse moving in the element
SCATTERMouseOutDisplay
 Defalut False, hide/not tooltip when mouse is not hovering a SCATTER point anymore
SCATTERMouseOutAnimationTime
 Animation time when mouse moving out the element
SCATTERMouseOutColor
 Color when mouse moving out the element
SCATTERMouseOutCircleSize
 Circle size when mouse moving out the element
SCATTERMouseOutCircleOpacity
 Circle opacity when mouse moving out the element
SCATTERMouseOutCircleStrokeColor
 Circle stroke color when mouse moving out the element
SCATTERMouseOutCircleStrokeWidth
 Circle stroke width when mouse moving out the element
SCATTERMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a SCATTER point
SCATTERMouseUpColor
 Color when mouse moving up the element

SCATTERMouseUpCircleSize
 Circle size when mouse moving up the element
SCATTERMouseUpCircleOpacity
 Circle opacity when mouse moving up the element
SCATTERMouseUpCircleStrokeColor
 Circle stroke color when mouse moving up the element
SCATTERMouseUpCircleStrokeWidth
 Circle stroke width when mouse moving up the element
SCATTERMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a SCATTER point
SCATTERMouseOverColor
 Color when mouse moving over the element
SCATTERMouseOverCircleSize
 Circle size when mouse moving over the element
SCATTERMouseOverCircleOpacity
 Circle opacity when mouse moving over the element
SCATTERMouseOverCircleStrokeColor
 Circle stroke color when mouse moving over the element
SCATTERMouseOverCircleStrokeWidth
 Circle stroke width when mouse moving over the element
SCATTERMouseOverToolipsSetting
 Default "style1"
SCATTERMouseOverToolipsHtml
 Default ""
SCATTERMouseOverToolipsPosition
 Default "absolute"
SCATTERMouseOverToolipsBackgroundColor
 Default "white"
SCATTERMouseOverToolipsBorderStyle
 Default "solid"
SCATTERMouseOverToolipsBorderWidth
 Default 0
SCATTERMouseOverToolipsPadding
 Default "3px"
SCATTERMouseOverToolipsBorderRadius
 Default "3px"
SCATTERMouseOverToolipsOpacity
 Default 0.8
ARCxlink Default False, add/not xlink for ARC module
ARCMouseEvent Default True, open/not open mouse event of ARC module
ARCMouseClickDisplay
 Default False, show/not the tooltip when mouse click on a ARC point
ARCMouseClickColor
 Color when mouse clicking the element

ARCMouseClickArcOpacity
 Arc opacity when mouse clicking the element
ARCMouseClickArcStrokeColor
 Arc stroke color when mouse clicking the element
ARCMouseClickArcStrokeWidth
 Arc stroke width when mouse clicking the element
ARCMouseClickTextFromData
 Text column when mouse clicking the element
ARCMouseClickTextOpacity
 Text opacity when mouse clicking the element
ARCMouseClickTextColor
 Text color when mouse clicking the element
ARCMouseClickTextSize
 Text size when mouse clicking the element
ARCMouseClickTextPostionX, ARCMouseClickTextPostionY
 Text coordinates when mouse clicking the element
ARCMouseClickTextDrag
 Whether text is draggable when mouse clicking the element
ARCMouseDownDisplay
 Default False, show/not the tooltip when mouse click down a ARC point
ARCMouseDownColor
 Color when mouse moving down the element
ARCMouseDownArcOpacity
 Arc opacity when mouse moving down the element
ARCMouseDownArcStrokeColor
 Arc stroke color when mouse moving down the element
ARCMouseDownArcStrokeWidth
 Arc stroke width when mouse moving down the element
ARCMouseEnterDisplay
 Default False, show/not the tooltip when mouse mover over a ARC point
ARCMouseEnterColor
 Color when mouse entering the element
ARCMouseEnterArcOpacity
 Arc opacity when mouse entering the element
ARCMouseEnterArcStrokeColor
 Arc stroke color when mouse entering the element
ARCMouseEnterArcStrokeWidth
 Arc stroke width when mouse entering the element
ARCMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a ARC point
ARCMouseLeaveColor
 Color when mouse leaving the element
ARCMouseLeaveArcOpacity
 Arc opacity when mouse leaving the element

ARCMouseLeaveArcStrokeColor
Arc stroke color when mouse leaving the element
ARCMouseLeaveArcStrokeWidth
Arc stroke width when mouse leaving the element
ARCMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a ARC point
ARCMouseMoveColor
Color when mouse moving in the element
ARCMouseMoveArcOpacity
Arc opacity when mouse moving in the element
ARCMouseMoveArcStrokeColor
Arc stroke color when mouse moving in the element
ARCMouseMoveArcStrokeWidth
Arc stroke width when mouse moving in the element
ARCMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a ARC point any-more
ARCMouseOutAnimationTime
Animation time when mouse moving out the element
ARCMouseOutColor
Color when mouse moving out the element
ARCMouseOutArcOpacity
Arc opacity when mouse moving out the element
ARCMouseOutArcStrokeColor
Arc stroke color when mouse moving out the element
ARCMouseOutArcStrokeWidth
Arc stroke width when mouse moving out the element
ARCMouseUpDisplay
Default False, show/not the tooltip when mouse click up a ARC point
ARCMouseUpColor
Color when mouse moving up the element
ARCMouseUpArcOpacity
Arc opacity when mouse moving up the element
ARCMouseUpArcStrokeColor
Arc stroke color when mouse moving up the element
ARCMouseUpArcStrokeWidth
Arc stroke width when mouse moving up the element
ARCMouseOverDisplay
Default False, show/not the tooltip when mouse hover on a ARC point
ARCMouseOverColor
Color when mouse moving over the element
ARCMouseOverArcOpacity
Arc opacity when mouse moving over the element
ARCMouseOverArcStrokeColor
Arc stroke color when mouse moving over the element

```

ARCMouseOverArcStrokeWidth
    Arc stroke width when mouse moving over the element
ARCMouseOverTooltipsSetting
    Default "style1"
ARCMouseOverTooltipsHtml
    Default ""
ARCMouseOverTooltipsPosition
    Default "absolute"
ARCMouseOverTooltipsBackgroundColor
    Default "white"
ARCMouseOverTooltipsBorderStyle
    Default "solid"
ARCMouseOverTooltipsBorderWidth
    Default 0
ARCMouseOverTooltipsPadding
    Default "3px"
ARCMouseOverTooltipsBorderRadius
    Default "3px"
ARCMouseOverTooltipsOpacity
    Default 0.8
GENExlink      Default False, add/not xlink for GENE module
GENEMouseEvent  Default True, open/not open mouse event of GENE module
GENEMouseClickDisplay
    Default False, show/not the tooltip when mouse click on a GENE point
GENEMouseClickColor
    Color when mouse clicking the element
GENEMouseClickArcOpacity
    Arc opacity when mouse clicking the element
GENEMouseClickArcStrokeColor
    Arc stroke color when mouse clicking the element
GENEMouseClickArcStrokeWidth
    Arc stroke width when mouse clicking the element
GENEMouseClickTextFromData
    Text column when mouse clicking the element
GENEMouseClickTextOpacity
    Text opacity when mouse clicking the element
GENEMouseClickTextColor
    Text color when mouse clicking the element
GENEMouseClickTextSize
    Text size when mouse clicking the element
GENEMouseClickTextPostionX, GENEMouseClickTextPostionY
    Text coordinates when mouse clicking the element
GENEMouseClickTextDrag
    Whether text is draggable when mouse clicking the element

```

GENEMouseDownDisplay
Default False, show/not the tooltip when mouse click down a GENE point

GENEMouseDownColor
Color when mouse moving down the element

GENEMouseDownArcOpacity
Arc opacity when mouse moving down the element

GENEMouseDownArcStrokeColor
Arc stroke color when mouse moving down the element

GENEMouseDownArcStrokeWidth
Arc stroke width when mouse moving down the element

GENEMouseEnterDisplay
Default False, show/not the tooltip when mouse mover over a GENE point

GENEMouseEnterColor
Color when mouse entering the element

GENEMouseEnterArcOpacity
Arc opacity when mouse entering the element

GENEMouseEnterArcStrokeColor
Arc stroke color when mouse entering the element

GENEMouseEnterArcStrokeWidth
Arc stroke width when mouse entering the element

GENEMouseLeaveDisplay
Default False, show/not the tooltip when mouse mover leave a GENE point

GENEMouseLeaveColor
Color when mouse leaving the element

GENEMouseLeaveArcOpacity
Arc opacity when mouse leaving the element

GENEMouseLeaveArcStrokeColor
Arc stroke color when mouse leaving the element

GENEMouseLeaveArcStrokeWidth
Arc stroke width when mouse leaving the element

GENEMouseMoveDisplay
Default False, show/not the tooltip when mouse move into a GENE point

GENEMouseMoveColor
Color when mouse moving in the element

GENEMouseMoveArcOpacity
Arc opacity when mouse moving in the element

GENEMouseMoveArcStrokeColor
Arc stroke color when mouse moving in the element

GENEMouseMoveArcStrokeWidth
Arc stroke width when mouse moving in the element

GENEMouseOutDisplay
Defalut False, hide/not tooltip when mouse is not hovering a GENE point anymore

GENEMouseOutAnimationTime
Animation time when mouse moving out the element

GENEMouseOutColor
 Color when mouse moving out the element
GENEMouseOutArcOpacity
 Arc opacity when mouse moving out the element
GENEMouseOutArcStrokeColor
 Arc stroke color when mouse moving out the element
GENEMouseOutArcStrokeWidth
 Arc stroke width when mouse moving out the element
GENEMouseUpDisplay
 Default False, show/not the tooltip when mouse click up a GENE point
GENEMouseUpColor
 Color when mouse moving up the element
GENEMouseUpArcOpacity
 Arc opacity when mouse moving up the element
GENEMouseUpArcStrokeColor
 Arc stroke color when mouse moving up the element
GENEMouseUpArcStrokeWidth
 Arc stroke width when mouse moving up the element
GENEMouseOverDisplay
 Default False, show/not the tooltip when mouse hover on a GENE point
GENEMouseOverColor
 Color when mouse moving over the element
GENEMouseOverArcOpacity
 Arc opacity when mouse moving over the element
GENEMouseOverArcStrokeColor
 Arc stroke color when mouse moving over the element
GENEMouseOverArcStrokeWidth
 Arc stroke width when mouse moving over the element
GENEMouseOverToolipsSetting
 Default "style1"
GENEMouseOverToolipsHtml
 Default ""
GENEMouseOverToolipsPosition
 Default "absolute"
GENEMouseOverToolipsBackgroundColor
 Default "white"
GENEMouseOverToolipsBorderStyle
 Default "solid"
GENEMouseOverToolipsBorderWidth
 Default 0
GENEMouseOverToolipsPadding
 Default "3px"
GENEMouseOverToolipsBorderRadius
 Default "3px"
GENEMouseOverToolipsOpacity
 Default 0.8

LOLLIPOPxlink Default False, add/not xlink for LOLLIPOP module
LOLLIPOPMouseEvent Default True, open/not open mouse event of LOLLIPOP module
LOLLIPOPMouseClickDisplay Default False, show/not the tooltip when mouse click on a LOLLIPOP point
LOLLIPOPMouseClickColor Color when mouse clicking
LOLLIPOPMouseClickCircleSize Circle size when mouse clicking the element
LOLLIPOPMouseClickCircleOpacity Circle opacity when mouse clicking the element
LOLLIPOPMouseClickCircleStrokeColor Circle stroke color when mouse clicking the element
LOLLIPOPMouseClickCircleStrokeWidth Circle stroke width when mouse clicking the element
LOLLIPOPMouseClickTextFromData Text column when mouse clicking the element
LOLLIPOPMouseClickTextOpacity Text opacity when mouse clicking the element
LOLLIPOPMouseClickTextColor Text color when mouse clicking the element
LOLLIPOPMouseClickTextSize Text size when mouse clicking the element
LOLLIPOPMouseClickTextPostionX, LOLLIPOPMouseClickTextPostionY Text coordinates when mouse clicking the element
LOLLIPOPMouseClickTextDrag Whether text is draggable when mouse clicking the element
LOLLIPOPMouseDownDisplay Default False, show/not the tooltip when mouse click down a LOLLIPOP point
LOLLIPOPMouseDownColor Color when mouse moving down the element
LOLLIPOPMouseDownCircleSize Circle size when mouse moving down the element
LOLLIPOPMouseDownCircleOpacity Circle opacity when mouse moving down the element
LOLLIPOPMouseDownCircleStrokeColor Circle stroke color when mouse moving down the element
LOLLIPOPMouseDownCircleStrokeWidth Circle stroke width when mouse moving down the element
LOLLIPOPMouseEnterDisplay Default False, show/not the tooltip when mouse mover over a LOLLIPOP point
LOLLIPOPMouseEnterColor Color when mouse entering the element
LOLLIPOPMouseEnterCircleSize Circle size when mouse entering the element

LOLLIPOPMouseEnterCircleOpacity
 Circle opacity when mouse entering the element
LOLLIPOPMouseEnterCircleStrokeColor
 Circle stroke color when mouse entering the element
LOLLIPOPMouseEnterCircleStrokeWidth
 Circle stroke width when mouse entering the element
LOLLIPOPMouseLeaveDisplay
 Default False, show/not the tooltip when mouse mover leave a LOLLIPOP point
LOLLIPOPMouseLeaveColor
 Color when mouse leaving the element
LOLLIPOPMouseLeaveCircleSize
 Circle size when mouse leaving the element
LOLLIPOPMouseLeaveCircleOpacity
 Circle opacity when mouse leaving the element
LOLLIPOPMouseLeaveCircleStrokeColor
 Circle stroke color when mouse leaving the element
LOLLIPOPMouseLeaveCircleStrokeWidth
 Circle stroke width when mouse leaving the element
LOLLIPOPMouseMoveDisplay
 Default False, show/not the tooltip when mouse move into a LOLLIPOP point
LOLLIPOPMouseMoveColor
 Color when mouse moving in the element
LOLLIPOPMouseMoveCircleSize
 Circle size when mouse moving in the element
LOLLIPOPMouseMoveCircleOpacity
 Circle opacity when mouse moving in the element
LOLLIPOPMouseMoveCircleStrokeColor
 Circle stroke color when mouse moving in the element
LOLLIPOPMouseMoveCircleStrokeWidth
 Circle stroke width when mouse moving in the element
LOLLIPOPMouseOutDisplay
 Defalut False, hide/not tooltip when mouse is not hovering a LOLLIPOP point anymore
LOLLIPOPMouseOutAnimationTime
 Animation time when mouse moving out the element
LOLLIPOPMouseOutColor
 Color when mouse moving out the element
LOLLIPOPMouseOutCircleSize
 Circle size when mouse moving out the element
LOLLIPOPMouseOutCircleOpacity
 Circle opacity when mouse moving out the element
LOLLIPOPMouseOutCircleStrokeColor
 Circle stroke color when mouse moving out the element
LOLLIPOPMouseOutCircleStrokeWidth
 Circle stroke width when mouse moving out the element

```
LOLLIPOPMouseUpDisplay
    Default False, show/not the tooltip when mouse click up a LOLLIPOP point
LOLLIPOPMouseUpColor
    Color when mouse moving up the element
LOLLIPOPMouseUpCircleSize
    Circle size when mouse moving up the element
LOLLIPOPMouseUpCircleOpacity
    Circle opacity when mouse moving up the element
LOLLIPOPMouseUpCircleStrokeColor
    Circle stroke color when mouse moving up the element
LOLLIPOPMouseUpCircleStrokeWidth
    Circle stroke width when mouse moving up the element
LOLLIPOPMouseOverDisplay
    Default False, show/not the tooltip when mouse hover on a LOLLIPOP point
LOLLIPOPMouseOverColor
    Color when mouse moving over the element
LOLLIPOPMouseOverCircleSize
    Circle size when mouse moving over the element
LOLLIPOPMouseOverCircleOpacity
    Circle opacity when mouse moving over the element
LOLLIPOPMouseOverCircleStrokeColor
    Circle stroke color when mouse moving over the element
LOLLIPOPMouseOverCircleStrokeWidth
    Circle stroke width when mouse moving over the element
LOLLIPOPMouseOverToolipsSetting
    Default "style1"
LOLLIPOPMouseOverToolipsHtml
    Default ""
LOLLIPOPMouseOverToolipsPosition
    Default "absolute"
LOLLIPOPMouseOverToolipsBackgroundColor
    Default "white"
LOLLIPOPMouseOverToolipsBorderStyle
    Default "solid"
LOLLIPOPMouseOverToolipsBorderWidth
    Default 0
LOLLIPOPMouseOverToolipsPadding
    Default "3px"
LOLLIPOPMouseOverToolipsBorderRadius
    Default "3px"
LOLLIPOPMouseOverToolipsOpacity
    Default 0.8
elementId      the name of the HTML id to be used to contain the visualization
...            Ignored
```

Value

The main figure for interacCircos with all tracks

Examples

```
Circos(genome = "hg19")
```

CircosArc

ARC module

Description

Create the CNV plot without value, Gene domain, Chromosome band

Usage

```
CircosArc(  
  modulename,  
  compareGroup = 1,  
  outerRadius = 150,  
  innerRadius = 130,  
  opacity = 1,  
  animationDisplay = FALSE,  
  animationTime = 2000,  
  animationDelay = 20,  
  animationType = "bounce",  
  data,  
  ...  
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
innerRadius, outerRadius	Where the module should begin and end
opacity	The opacity for arc
animationDisplay	Whether display animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of arc with details including chr, start, end, color, des, link and html. Details can be found on document
...	Ignored

Value

The module tracks for arc modules

Examples

```
arcData<-arcExample  
Circos(CircosArc('Arc01', outerRadius = 212, innerRadius = 224, data=arcData),  
genome=list("EGFR"=1211),outerRadius = 220,genomeFillColor = c("grey"))
```

CircosAuxLine

AUXILIARYLINE module

Description

A auxiliary line for better explaination of the visualization

Usage

```
CircosAuxLine(  
  modulename,  
  startX = 20,  
  startY = 20,  
  endX = 120,  
  endY = 120,  
  color = "red",  
  width = 0.5,  
  type = "straight",  
  controlPointX = 0,  
  controlPointY = 0,  
  lineType = "solid",  
  dashArray = 3,  
  marker = TRUE,  
  markerType = "circle",  
  markerColor = "blue",  
  markerHeight = 5,  
  markerWidth = 5,  
  markerPosition = 2,  
  animationDisplay = FALSE,  
  animationTime = 50,  
  animationDelay = 1000,  
  animationType = "linear",  
  ...  
)
```

Arguments

modulename The name of the new module
 startX, startY Start coordinates for auxiliary line
 endX, endY End coordinates for auxiliary line
 color Color for auxiliary line
 width Width for auxiliary line
 type Type for auxiliary line, could be straight/curve/broken
 controlPointX, controlPointY
 The middle point coordinates for curve and broken
 lineType Line type, could be solid/dot
 dashArray The dash gap width
 marker Whether display a marker on the end of line
 markerType Type of marker, could be circle/square/arrow/stub
 markerColor, markerHeight, markerWidth
 Color, Height and Width for marker
 markerPosition 1 means start, 2 means end, 3 means both
 animationDisplay
 whether display animation
 animationTime, animationDelay, animationType
 The time, delay and display type for animation
 ... Ignored

Value

The module tracks for auxliary line modules

Examples

```
Circos(CircosAuxLine('AuxLine01'))
```

Description

Background for better display of other modules

Usage

```
CircosBackground(
    modulename,
    compareGroup = 1,
    fillColors = "#EEEEFF",
    borderColors = "#000000",
    axisShow = FALSE,
    axisColor = "#000",
    axisOpacity = 0.5,
    axisNum = 4,
    axisWidth = 0.3,
    maxRadius = 190,
    minRadius = 105,
    borderSize = 0.3,
    animationDisplay = FALSE,
    animationTime = 2000,
    animationDelay = 20,
    animationType = "bounce",
    ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>fillColors</code>	The filling color of the module
<code>borderColors</code>	The border color of the module
<code>axisShow</code>	Whether show a axis or not
<code>axisWidth, axisColor, axisOpacity, axisNum</code>	The color, opacity value and number of line for axis
<code>minRadius, maxRadius</code>	The outer and inner ring range of module
<code>borderSize</code>	The thickness of the border
<code>animationDisplay</code>	Whether display animation or not
<code>animationTime, animationDelay, animationType</code>	The time, delay and display type for animation
<code>...</code>	Ignored

Value

The module tracks for background modules.

Examples

```
Circos(CircosBackground('bg01', fillColors="#FFEEEE", borderSize = 1))
```

CircosBubble*BUBBLE module*

Description

Create a bubble plot

Usage

```
CircosBubble(
    modulename,
    compareGroup = 1,
    maxRadius = 200,
    minRadius = 50,
    blockStroke = TRUE,
    blockStrokeColor = "black",
    blockStrokeWidth = 1,
    blockFill = FALSE,
    blockFillColor = "white",
    bubbleMaxSize = 5,
    bubbleMinSize = 2,
    minColor = "red",
    maxColor = "green",
    ValueAxisManualScale = FALSE,
    ValueAxisMaxScale = 10,
    ValueAxisMinScale = 0,
    totalLayer = 1,
    animationDisplay = FALSE,
    animationTime = 2000,
    animationDelay = 20,
    animationType = "bounce",
    data,
    ...
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	The outer and inner ring range of module
blockStroke	Whether display the stroke between each bubble block
blockStrokeColor	Stroke color for block
blockStrokeWidth	Stroke width for block

blockFill Whether fill a block or not
 blockFillColor The color for filling the block
 bubbleMaxSize The max size for bubble
 bubbleMinSize The min size for bubble
 minColor The color the bubble of min value
 maxColor The color the bubble of max value
 ValueAxisManualScale
 Whether manually control the scale of value
 ValueAxisMaxScale, ValueAxisMinScale
 The max and min scale value for manually control
 totalLayer The color and width for stroke
 animationDisplay
 Whether display animation
 animationTime, animationDelay, animationType
 The time, delay and display type for animation
 data A list of value in bubble plot with details including chr, start, end, value, name, layer, color and html. Details can be found on document
 ... Ignored

Value

The module tracks for bubble modules

Examples

```

bubbleData<-bubbleExample
Circos(CircosBubble('Bubble01', maxRadius = 230, minRadius = 170, data=bubbleData,
blockStroke = TRUE, bubbleMaxSize =10, bubbleMinSize = 2, maxColor = "red", minColor = "yellow",
totalLayer =3, animationDisplay = TRUE, animationType="linear"),
genome = list("2L"=23011544,"2R"=21146708,"3L"=24543557,"3R"= 27905053,"X"=22422827,"4"=1351857),
BUBBLEMouseOverDisplay =TRUE,innerRadius = 236)
  
```

Description

Create a chord module using a data matrix

Usage

```
CircosChord(
  modulename,
  innerRadius = 237,
  outerRadius = 238,
  fillOpacity = 0.67,
  fillStrokeWidth = 1,
  padding = 0.06,
  autoFillColor = TRUE,
  fillColor = c("#B8B8B8"),
  fillStrokeColor = c("black"),
  outerARC = TRUE,
  outerARCAutoColor = TRUE,
  outerARCColor = c("red"),
  outerARCStrokeColor = c("black"),
  outerARCText = TRUE,
  data,
  ...
)
```

Arguments

modulename	The name of the new module
innerRadius	The inner radius for chord circle
outerRadius	The outer radius for chord circle
fillOpacity	The opacity for filling color
fillStrokeWidth	The stroke width for chord
padding	The pad of chord
autoFillColor	Whether auto assign color for chord
fillColor	If not, manually assign color for chord
fillStrokeColor	The color for stroke
outerARC	Whether display outer arc
outerARCAutoColor	If true, whether auto assign color for arc
outerARCColor	The manullay assigned color for arc
outerARCStrokeColor	The stroke color for arc
outerARCText	Whether display text for arc or not
data	A matrix-list of chord value with relationship details
...	Ignored

Value

The module tracks for chord modules of NG-Circos

Examples

```
chordData<-chordExample
Circos(CircosChord('CHORD', data = chordData, innerRadius= 210,outerRadius= 211,fillOpacity=0.67,
strokeColor="black",strokeWidth= "1px",outerARCText=FALSE),genome=list("C.CK" = 189.51,"C.NPK"=188,
"GC.CK"=186.11, "GC.NPK"=191.51,"Alphaproteobacteria"=70.16,"Betaproteobacteria"=23.51,
"Gammaproteobacteria"=25.51, "Deltaproteobacteria"=23.28,"Acidobacteria"=53.62,
"Actinobacteria"=72.33, "Bacteroidetes"=22.41, "Chloroflexi"=15.08,"Firmicutes"=10.72,
"Gemmamimonadetes"=26.37, "Planctomycetes"=19.26,"Thaumarchaeota"=6.15, "Verrucomicrobia"=8.3,
"Ascomycota"=159.41, "Basidiomycota"=79.73,"Zygomycota"=139.29 ),outerRadius = 217,
genomeLabelDisplay = FALSE)
```

CircosChord.p

*CHORD module of circosJS***Description**

Create a chord module using a data path. chord.p means chord plot based on path

Usage

```
CircosChord.p(
  modulename,
  radius = 216,
  opacity = 0.67,
  color = "#B8B8B8",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
radius	The radius for chord circle
opacity	The opacity for chord
color	The color for chord
data	A list of chord value with relationship details, details could be found on chord.pExample
...	Ignored

Value

The module tracks for chord modules of circosJS

Examples

```
chord.pData<-chord.pExample
Circos()
```

CircosCnv

CNV module

Description

Create a copy number variance module

Usage

```
CircosCnv(
  modulename,
  compareGroup = 1,
  maxRadius = 200,
  minRadius = 190,
  width = 10,
  color = "#CAE1FF",
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  strokeColor = "black",
  strokeWidth = 1,
  opacity = 1,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 50,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	The outer and inner ring range of module
width	Width for CNV module
color	Color for CNV module
ValueAxisManualScale	Whether manually control the scale of value or not

```

ValueAxisMaxScale, ValueAxisMinScale
    The max and min scale value for manually control
strokeColor, strokeWidth
    The color and width for stroke
opacity
    The opacity for module
animationDisplay
    Whether display animationn
animationTime, animationDelay, animationType
    The time, delay and display type for animationn
data
    A list of CNV with details including start, end, value, link, color and html.
    Details can be found on document
...
    Ignored

```

Value

The module tracks for cnv modules

Examples

```

cnvData<-cnvExample
Circos(CircosCnv('Cnv01',maxRadius =175, minRadius =116, data =cnvData,width=2,color = "#4876FF")+
CircosBackground("bg01",minRadius = 116,maxRadius = 175,fillColors = "#F2F2F2",axisShow = TRUE),
CNVMouseOverDisplay = TRUE)

```

Description

Create a number of genes with different functional region

Usage

```

CircosGene(
  modulename,
  compareGroup = 1,
  outerRadius = 180,
  innerRadius = 150,
  pathColor = "black",
  pathWidth = 1,
  arrow = TRUE,
  arrowGap = 2,
  arrowColor = "blue",
  arrowSize = 5,
  cdsColor = "#1e77b3",
  cdsStrokeColor = "black",

```

```

cdsStrokeWidth = 1,
utrWidth = -5,
utrColor = "blue",
utrStrokeColor = "blue",
utrStrokeWidth = 1,
animationDisplay = FALSE,
animationTime = 2000,
animationDelay = 20,
animationType = "bounce",
data,
...
)

```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
outerRadius, innerRadius	Where the module should begin and end
pathColor	The color for path between gene elements
pathWidth	The width for path between gene elements
arrow	Whether display arrows on path
arrowGap, arrowColor, arrowSize	The gap, color and size for arrow
cdsColor, cdsStrokeColor, cdsStrokeWidth	The color, stroke color and stroke width for coding
utrWidth, utrColor, utrStrokeColor, utrStrokeWidth	The max size for bubble
animationDisplay	Whether display animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of gene with details including chr, strand, start, end, type, name, link and html. Details can be found on document
...	Ignored

Value

The module tracks for gene modules

Examples

```

geneData<-geneExample
Circos(CircosGene('Gene01', outerRadius = 195, innerRadius = 180, data=geneData,arrowGap = 10,
arrowColor = "black",arrowSize = "12px",cdsColor = "#1e77b3",cdsStrokeColor = "#1e77b3",
cdsStrokeWidth= 5, utrWidth= -2,utrColor= "#fe7f0e",utrStrokeColor= "#fe7f0e",
animationDisplay = TRUE),genome =list("EGFR"=1000), outerRadius = 220)

```

Description

Create a heatmap plot

Usage

```
CircosHeatmap(  
    modulename,  
    compareGroup = 1,  
    maxRadius = 180,  
    minRadius = 100,  
    minColor = "red",  
    maxColor = "green",  
    ValueAxisManualScale = FALSE,  
    ValueAxisMaxScale = 10,  
    ValueAxisMinScale = 0,  
    totalLayer = 1,  
    animationDisplay = FALSE,  
    animationDirection = "O2I",  
    animationColorDirection = "L2C",  
    animationTime = 2000,  
    animationDelay = 20,  
    animationType = "bounce",  
    data,  
    ...  
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
minColor	The color for heatmap of min value
maxColor	The color for heatmap of max value
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
totalLayer	The color and width for stroke
animationDisplay	Whether display animation

```

animationDirection
    The direction for animation. O2I: from outside to inside, I2O: from inside to
    outside
animationColorDirection
    The color changing in animation. L2C: lowest to customized, H2C: highest to
    customized, the customized color should be defined in data
animationTime, animationDelay, animationType
    The time, delay and display type for animation
data
    A list of value in heatmap plot with details including chr, start, end, value, name,
    layer and html. Details can be found on document
...

```

Value

The module tracks for heatmap modules.

Examples

```

heatmapData<-heatmapExample
Circos(CircosHeatmap('Heatmap01', maxRadius= 180, minRadius = 100, data=heatmapData, totalLayer = 3),
genome = list("2L"=23011544, "2R"=21146708, "3L"=24543557, "3R"=27905053, "4"=1351857, "X"=22422827),
HEATMAPMouseEvent = TRUE,HEATMAPMouseOverDisplay = TRUE)

```

Description

Create a multi-layer histogram plot

Usage

```

CircosHistogram(
  modulename,
  compareGroup = 1,
  maxRadius = 108,
  minRadius = 95,
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  fillColor = "red",
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  data,
  ...
)

```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control
fillColor	The color for histogram
animationDisplay	Whether display animation
animationTime, animationDelay	The time and delay for animation
data	A list of value with details including chr, start, end, name, link, value and html. Details can be found on document
...	Ignored

Value

The module tracks for histogram modules

Examples

```
histogramData<-histogramExample
Circos(CircosHistogram('HISTOGRAM01', data = histogramData, fillColor= "#ff7f0e", maxRadius = 210,
minRadius = 175), genome=list("2L"=23011544,"2R"=21146708,"3L"=24543557,"3R"= 27905053,
"X"=22422827,"4"=1351857),
outerRadius = 220)
```

Description

Simple legend annotation displayed in the visualization

Usage

```
CircosLegend(
  modulename,
  x = 20,
  y = 20,
  title = "legend",
```

```

size = 6,
weight = "normal",
GapBetweenGraphicText = 5,
GapBetweenLines = 20,
data,
...
)

```

Arguments

modulename	The name of the new module
x, y	The coordinates if legend
title	The title for legend
size	Font size for title
weight	Font weight for title. Should be either "normal", "bold", "bolder" or "lighter"
GapBetweenGraphicText	Gap between icon and text in legend
GapBetweenLines	Gap between each two lines in legend
data	A list of legend with details including type, color, opacity, circleSize, rectSize, lineWidth, lineHeight, text, textSize and textWeight. Details can be found on document
...	Ignored

Value

The module tracks for legend modules.

Examples

```

legend1 <- list(type= "circle", color="#1E77B4",opacity="1.0",circleSize="8",text= "C.CK",
textSize= "14",textWeight="normal")
legend2 <- list(type= "circle", color="#AEC7E8",opacity="1.0",circleSize="8",text= "C.NPK",
textSize= "14",textWeight="normal")
Circos(CircosLegend('legend01', title = "legend",data=list(legend1,legend2),size = 20))

```

Description

Create a multi-layer line plot

Usage

```
CircosLine(
    modulename,
    compareGroup = 1,
    maxRadius = 108,
    minRadius = 95,
    ValueAxisManualScale = FALSE,
    ValueAxisMaxScale = 10,
    ValueAxisMinScale = 0,
    color = "red",
    width = 2,
    type = "cardinal",
    animationDisplay = FALSE,
    animationDirection = "S2E",
    animationTime = 2000,
    animationDelay = 20,
    animationType = "bounce",
    data,
    ...
)
```

Arguments

modulename The name of the new module
 compareGroup The group number of this module in compare module
 maxRadius, minRadius
 Where the module should begin and end
 ValueAxisManualScale
 Whether manually control the scale of value
 ValueAxisMaxScale, ValueAxisMinScale
 The max and min scale value for manually control
 color Color for line
 width Width for line
 type Type for line, could be linear, cardinal, basis and monotone
 animationDisplay
 Whether display animation
 animationDirection
 The direction of animation, could be S2E(start to end) or E2S(end to start)
 animationTime, animationDelay, animationType
 The time, delay and display type for animation
 data A list of value with details including chr, pos, des, value and html. Details can
 be found on document
 ... Ignored

Value

The module tracks for line modules

Examples

```
lineData<-lineExample
Circos(CircosLine('LINE01', data = lineData,maxRadius=200,minRadius=150,color= "#ff0031")+
CircosBackground('BG01',minRadius = 205,maxRadius = 150))
```

CircosLink

LINK module

Description

Create a link of two specific region in genome

Usage

```
CircosLink(
  modulename,
  compareGroup = 1,
  radius = 108,
  fillColor = "red",
  width = 3,
  type = "Q",
  displayLinkAxis = TRUE,
  axisColor = "#B8B8B8",
  axisWidth = 0.5,
  axisPad = 3,
  displayLinkLabel = TRUE,
  labelColor = "red",
  labelSize = 13,
  labelPad = 8,
  animationDisplay = FALSE,
  animationDirection = "1to2",
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of thic module in compare module
radius	Radius of link circle
fillColor	Color for link
width	Width for link

type	Type of link, could be Q/S/T
displayLinkAxis	Whether display axis for link or not
axisColor	The color for axis
axisWidth	The width for axis
axisPad	The pad for axis
displayLinkLabel	Whether display label for link or not
labelColor	The color for label
labelSize	The size for label
labelPad	The pad for label
animationDisplay	Whether display animation
animationDirection	The direction of link animation, could be 1to2 or 2to1
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of link with details including g1chr, g1start, g1end, g2chr, g2start, g2end, g1name, g2name, fusion, link and html. Details can be found on document
...	Ignored

Value

The module tracks for link modules

Examples

```
linkData<-linkExample
Circos(CircosLink('LINK', data = linkData, LinkRadius= 140, fillColor= "#9e9ac6", width= 2,
axisPad= 3, labelPad=8, animationDisplay=TRUE, animationDirection="1to2", animationType= "linear" ))
```

Description

Create a lollipop plot

Usage

```
CircosLollipop(
  modulename,
  compareGroup = 1,
  fillColor = "#9400D3",
  secondColor = "#FFFFFF",
  pointType = "circle",
  circleSize = 2,
  diamondWidth = 10,
  diamondHeight = 5,
  rectWidth = 2,
  rectHeight = 2,
  stroke = TRUE,
  strokeColor = "#000000",
  strokeWidth = 0.5,
  lineAutoHeight = TRUE,
  lineAutoMaximumHeightZoomRate = 1,
  lineHeightRate = 0.75,
  lineWidth = 2,
  lineColor = "#000000",
  realStart = 0,
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  animationDisplay = FALSE,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>fillColor</code>	Filling color for lollipop
<code>secondColor</code>	Second filling color for heterogeneous lollipop
<code>pointType</code>	The type for lollipop, could be circle, rect and diamond
<code>circleSize</code>	If circle, the size for lollipop
<code>diamondWidth, diamondHeight</code>	If diamond, the width and height for lollipop
<code>rectWidth, rectHeight</code>	If rect, the width and height for lollipop
<code>stroke</code>	Whether display the stroke for lollipop

strokeColor, strokeWidth
 The color and width for stroke
lineAutoHeight Whether auto assign the height for each lollipop
lineAutoMaximumHeightZoomRate
 If auto assign, the zoom rate for each lollipop
lineHeightRate If manually assign, the rate of lollipop compared to real value
lineWidth, lineColor
 The width and color for the line of lollipop
realStart The real start position for data in genome
ValueAxisManualScale
 Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale
 The max and min scale value for manually control
animationDisplay
 Whether display animation
animationTime, animationDelay, animationType
 The time, delay and display type for animation
data A list of lollipop value with details including protein, chr, pos, strand, CancerTypeNumber, color, link, Consequence, AA_pos, AA_change, type, link and html. Details can be found on document
... Ignored

Value

The module tracks for lollipop modules.

Examples

```

lollipopData<-lollipopExample
arcData<-arcExample
Circos(CircosLollipop('Lollipop01', data=lollipopData, fillColor="#9400D3",
circleSize= 6, strokeColor= "#999999", strokeWidth= "1px", animationDisplay=TRUE, lineWidth= 2,
realStart= 101219350)+CircosArc('Arc01', outerRadius = 212, innerRadius = 224, data=arcData),
genome=list("EGFR"=1211),outerRadius = 220,genomeFillColor = c("grey"))

```

Description

This allows the use of the '+' and '-' operator on these lists

Usage

```
CircosModuleList()

## S3 method for class 'CircosModuleList'
x + ...

## S3 method for class 'CircosModuleList'
x - ...
```

Arguments

x	The moduleList on which other modules should be added or removed
...	The modules to add (as moduleLists) or to remove (as module names)

Value

The list of all tracks of modules.

CircosScatter

SCATTER module

Description

Create a point plot

Usage

```
CircosScatter(
  modulename,
  compareGroup = 1,
  radius = 140,
  innerCircleSize = 1,
  outerCircleSize = 5,
  innerCircleColor = "#F26223",
  outerCircleColor = "#F26223",
  innerPointType = "circle",
  outerPointType = "circle",
  innerrectWidth = 2,
  innerrectHeight = 2,
  outerrectWidth = 2,
  outerrectHeight = 2,
  outerCircleOpacity = 1,
  random_data = 0,
  animationDisplay = FALSE,
  animationInitialPositionX = 0,
  animationInitialPositionY = 0,
  animationTime = 2000,
```

```

    animationDelay = 20,
    animationType = "bounce",
    data,
    ...
)

```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
radius	Radius of scatter circle
innerCircleSize, outerCircleSize	If circle, inner and outer circle size
innerCircleColor, outerCircleColor	If circle, inner and outer circle color
innerPointType, outerPointType	The type for inner and outer point, could be circle or rect
innerrectWidth, innerrectHeight	If rect, inner width and height
outerrectWidth, outerrectHeight	If rect, inner width and height
outerCircleOpacity	If circle, the opacity for outer circle
random_data	Scatter position fluctuation
animationDisplay	Whether display animation
animationInitialPositionX, animationInitialPositionY	The initial coordinates for animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of value with details including chr, start, end, name, des, link and html. Details can be found on document
...	Ignored

Value

The module tracks for scatter modules

Examples

```

scatterData<-scatterExample
Circos(CircosScatter('SCATTER01', data = scatterData, radius=180, innerCircleColor= "#3d6390",
                      outerCircleColor= "#99cafe", random_data= 40))

```

Description

Create SNPs are defined by genomic coordinates and associated with a numerical value

Usage

```
CircosSnp(
  modulename,
  compareGroup = 1,
  minRadius = 153,
  maxRadius = 205,
  fillColorType = "specific",
  fillColor = "#9400D3",
  fillr2Color = c("13#ff0031", "#ff0031", "#ff0031", "#ff0031", "#ff0031"),
  ValueAxisManualScale = FALSE,
  ValueAxisMaxScale = 10,
  ValueAxisMinScale = 0,
  pointType = "circle",
  circleSize = 2,
  rectWidth = 2,
  rectHeight = 2,
  animationDisplay = FALSE,
  animationInitialPositionX = 0,
  animationInitialPositionY = 0,
  animationTime = 2000,
  animationDelay = 20,
  animationType = "bounce",
  data,
  ...
)
```

Arguments

<code>modulename</code>	The name of the new module
<code>compareGroup</code>	The group number of this module in compare module
<code>maxRadius, minRadius</code>	Where the module should begin and end
<code>fillColorType</code>	The type of filling color, could be either specific or r2(means based on r2)
<code>fillColor</code>	If specific, the color for SNP filling
<code>fillr2Color</code>	If r2, the color for SNP filling
<code>ValueAxisManualScale</code>	Whether manually control the scale of value

```

ValueAxisMaxScale, ValueAxisMinScale
    The max and min scale value for manually control
pointType      The type of SNP point, could be circle or rect
circleSize     If circle, the size for SNP circle
rectWidth      If rect, the width for SNP rect
rectHeight     If rect, the height for SNP rect
animationDisplay
    Whether display animation
animationInitialPositionX, animationInitialPositionY
    The initial position coordinates for animation
animationTime, animationDelay, animationType
    The time, delay and display type for animation
data          A list of SNP value with details including chr, pos, value, des, color, r2value,
              link, index, image and html. Details can be found on document
...
    Ignored

```

Value

The module tracks for.snp modules

Examples

```

snpData<-snpExample
Circos(CircosSnp('SNP01', minRadius =150, maxRadius = 190, data = snpExample, fillColor= "#9ACD32",
  circleSize= 2, SNPAnimationDisplay=TRUE,SNPAnimationTime= 2000,SNPAnimationDelay= 0,
  SNPAnimationType= "linear") + CircosBackground('BG01',minRadius = 145, maxRadius = 200))

```

CircosText

Text module

Description

Text for better explaination of other modules

Usage

```

CircosText(
  modulename,
  text,
  x = 0,
  y = 0,
  size = "1.2em",
  weight = "bold",
  opacity = 1,
  color = "#000000",

```

```

rotateRate = 0,
animationDisplay = FALSE,
animationInitialSize = 20,
animationInitialWeight = "bold",
animationInitialColor = "black",
animationInitialOpacity = 1,
animationInitialPositionX = 0,
animationInitialPositionY = 0,
animationInitialRotate = 0,
animationDelay = 50,
animationTime = 1000,
animationType = "linear",
...
)

```

Arguments

modulename	The name of the new module
text	The details of text
x, y	The coordinates of the text
size	Font size
weight	Font weight. Should be either "normal", "bold", "bolder" or "lighter"
opacity	Font opacity
color	Font color
rotateRate	rotate rate for text
animationDisplay	Whether display animation or not
animationInitialSize	Initial text size in animation
animationInitialWeight	Initial text weight in animation
animationInitialColor	Initial text color in animation
animationInitialOpacity	Initial text opacity in animation
animationInitialPositionX, animationInitialPositionY	Initial text coordinates in animation(The parameter x,y will become the final position for text if animation displayed)
animationInitialRotate	Initial rotate rate in animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
...	Ignored

Value

The module tracks for text modules.

Examples

```
Circos(CircosText('text01', 'Annotation', color = '#DD2222', x = -40))
```

CircosWig

WIG module

Description

Create a multi-layer line plot

Usage

```
CircosWig(  
    modulename,  
    compareGroup = 1,  
    maxRadius = 108,  
    minRadius = 95,  
    direction = "out",  
    ValueAxisManualScale = FALSE,  
    ValueAxisMaxScale = 10,  
    ValueAxisMinScale = 0,  
    color = "red",  
    opacity = 1,  
    strokeColor = "black",  
    strokeWidth = 1,  
    strokeType = "cardinal",  
    animationDisplay = FALSE,  
    animationTime = 2000,  
    animationDelay = 20,  
    animationType = "bounce",  
    data,  
    ...  
)
```

Arguments

modulename	The name of the new module
compareGroup	The group number of this module in compare module
maxRadius, minRadius	Where the module should begin and end
direction	The direction of plot, either inside or outside
ValueAxisManualScale	Whether manually control the scale of value
ValueAxisMaxScale, ValueAxisMinScale	The max and min scale value for manually control

color	Color for plot
opacity	Opacity for plot
strokeColor	The color for stroke
strokeWidth	The width for stroke
strokeType	Line type for stroke, could be linear, cardinal, basis and monotone
animationDisplay	Whether display animation
animationTime, animationDelay, animationType	The time, delay and display type for animation
data	A list of value with details including chr, pos, des, value and html. Details can be found on document
...	Ignored

Value

The module tracks for wig modules

Examples

```
wigData<-wigExample
Circos(CircosWig('WIG01', data = wigData, maxRadius= 200,minRadius= 150,strokeColor= "darkblue",
color= "lightblue",strokeType= "cardinal")+CircosBackground('BG01',minRadius = 205,maxRadius = 150)
,genome=list("chr8"=1000),outerRadius = 220)
```

cnvExample

Cnv module example data

Description

The data is in matrix with column names

Usage

cnvExample

Format

A data frame with 7 columns:

- chr** chromosome
- start** start position
- end** end position
- value** value
- link** hyperlink for cnv
- color** color
- html** The external html language

geneExample	<i>Gene plot example data</i>
-------------	-------------------------------

Description

The data is in matrix with column names

Usage

```
geneExample
```

Format

A data frame with 8 columns:

chr chromosome
strand strand, - or +
start start position
end end position
type region type, gene or utr or cds
name name for description
link hyperlink for this region
html The external html language

heatmapExample	<i>Heatmap plot example data</i>
----------------	----------------------------------

Description

The data is in matrix with column names

Usage

```
heatmapExample
```

Format

A data frame with 7 columns:

chr chromosome
start start position
end end position
name name for description
value value
layer layer number
html The external html language

`hg19_ideogram`*Ideogram for hg19*

Description

The ideogram for human hg19 reference including the color for each region

Usage`hg19_ideogram`**Format**

A data frame with 4 columns:

chr chromosome
start start position
end end position
color color

`histogramExample`*Histogram plot example data*

Description

The data is in matrix with column names

Usage`histogramExample`**Format**

A data frame with 7 columns:

chr chromosome
start start position
end end position
name name for description
link hyperlink
value value
html The external html language

lineExample	<i>Line plot example data</i>
-------------	-------------------------------

Description

The data is in matrix with column names

Usage

```
lineExample
```

Format

A data frame with 5 columns:

chr chromosome
pos position
des description
value value
html The external html language

linkExample	<i>Link plot example data</i>
-------------	-------------------------------

Description

The data is in matrix with column names

Usage

```
linkExample
```

Format

A data frame with 11 columns:

g1chr first chromosome
g1start first start position
g1end first end position
g2chr second chromosome
g2start second start position
g2end second end position
g1name first name

g2name second name
fusion fusion name
link hyperlink for link line
html The external html language

lollipopExample *Lollipop plot example data*

Description

The data is in matrix with column names

Usage

`lollipopExample`

Format

A data frame with 12 columns:

protein protein name
chr chromosome
pos position
strand strand, - or +
CancerTypeNumber Cancer type number
color color
link hyperlink
Consequence consequence
AA_pos AA_pos
AA_change AA_change
type type for mutation,Hetero or Homo
html The external html language

scatterExample	<i>Scatter plot example data</i>
----------------	----------------------------------

Description

The data is in matrix with column names

Usage

```
scatterExample
```

Format

A data frame with 7 columns:

chr chromosome
start start position
end end position
name name for scatter
des description
link hyperlink
html The external html language

snpExample	<i>Snp plot example data</i>
------------	------------------------------

Description

The data is in matrix with column names

Usage

```
snpExample
```

Format

A data frame with 10 columns:

chr chromosome
pos position
value value,such as p-value
des description
color color

r2value r2 value
link hyperlink for snp
index index for combination
image image for combination
html The external html language

wigExample

Wig plot example data

Description

The data is in matrix with column names

Usage

wigExample

Format

A data frame with 5 columns:

chr chromosome
pos position
des description
value value
html The external html language

Index

* datasets

arcExample, 2
bubbleExample, 3
chord.pExample, 4
chordExample, 4
cnvExample, 82
geneExample, 83
heatmapExample, 83
hg19_ideogram, 84
histogramExample, 84
lineExample, 85
linkExample, 85
lollipopExample, 86
scatterExample, 87
snpExample, 87
wigExample, 88
.CircosModuleList (CircosModuleList),
 75
-.CircosModuleList (CircosModuleList),
 75

arcExample, 2