

Package ‘BiocStyle’

April 22, 2016

Title Standard styles for vignettes and other Bioconductor documents

Description Provides standard formatting styles for Bioconductor PDF and HTML documents. Package vignettes illustrate use and functionality.

Version 1.8.0

Author Martin Morgan, Andrzej Oleś, Wolfgang Huber

Maintainer Bioconductor Package Maintainer <maintainer@bioconductor.org>

Suggests knitr (>= 1.7), rmarkdown, BiocGenerics, RUnit

biocViews Software

License Artistic-2.0

VignetteBuilder knitr

Encoding UTF-8

URL <https://github.com/Bioconductor/BiocStyle>

BugReports <https://github.com/Bioconductor/BiocStyle/issues>

NeedsCompilation no

R topics documented:

html_document	2
latex	4
markdown	5
pdf_document	6

Index

7

html_document*Use Bioconductor style to format R Markdown HTML output***Description**

Format for converting from R Markdown to an Bioconductor HTML document.

Usage

```
html_document(toc = TRUE, toc_depth = 3, number_sections = TRUE,
             fig_width = 7, fig_height = 5, fig_retina = NULL,
             fig_caption = FALSE, dev = "png", smart = TRUE, self_contained = TRUE,
             highlight = "default", mathjax = "default",
             css = NULL, includes = NULL, keep_md = FALSE,
             lib_dir = NULL, md_extensions = NULL, pandoc_args = NULL, ...)
```

Arguments

<code>toc</code>	TRUE to include a table of contents in the output
<code>toc_depth</code>	Depth of headers to include in table of contents
<code>number_sections</code>	TRUE to number section headings
<code>fig_width</code>	Default width (in inches) for figures
<code>fig_height</code>	Default width (in inches) for figures
<code>fig_retina</code>	Scaling to perform for retina displays
<code>fig_caption</code>	TRUE to render figures with captions
<code>dev</code>	Graphics device to use for figure output (defaults to png)
<code>smart</code>	Produce typographically correct output, converting straight quotes to curly quotes, — to em-dashes, – to en-dashes, and ... to ellipses.
<code>self_contained</code>	Produce a standalone HTML file with no external dependencies, using data: URIs to incorporate the contents of linked scripts, stylesheets, images, and videos. Note that even for self contained documents MathJax is still loaded externally (this is necessary because of it's size).
<code>highlight</code>	Syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", "haddock", and "textmate". Pass NULL to prevent syntax highlighting.
<code>mathjax</code>	Include mathjax. The "default" option uses an https URL from the official MathJax CDN. The "local" option uses a local version of MathJax (which is copied into the output directory). You can pass an alternate URL or pass NULL to exclude MathJax entirely.
<code>css</code>	One or more css files to include
<code>includes</code>	Named list of additional content to include within the document (typically created using the <code>includes</code> function).

keep_md	Keep the markdown file generated by knitting.
lib_dir	Directory to copy dependent HTML libraries (e.g. jquery, bootstrap, etc.) into. By default this will be the name of the document with _files appended to it.
md_extensions	Markdown extensions to be added or removed from the default definition or R Markdown. See the rmarkdown_format for additional details.
pandoc_args	Additional command line options to pass to pandoc
...	Additional function arguments to pass to the base R Markdown HTML output formatter

Details

The `BiocStyle::html_document` format is based on the [html_document](#) format. See the [online documentation](#) for additional details on using the `html_document` format.

R Markdown documents can have optional metadata that is used to generate a document header that includes the title, author, date, package info and abstract. For more details see the documentation on R Markdown [metadata](#).

R Markdown documents also support citations. You can find more information on the markdown syntax for citations in the [Bibliographies and Citations](#) article in the online documentation.

Value

R Markdown output format to pass to [render](#)

Author(s)

Andrzej Oleś <andrzej.oles@embl.de>, 2014-2015

See Also

[pdf_document](#)

Examples

```
## Not run:  
  
# simple invocation  
render("input.Rmd", BiocStyle::html_document())  
  
# specify options  
render("input.Rmd", BiocStyle::html_document(toc = FALSE))  
  
## End(Not run)
```

latex*Use Bioconductor styles to format LaTeX vignettes***Description**

This function inserts code into a document preamble to provide a consistent style to Bioconductor vignettes

Usage

```
latex(..., width=90, short.fignames=FALSE, fig.path, error=FALSE,
      use.unsrturl=TRUE)
```

Arguments

...	Additional arguments, passed to options .
width	integer(1), maximum number of columns on a line used in printing. See options .
short.fignames	logical(1), indicates whether \incfig figures should be inserted and referred to using short names equal to corresponding code chunk labels without any additional prefix.
fig.path	character(1), custom prefix to be used for figure file names when used with knitr; has no effect when compiled with Sweave. For details see opts_chunk .
error	logical(1), behavior of knitr when errors occur in vignette code chunks, has no effect when compiled with Sweave. The default (FALSE) means that errors stop vignette processing, which is appropriate when packages are being built and checked. For details see opts_chunk .
use.unsrturl	logical(1), indicating that the ‘unsrturl’ style will be used (\bibliographystyle command <i>not</i> required).

Details

Use is described in the ‘Bioconductor LaTeX Style’ vignette.

By default the ‘unsrturl’ bibliography style is used, which automatically creates links to URL, DOIs, etc. Use a different `bibliographystyle` with `use.unsrturl=FALSE` and standard LaTeX commands for styling bibliographies.

Value

The return value is a character string directing LaTeX to use the Bioconductor style file.

A side effect is setting any options specified as arguments.

Author(s)

Martin Morgan mtmorgan@fhcrc.org, Andrzej Oleś, Wolfgang Huber

Examples

```
## location of the .sty file  
BiocStyle:::bioconductor.sty
```

markdown

Use Bioconductor CSS style to format HTML vignettes

Description

This function sets the Bioconductor style sheet to provide a consistent style across Bioconductor HTML vignettes.

Usage

```
markdown(css.files, self.contained = TRUE, links.target = TRUE)
```

Arguments

`css.files` character vector containing the location of additional .css files.
`self.contained` logical(1), should the content of the CSS stylesheet files be included into the html file or should they be saved as separate files.
`links.target` logical(1), should external links open in new browser tab/window.

Details

Use is described in the ‘Bioconductor CSS Style’ vignette.

Value

No value is returned. The function is called for its side effect of setting the `markdown` and/or `knitr` specific options controlling the inclusion of the Bioconductor CSS style file in the HTML output.

Author(s)

Andrzej Oleś <andrzej.oles@embl.de>, 2014-2015

Examples

```
## location of the .css file  
BiocStyle:::bioconductor.css
```

pdf_document*Use Bioconductor style to format R Markdown PDF output*

Description

This function sets the Bioconductor style in PDF documents rendered using R Markdown v2.

Usage

```
pdf_document(toc = TRUE, number_sections = TRUE, use.unsrturl = TRUE, includes, ...)
```

Arguments

toc	logical(1), TRUE to include a table of contents in the output.
number_sections	logical(1), TRUE to number section headings.
use.unsrturl	logical(1), indicating that the ‘unsrturl’ style will be used (\bibliographystyle command <i>not</i> required).
includes	Named list of additional content to include within the document
...	Additional arguments, passed to pdf_document .

Value

R Markdown output format to pass to `rmarkdown::render`.

Author(s)

Andrzej Oleś <andrzej.oles@embl.de>, 2014-2015

See Also

[html_document](#)

Examples

```
## Not run:  
  
# simple invocation  
render("input.Rmd", BiocStyle::pdf_document())  
  
# specify an option for latex engine  
render("input.Rmd", BiocStyle::pdf_document(toc = FALSE))  
  
## End(Not run)
```

Index

*Topic **manip**

 latex, [4](#)

 markdown, [5](#)

 pdf_document, [6](#)

 Biocannopkg (markdown), [5](#)

 Bioexptpkg (markdown), [5](#)

 Biocpkg (markdown), [5](#)

 CRANpkg (markdown), [5](#)

 doc_date (html_document), [2](#)

 Githubpkg (markdown), [5](#)

 html_document, [2](#), [3](#), [6](#)

 includes, [2](#)

 latex, [4](#)

 markdown, [5](#)

 metadata, [3](#)

 options, [4](#)

 opts_chunk, [4](#)

 output_format (html_document), [2](#)

 pdf_document, [3](#), [6](#), [6](#)

 pkg_ver (html_document), [2](#)

 render, [3](#)

 rmarkdown_format, [3](#)

 Rpackage (markdown), [5](#)