

Package ‘shinyMethyl’

April 23, 2016

Title Interactive visualization for Illumina's 450k methylation arrays

Version 1.4.0

Depends methods, BiocGenerics (>= 0.3.2), shiny (>= 0.9.1), minfi (>= 1.6.0), IlluminaHumanMethylation450kmanifest, matrixStats, R (>= 3.0.0)

Imports RColorBrewer

Suggests shinyMethylData, minfiData, BiocStyle, RUnit, digest, knitr

Description Interactive tool for visualizing Illumina's 450k array data

Url <https://github.com/Jfortin1/shinyMethyl>

VignetteBuilder knitr

License Artistic-2.0

biocViews DNAMethylation, Microarray, TwoChannel, Preprocessing, QualityControl

NeedsCompilation no

Author Jean-Philippe Fortin [cre, aut],
Kasper Daniel Hansen [aut]

Maintainer Jean-Philippe Fortin <jfortin@jhsph.edu>

R topics documented:

shinyMethyl-package	2
runShinyMethyl	2
shinyMethylSet-class	3
shinySummarize-methods	5

Index

7

shinyMethyl-package *Interactive visualization for Illumina's 450k methylation arrays*

Description

Interactive tool for visualizing Illumina's 450k array data

Author(s)

Jean-Philippe Fortin <jfortin@jhsph.edu>

runShinyMethyl *Run the interactive shinyMethyl session*

Description

Function to run the interactive shinyMethyl session from a shinyMethylSet.

Usage

```
runShinyMethyl(shinyMethylSet1, shinyMethylSet2 = NULL)
```

Arguments

shinyMethylSet1

shinyMethylSet that must be extracted from an RGChannelSet

shinyMethylSet2

optional shinyMethylSet that must be extracted from an GenomicRatioSet

Value

No value returned. Instead the shinyMethyl interactive session is launched.

Author(s)

Jean-Philippe Fortin

See Also

[shinyMethylSet](#)

Examples

```
## Not run:
if (require(minfiData)){
  baseDir <- system.file("extdata", package = "minfiData")
  targets <- read.450k.sheet(baseDir)
  targets$Sample_Plate <- substr(targets$Slide,1,7)
  RGSet <- read.450k.exp(base = baseDir, targets = targets)

  summarized.data <- shinySummarize(RGSet)
  runShinyMethyl(summarized.data)
}

## End(Not run)
```

shinyMethylSet-class *shinyMethylSet instances*

Description

This class holds summarized data from Illumina methylation microarrays for interactive visualization purpose.

Usage

```
## Constructor

shinyMethylSet(sampleNames = new("character"),
               phenotype = new("data.frame"),
               mQuantiles = new(vector("list",5)),
               betaQuantiles = new(vector("list",5)),
               methQuantiles = new(vector("list",5)),
               unmethQuantiles = new(vector("list",5)),
               cnQuantiles = new(vector("list",5)),
               greenControls = new(vector("list",12)),
               redControls = new(vector("list",12)),
               pca = new("list"),
               originObject = new("character"))

## Data extraction / Accessors

## S4 method for signature 'shinyMethylSet'
getMeth(object)
## S4 method for signature 'shinyMethylSet'
getUnmeth(object)
## S4 method for signature 'shinyMethylSet'
```

```

getBeta(object)
## S4 method for signature 'shinyMethylSet'
getM(object)
## S4 method for signature 'shinyMethylSet'
getCN(object)
## S4 method for signature 'shinyMethylSet'
pData(object)
## S4 method for signature 'shinyMethylSet'
sampleNames(object)

```

Arguments

<code>object</code>	A <code>shinyMethylSet</code> .
<code>sampleNames</code>	A character vector
<code>phenotype</code>	A <code>data.frame</code> object.
<code>methQuantiles</code>	A list of 5 matrices containing several quantiles for the methylation values (between zero and infinity) separated by probe type and autosomal/sex probes. Each row is a quantile and each column is a sample.
<code>unmethQuantiles</code>	Similar to <code>Meth</code>
<code>betaQuantiles</code>	Similar to <code>Meth</code> but for Beta-values
<code>mQuantiles</code>	Similar to <code>Meth</code> but for M-values
<code>cnQuantiles</code>	Similar to <code>Meth</code> but for Copy Number
<code>greenControls</code>	A list containing the matrices of different raw control probes intensities in the green channel
<code>redControls</code>	Similar to <code>greenControls</code> but for the red channel
<code>pca</code>	List containing the PCA scores for the 20,000 most variable CpGs and the percentages of variance explained
<code>originObject</code>	Name of the <code>minfi</code> object from which the data were extracted

Details

These class is a representation of a `Meth` matrix and a `Unmeth` matrix linked to a `pData` data frame.

A `creationMethod` slot is present to indicate from which object type the `shinyMethylSet` has been created: either a `RGChannelSet` or `GenomicRatioSet`

A `MethylSet` stores `meth` and `Unmeth`.

Constructor

Instances are constructed using the `shinyMethylSet` function with the arguments outlined above.

Accessors

In the following code, object is a shinyMethylSet.

```
getMeth(object), getUnmeth(object) Get the Meth or Unmeth matrix.  
getBeta(object) get Beta, see details.  
getM(object) get M-values, see details.  
getCN(object) get copy number values which are defined as the sum of the methylation and  
unmethylation channel.  
sampleNames(object) Get the sampleNames  
combine(object1,object2) combine shinyMethylSet objects
```

Author(s)

Jean-Philippe Fortin <jfortin@jhsph.edu>

See Also

Objects of this class are typically created by using the function [shinySummarize](#) on a [RGChannelSet](#) or [GenomicRatioSet](#).

Examples

```
showClass("shinyMethylSet")
```

shinySummarize-methods

Summarizing a large 450K experiment into a shinyMethylSet

Description

Summarizing methylation data from a RGChannelSet or GenomicRatioSet into a shinyMethylSet needed to launch the interactive interface of shinyMethyl.

Usage

```
## S4 method for signature 'RGChannelSet'  
shinySummarize(object)  
## S4 method for signature 'GenomicRatioSet'  
shinySummarize(object)
```

Arguments

object Either a RGChannelSet or a GenomicRatioSet.

Details

Either a `RGChannelSet` is transformed into a `shinyMethylSet`, or a `GenomicRatioSet` is transformed to a `shinyMethylSet`

Author(s)

Jean-Philippe Fortin <jfortin@jhsph.edu>

See Also

`shinyMethylSet` for the output object and `RGChannelSet` or `GenomicRatioSet` for the input object.

Examples

```
if (require(minfiData)){
  library(minfiData)
  summarized.data <- shinySummarize(RGsetEx)
}
```

Index

*Topic **methods**
shinySummarize-methods, 5

*Topic **package**
shinyMethyl-package, 2

combine (shinyMethylSet-class), 3
combine,shinyMethylSet,shinyMethylSet-method
(shinyMethylSet-class), 3

GenomicRatioSet, 5, 6
getBeta (shinyMethylSet-class), 3
getBeta,shinyMethylSet-method
(shinyMethylSet-class), 3
getCN (shinyMethylSet-class), 3
getCN,shinyMethylSet-method
(shinyMethylSet-class), 3
getGreenControls
(shinyMethylSet-class), 3
getM (shinyMethylSet-class), 3
getM,shinyMethylSet-method
(shinyMethylSet-class), 3
getMeth (shinyMethylSet-class), 3
getMeth,shinyMethylSet-method
(shinyMethylSet-class), 3
getPCA (shinyMethylSet-class), 3
getRedControls (shinyMethylSet-class), 3
getUnmeth (shinyMethylSet-class), 3
getUnmeth,shinyMethylSet-method
(shinyMethylSet-class), 3

orderByName (shinyMethylSet-class), 3

pData (shinyMethylSet-class), 3
pData,shinyMethylSet-method
(shinyMethylSet-class), 3

RGChannelSet, 5, 6
runShinyMethyl, 2

sampleNames (shinyMethylSet-class), 3

sampleNames,shinyMethylSet-method
(shinyMethylSet-class), 3
shinyMethyl (shinyMethyl-package), 2
shinyMethyl-package, 2
shinyMethylSet, 2, 6
shinyMethylSet (shinyMethylSet-class), 3
shinyMethylSet-class, 3
shinySummarize, 5
shinySummarize
(shinySummarize-methods), 5
shinySummarize,GenomicRatioSet-method
(shinySummarize-methods), 5
shinySummarize,RGChannelSet-method
(shinySummarize-methods), 5
shinySummarize-methods, 5
show,shinyMethylSet-method
(shinyMethylSet-class), 3