

# *gwascat*: structuring and querying the NHGRI GWAS catalog

VJ Carey\*

April 4, 2016

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Installation . . . . .	2
1.2	Attachment and access to documentation . . . . .	2
1.3	Illustrations: computing . . . . .	2
<b>2</b>	<b>Some visualizations</b>	<b>3</b>
2.1	Basic Manhattan plot . . . . .	3
2.2	Annotated Manhattan plot . . . . .	4
2.3	Integrative view of potential genetic determinants . . . . .	5
<b>3</b>	<b>SNP sets and trait sets</b>	<b>6</b>
3.1	SNPs by name . . . . .	6
3.2	Traits by genomic location . . . . .	7
<b>4</b>	<b>Counting alleles associated with traits</b>	<b>9</b>
<b>5</b>	<b>Imputation to unobserved loci</b>	<b>11</b>
<b>6</b>	<b>Formal management of trait vocabularies</b>	<b>13</b>
6.1	Diseases: Disease Ontology . . . . .	13
6.2	Other phenotypic traits: Human Phenotype Ontology . . . . .	15
<b>7</b>	<b>CADD scores</b>	<b>16</b>
<b>8</b>	<b>Appendix: Adequacy of location annotation</b>	<b>17</b>

---

\*Generous support of Robert Gentleman and the Computational Biology Group of Genentech, Inc. is gratefully acknowledged

# 1 Introduction

NHGRI maintains and routinely updates a database of selected genome-wide association studies. This document describes R/Bioconductor facilities for working with contents of this database.

## 1.1 Installation

The package can be installed using Bioconductor's *BiocInstaller* package, with the sequence

```
library(BiocInstaller)
biocLite("gwascat")
```

## 1.2 Attachment and access to documentation

Once the package has been installed, use `library(gwascat)` to obtain interactive access to all the facilities. After executing this command, use `help(package="gwascat")` to obtain an overview. The current version of this vignette can always be accessed at [www.bioconductor.org](http://www.bioconductor.org), or by suitably navigating the web pages generated with `help.start()`.

## 1.3 Illustrations: computing

Available functions are:

```
> library(gwascat)
> objects("package:gwascat")

[1] "adj"                "bindcadd_snv"        "chklocs"
[4] "getRsids"           "getTraits"           "gwcex2gviz"
[7] "impute.snps"       "ldtagr"              "locs4trait"
[10] "makeCurrentGwascat" "metadata"            "node2uri"
[13] "nodeData"          "nodes"               "obo2graphNEL"
[16] "riskyAlleleCount"  "show"               "subGraph"
[19] "subsetByChromosome" "subsetByTraits"     "topTraits"
[22] "traitsManh"        "ugraph"              "uri2node"
```

The extended `GRanges` instance with all SNP-disease associations is obtained as follows, using the hg19 genome build (GRCh38/hg38-based ranges are also available as `ebicat38`).

```
> data(ebicat37)
```

To determine the most frequently occurring traits:

```
> topTraits(ebicat37)
```

Obesity-related traits	IgG glycosylation	Height
957	699	649
Type 2 diabetes	Rheumatoid arthritis	Crohn's disease
323	294	249
Schizophrenia	Blood metabolite levels	HDL cholesterol
248	245	220
Breast cancer		
197		

For a given trait, obtain a GRanges with all recorded associations; here only three associations are shown:

```
> subsetByTraits(ebicat37, tr="LDL cholesterol")[1:3]
```

```
gwasloc instance with 3 records and 37 attributes per record.
```

```
Extracted: Tue Aug 4 06:22:06 2015
```

```
Genome: GRCh37
```

```
Excerpt:
```

```
GRanges object with 3 ranges and 3 metadata columns:
```

	seqnames	ranges	strand	DISEASE.TRAIT	SNPS
	<Rle>	<IRanges>	<Rle>	<character>	<character>
[1]	2	[ 44072576, 44072576]	*	LDL cholesterol	rs4299376
[2]	1	[150958836, 150958836]	*	LDL cholesterol	rs267733
[3]	2	[ 21263900, 21263900]	*	LDL cholesterol	rs1367117

P.VALUE

[1]	4e-72
[2]	5e-09
[3]	1e-182

```
-----  
seqinfo: 23 sequences from GRCh37 genome
```

## 2 Some visualizations

### 2.1 Basic Manhattan plot


A basic Manhattan plot is easily constructed with the ggbio package facilities. Here we confine attention to chromosomes 4:6. First, we create a version of the catalog with  $-\log_{10}p$  truncated at a maximum value of 25.

```

> gwtrunc = ebicat37
> mlpv = mcols(ebicat37)$PVALUE_MLOG
> mlpv = ifelse(mlpv > 25, 25, mlpv)
> mcols(gwtrunc)$PVALUE_MLOG = mlpv
> library(GenomeInfoDb)
> seqlevelsStyle(gwtrunc) = "UCSC"
> gwlit = gwtrunc[ which(as.character(seqnames(gwtrunc)) %in% c("chr4", "chr5", "chr6")) ]
> library(ggbio)
> mlpv = mcols(gwlit)$PVALUE_MLOG
> mlpv = ifelse(mlpv > 25, 25, mlpv)
> mcols(gwlit)$PVALUE_MLOG = mlpv

> methods:::bind_activation(FALSE)
> autoplot(gwlit, geom="point", aes(y=PVALUE_MLOG), xlab="chr4-chr6")

```



## 2.2 Annotated Manhattan plot


A simple call permits visualization of GWAS results for a small number of traits. Note the defaults in this call.

```
> args(traitManh)
```

```
function (gwr, selr = GRanges(seqnames = "chr17", IRanges(3e+07,
  5e+07)), traits = c("Asthma", "Parkinson's disease", "Height",
  "Crohn's disease"), truncmlp = 25, ...)
```

```
NULL
```

```
> traitManh(gwtrunc)
```



## 2.3 Integrative view of potential genetic determinants

The following chunk uses GFF3 data on eQTL and related phenomena distributed at the GBrowse instance at [eqtl.uchicago.edu](http://eqtl.uchicago.edu). A request for all information at 43-45 Mb was made on 2 June 2012, yielding the GFF3 referenced below. Of interest are locations and scores of genetic associations with DNaseI hypersensitivity (scores identifying dsQTL, see Degner et al 2012).

```
> gffpath = system.file("gff3/chr17_43000000_45000000.gff3", package="gwascat")
> library(rtracklayer)
> c17tg = import(gffpath)
```

We make a Gviz DataTrack of the dsQTL scores.

```
> c17td = c17tg[ which(mcols(c17tg)$type == "Degner_dsQTL") ]
> library(Gviz)
> dsqs = DataTrack( c17td, chrom="chr17", genome="hg19", data="score",
+   name="dsQTL")
```

We start the construction of the graph here.


```
> g2 = GRanges(seqnames="chr17", IRanges(start=4.3e7, width=2e6))
> seqlevelsStyle(ebicat37) = "UCSC"
> basic = gwex2gviz(basegr = ebicat37, contextGR=g2, plot.it=FALSE)
```

We also collect locations of eQTL in the Stranger 2007 multipopulation eQTL study.

```
> c17ts = c17tg[ which(mcols(c17tg)$type == "Stranger_eqtl") ]
> eqloc = AnnotationTrack(c17ts, chrom="chr17", genome="hg19", name="Str eQTL")
> displayPars(eqloc)$col = "black"
> displayPars(dsqs)$col = "red"
> integ = list(basic[[1]], eqloc, dsqs, basic[[2]], basic[[3]])
```

Now use Gviz.

```
> plotTracks(integ)
```



### 3 SNP sets and trait sets

#### 3.1 SNPs by name

We can regard the content of a SNP chip as a set of SNP, referenced by name. The `pd.genomewidesnp.6` package describes the Affymetrix SNP 6.0 chip. We can determine which traits are associated with loci interrogated by the chip as follows. We work with a subset of the 1 million loci for illustration.

The `locon6` data frame has information on 10000 probes, acquired through the following code (not executed here to reduce dependence on the `pd.genomewidesnp.6` package, which is very large).

```
> library(pd.genomewidesnp.6)
> con = pd.genomewidesnp.6@getdb()
> locon6 = dbGetQuery(con,
+   "select dbsnp_rs_id, chrom, physical_pos from featureSet limit 10000")
```

Instead use the serialized information:

```
> data(locon6)
> rson6 = as.character(locon6[[1]])
> rson6[1:5]

[1] "rs2887286" "rs1496555" "rs41477744" "rs3890745" "rs10492936"
```

We subset the GWAS ranges structure with rsids that are common to both the chip and the GWAS catalog. We then tabulate the diseases associated with the common loci.

```
> intr = ebicat37[ intersect(getRsids(ebicat37), rson6) ]
> sort(table(getTraits(intr)), decreasing=TRUE)[1:10]
```

```

Height
4
Select biomarker traits
3
Bipolar disorder
2
Dental caries
2
Homocysteine levels
2
IgG glycosylation
2
Immune reponse to smallpox (secreted IFN-alpha)
2
Metabolic traits
2
Mitochondrial DNA levels
2
Response to cytidine analogues (cytosine arabinoside)
2

```

### 3.2 Traits by genomic location

We will assemble genomic coordinates for SNP on the Affymetrix 6.0 chip and show the effects of identifying the trait-associated loci with regions of width 1000bp instead of 1bp.

The following code retrieves coordinates for SNP interrogated on 10000 probes (to save time) on the 6.0 chip, and stores the results in a GRanges instance.

```

> gr6.0 = GRanges(seqnames=ifelse(is.na(locon6$chrom),0,locon6$chrom),
+               IRanges(ifelse(is.na(locon6$phys),1,locon6$phys), width=1))
> mcols(gr6.0)$rsid = as.character(locon6$dbSNP_rs_id)
> seqlevels(gr6.0) = paste("chr", seqlevels(locon6), sep="")

```

Here we compute overlaps with both the raw disease-associated locus addresses, and with the locus address  $\pm 500$ bp.

```

> ag = function(x) as(x, "GRanges")
> ovraw = suppressWarnings(subsetByOverlaps(ag(ebicat37), gr6.0))
> length(ovraw)

[1] 119

> ovaug = suppressWarnings(subsetByOverlaps(ag(ebicat37+500), gr6.0))
> length(ovaug)

```

[1] 191

To acquire the subset of the catalog to which 6.0 probes are within 500bp, use:

```
> rawrs = mcols(ovraw)$SNPS
> augrs = mcols(ovaug)$SNPS
> ebicat37[augrs]
```

gwasloc instance with 191 records and 37 attributes per record.

Extracted: Tue Aug 4 06:22:06 2015

Genome: GRCh37

Excerpt:

GRanges object with 5 ranges and 3 metadata columns:

	seqnames	ranges	strand	
	<Rle>	<IRanges>	<Rle>	
[1]	chr1	[248039451, 248039451]	*	
[2]	chr1	[218604678, 218604678]	*	
[3]	chr1	[ 4620996, 4620996]	*	
[4]	chr1	[166951869, 166951869]	*	
[5]	chr11	[ 26346831, 26346831]	*	

	DISEASE.TRAIT	SNPS	P.VALUE
	<character>	<character>	<numeric>
[1]	Red blood cell fatty acid levels	rs3811444	5e-11
[2]	Height	rs1890995	6e-13
[3]	Anxiety disorder	rs12120353	3e-06
[4]	Refractive astigmatism	rs6688613	3e-06
[5]	Febrile seizures (MMR vaccine-related)	rs114444506	2e-12

-----

seqinfo: 23 sequences from GRCh37 genome

Relaxing the intersection criterion in this limited case leads to a larger set of traits.

```
> setdiff( getTraits(ebicat37[augrs]), getTraits(ebicat37[rawrs]) )
```

```
[1] "Red blood cell fatty acid levels"
[2] "Febrile seizures (MMR vaccine-related)"
[3] "Eosinophilic esophagitis"
[4] "QT interval"
[5] "Smoking cessation"
[6] "Systolic blood pressure (alcohol consumption interaction)"
[7] "QRS duration in Tripanosoma cruzi seropositivity"
[8] "Functional impairment in major depressive disorder, bipolar disorder and schizoph
[9] "Periodontitis (CDC/AAP)"
```

- [10] "Odorant perception (&beta;-damascenone)"
- [11] "Bronchopulmonary dysplasia"
- [12] "Self-reported allergy"
- [13] "Migraine"
- [14] "Reading and spelling"
- [15] "Adverse response to chemotherapy (neutropenia/leucopenia) (carboplatin)"
- [16] "Obesity"
- [17] "Autism spectrum disorder, attention deficit-hyperactivity disorder, bipolar disorder"
- [18] "Response to taxane treatment (docetaxel)"
- [19] "Response to amphetamines"
- [20] "Neuroblastoma"
- [21] "Lentiform nucleus volume"
- [22] "Capecitabine sensitivity"
- [23] "Venous thromboembolism"
- [24] "Fasting glucose-related traits (interaction with BMI)"
- [25] "Response to angiotensin II receptor blocker therapy"
- [26] "Response to hepatitis C treatment"
- [27] "Response to anti-depressant treatment in major depressive disorder"
- [28] "Phospholipid levels (plasma)"
- [29] "Endometrial cancer"
- [30] "MRI atrophy measures"
- [31] "Self-rated health"
- [32] "Neonatal lupus"
- [33] "Crohn's disease"
- [34] "Optic nerve measurement (cup area)"
- [35] "Response to statin therapy"
- [36] "Tanning"
- [37] "Osteonecrosis of the jaw"
- [38] "Hip geometry"
- [39] "Parkinson's disease"

## 4 Counting alleles associated with traits

We can use `riskyAlleleCount` to count risky alleles enumerated in the GWAS catalog. This particular function assumes that we have genotyped at the catalogued loci. Below we will discuss how to impute from non-catalogued loci to those enumerated in the catalog.

```
> data(gg17N) # translated from GGdata chr 17 calls using ABmat2nuc
> gg17N[1:5,1:5]
```

```
          rs6565733 rs1106175 rs17054921 rs8064924 rs8070440
NA06985 "G/G"      "A/G"      "C/C"      "G/G"      "G/G"
```

```

NA06991 "G/G"      "A/A"      "C/C"      "G/G"      "G/G"
NA06993 "G/G"      "A/A"      "C/C"      "G/G"      "G/G"
NA06994 "A/G"      "A/G"      "C/C"      "A/G"      "G/G"
NA07000 "G/G"      "A/A"      "C/C"      "G/G"      "G/G"

```

This function can use genotype information in the A/B format, assuming that B denotes the alphabetically later nucleotide. Because we have direct nucleotide coding in our matrix, we set the `matIsAB` parameter to false in this call.

```

> h17 = riskyAlleleCount(gg17N, matIsAB=FALSE, chr="ch17",
+ gwwl = ebicat37)
> h17[1:5,1:5]

```

```

          rs7217319 rs684232 rs623323 rs747685 rs747687
NA06985          0          0          2          1          1
NA06991          0          0          2          2          2
NA06993          0          0          2          1          1
NA06994          0          0          2          2          2
NA07000          0          0          2          2          2

```

```

> table(as.numeric(h17))

```

```

      0      1      2
22284 9318 7188

```

It is of interest to bind the counts back to the catalog data.

```

> gwr = ebicat37
> gwr = gwr[colnames(h17),]
> mcols(gwr) = cbind(mcols(gwr), DataFrame(t(h17)))
> sn = rownames(h17)
> gwr[,c("DISEASE.TRAIT", sn[1:4])]

```

gwasloc instance with 431 records and 5 attributes per record.

Extracted: Tue Aug 4 06:22:06 2015

Genome: GRCh37

Excerpt:

GRanges object with 5 ranges and 5 metadata columns:

	seqnames	ranges	strand	DISEASE.TRAIT	NA06985	NA06991
	<Rle>	<IRanges>	<Rle>	<character>	<integer>	<integer>
[1]	chr17	[38924, 38924]	*	AIDS progression	0	0
[2]	chr17	[618965, 618965]	*	Prostate cancer	0	0
[3]	chr17	[700020, 700020]	*	Type 2 diabetes	2	2
[4]	chr17	[775051, 775051]	*	Blood pressure	1	2

```

[5] chr17 [775334, 775334] * | Blood pressure 1 2
      NA06993 NA06994
      <integer> <integer>
[1] 0 0
[2] 0 0
[3] 2 2
[4] 1 2
[5] 1 2
-----
seqinfo: 23 sequences from GRCh37 genome

```

Now by programming on the metadata columns, we can identify individuals with particular risk profiles.

## 5 Imputation to unobserved loci

If we lack information on a specific locus  $s$ , but have reasonably dense genotyping on a subject, population genetics may allow a reasonable guess at the genotype at  $s$  for this subject. Many algorithms for genotype imputation have been proposed. Here we use a very simple approach due to David Clayton in the *snpStats* package.

We use the “low coverage” 1000 genomes genotypes for the CEU (central European) HapMap cohort as a base for constructing imputation rules. We focus on chromosome 17 for illustration.

The base data are

```

> data(low17)
> low17

```

```

A SnpMatrix with 60 rows and 196327 columns
Row names: NA06985 ... NA12874
Col names: chr17:1869 ... chr17:78654554

```

A somewhat sparser set of genotypes (HapMap phase II, genomewide 4 million loci) on chromosome 17 is archived as *g17SM*. This has a compact SnpMatrix encoding of genotypes.

```

> data(g17SM)
> g17SM

```

```

A SnpMatrix with 90 rows and 89701 columns
Row names: NA06985 ... NA12892
Col names: rs6565733 ... rs4986109

```

For a realistic demonstration, we use the subset of these loci that are present on the Affy 6.0 SNP array.

```
> data(gw6.rs_17)
> g17SM = g17SM[, intersect(colnames(g17SM), gw6.rs_17)]
> dim(g17SM)
```

```
[1] 90 20359
```

The base data were used to create a set of rules allowing imputation from genotypes in the sparse set to the richer set. Some rules involve only a single locus, some as many as 4. The construction of rules involves tuning of modeling parameters. See `snp.imputation` in `snpStats` for details.

```
> if (!exists("rules_6.0_1kg_17")) data(rules_6.0_1kg_17)
> rules_6.0_1kg_17[1:5,]
```

```
chr17:1869 ~ rs9915268+rs11247571+rs9895105+rs6598837 (MAF = 0.06666667, R-squared =
chr17:2220 ~ rs4790867+rs10454094+rs2586238+rs7207284 (MAF = 0.125, R-squared = 0.706
chr17:6689 ~ rs4424950+rs4790867+rs7225087+rs11658347 (MAF = 0.125, R-squared = 0.592
rs34663111 ~ rs11658079+rs1609550+rs4985594+rs9788983 (MAF = 0.1166667, R-squared = 0
rs62054999 ~ rs17609440+rs2740351+rs2589492+rs16956017 (MAF = 0.125, R-squared = 0.26
```

The summary of rules shows the degree of association between the predictors and predictands in terms of  $R^2$ . Many potential targets are not imputed.

```
> summary(rules_6.0_1kg_17)
```

R-squared	SNPs used				<NA>
	1 tags	2 tags	3 tags	4 tags	
[0,0.1)	655	785	276	56	0
[0.1,0.2)	7	664	926	868	0
[0.2,0.3)	0	158	916	3054	0
[0.3,0.4)	0	28	411	5104	0
[0.4,0.5)	0	20	203	6365	0
[0.5,0.6)	0	21	121	6052	0
[0.6,0.7)	0	29	104	5623	0
[0.7,0.8)	0	54	108	6330	0
[0.8,0.9)	0	141	225	9506	0
[0.9,0.95)	652	700	572	8056	0
[0.95,0.99)	7274	1689	1388	6158	0
[0.99,1]	33660	1353	2326	10152	0
<NA>	0	0	0	0	53601

The overlap between the 6.0-resident g17SM loci and the catalog is

```
> length(intersect(colnames(g17SM), mcols(ebicat37)$SNPS))
```

```
[1] 176
```

The new expected B allele counts are

```
> exg17 = impute.snps(rules_6.0_1kg_17, g17SM)
```

The number of new loci that coincide with risk loci in the catalog is:

```
> length(intersect(colnames(exg17), mcols(ebicat37)$SNPS))
```

```
[1] 270
```

## 6 Formal management of trait vocabularies

### 6.1 Diseases: Disease Ontology

The Disease Ontology project Osborne et al. (2009) formalizes a vocabulary for human diseases. Bioconductor's DO.db package is a curated representation.

```
> library(DO.db)
> DO()
```

Quality control information for DO:

This package has the following mappings:

```
DOANCESTOR has 6569 mapped keys (of 6570 keys)
DOCHILDREN has 1811 mapped keys (of 6570 keys)
DOOBSOLETE has 2374 mapped keys (of 2374 keys)
DOOFFSPRING has 1811 mapped keys (of 6570 keys)
DOPARENTS has 6569 mapped keys (of 6570 keys)
DOTERM has 6570 mapped keys (of 6570 keys)
```

Additional Information about this package:

```
DB schema: DO_DB
DB schema version: 1.0
```

All tokens of the ontology are acquired via:

```

> alltob = unlist(mget(mappedkeys(DOTERM), DOTERM))
> allt = sapply(alltob, Term)
> allt[1:5]

```

```

                DOID:0001816                DOID:0002116
                "angiosarcoma"                "pterygium"
                DOID:0014667                DOID:0050004
"disease of metabolism" "seminal vesicle acute gonorrhoea"
                DOID:0050012
                "chikungunya"

```

Direct mapping from disease trait tokens in the catalog to this vocabulary succeeds for a modest proportion of records.

```

> cattr = mcols(ebicat37)$Disease.Trait
> mat = match(tolower(cattr), tolower(allt))
> catDO = names(allt)[mat]
> na.omit(catDO)[1:50]

```

```

[1] NA NA
[26] NA NA

```

```

> mean(is.na(catDO))

```

```

[1] NaN

```

Approximate matching of unmatched tokens can proceed by various routes. Some traits are not diseases, and will not be mappable using Disease Ontology. However, consider

```

> unique(cattr[is.na(catDO)])[1:20]

```

```

NULL

```

```

> nomatch = cattr[is.na(catDO)]
> unique(nomatch)[1:5]

```

```

NULL

```

Manual searching shows that a number of these have very close matches.

## 6.2 Other phenotypic traits: Human Phenotype Ontology

Bioconductor does not possess an annotation package for phenotype ontology, but the standardized OBO format can be parsed and modeled into a graph.

```
> hpobo = gzfile(dir(system.file("obo", package="gwascat")), pattern="hpo", full=TRUE)
> HPOgraph = obo2graphNEL(hpobo)
> close(hpobo)
```

The phenotypic terms are obtained via:

```
> hpoterms = unlist(nodeData(HPOgraph, nodes(HPOgraph), "name"))
> hpoterms[1:10]
```

```
HP:0000001
  "All"
HP:0000002
  "Abnormality of body height"
HP:0000003
  "Multicystic kidney dysplasia"
HP:0000004
  "Onset and clinical course"
HP:0000005
  "Mode of inheritance"
HP:0000006
  "Autosomal dominant inheritance"
HP:0000007
  "Autosomal recessive inheritance"
HP:0000008
  "Abnormality of female internal genitalia"
HP:0000009
  "Functional abnormality of the bladder"
HP:0000010
  "Recurrent urinary tract infections"
```

Exact hits to unmatched GWAS catalog traits exist:

```
> intersect(tolower(nomatch), tolower(hpoterms))
```

```
character(0)
```

More work on formalization of trait terms is underway.

## 7 CADD scores

Kircher et al. (Kircher et al., 2014) define combined annotation-dependent depletion scores measuring variant pathogenicity in an integrative way. Small requests to bind scores for SNV to GRanges can be resolved through HTTP; large requests can be carried out on a local tabix-indexed selection from their archive.

```
> g3 = as(ebicat37, "GRanges")
> bg3 = bindcadd_snv( g3[which(seqnames(g3)=="chr3")][1:20] )
> inds = ncol(mcols(bg3))
> bg3[, (inds-3):inds]
```

This requires cooperation of network interface and server, so we don't evaluate in vignette build but on 1 Apr 2014 the response was:

GRanges with 20 ranges and 4 metadata columns:

	seqnames	ranges	strand	Ref	Alt
	<Rle>	<IRanges>	<Rle>	<character>	<character>
[1]	3	[109789570, 109789570]	*	A	G
[2]	3	[ 25922285, 25922285]	*	G	A
[3]	3	[109529550, 109529550]	*	T	C
[4]	3	[175055759, 175055759]	*	T	G
[5]	3	[191912870, 191912870]	*	C	T
...	...	...	...	...	...
[16]	3	[187716886, 187716886]	*	A	G
[17]	3	[160820524, 160820524]	*	G	C
[18]	3	[169518455, 169518455]	*	T	C
[19]	3	[179172979, 179172979]	*	G	T
[20]	3	[171785168, 171785168]	*	G	C
	CScore	PHRED			
	<numeric>	<numeric>			
[1]	-0.182763	3.110			
[2]	-0.289708	2.616			
[3]	0.225373	5.216			
[4]	-0.205689	3.003			
[5]	-0.172189	3.161			
...	...	...			
[16]	-0.019710	3.913			
[17]	-0.375183	2.235			
[18]	-0.695270	0.987			
[19]	-0.441673	1.949			
[20]	0.231972	5.252			

---

```

seqlengths:
      1          2          3          4 ...          21          22          X
249250621 243199373 198022430 191154276 ... 48129895 51304566 155270560

```

## 8 Appendix: Adequacy of location annotation

A basic question concerning the use of archived SNP identifiers is durability of the association between asserted location and SNP identifier. The `chklocs` function uses a current Bioconductor `SNPlocs` package to check this.

For example, to verify that locations asserted on chromosome 20 agree between the Bioconductor dbSNP image and the gwas catalog,

```

> if ("SNPlocs.Hsapiens.dbSNP.20120608" %in% installed.packages()[,1]) {
+   library(SNPlocs.Hsapiens.dbSNP.20120608)
+   suppressWarnings(chklocs("20", ebicat37))
+ }

```

```
[1] TRUE
```

This is not a fast procedure but has succeeded for all chromosomes 1-22 when checked off line.

## References

Martin Kircher, Daniela M Witten, Preti Jain, Brian J O’Roak, Gregory M Cooper, and Jay Shendure. A general framework for estimating the relative pathogenicity of human genetic variants. *Nat Genet*, Feb 2014. doi: 10.1038/ng.2892.

John D Osborne, Jared Flatow, Michelle Holko, Simon M Lin, Warren A Kibbe, Lihua Julie Zhu, Maria I Danila, Gang Feng, and Rex L Chisholm. Annotating the human genome with disease ontology. *BMC Genomics*, 10 Suppl 1:S6, Jan 2009. doi: 10.1186/1471-2164-10-S1-S6. URL <http://www.biomedcentral.com/1471-2164/10/S1/S6>.