

Package ‘swfdr’

April 1, 2025

Title Estimation of the science-wise false discovery rate and the
false discovery rate conditional on covariates

Version 1.32.0

Author Jeffrey T. Leek, Leah Jager, Simina M. Boca, Tomasz Konopka

Maintainer Simina M. Boca <smb310@georgetown.edu>, Jeffrey T. Leek
<jtleek@gmail.com>

Description This package allows users to estimate the science-wise
false discovery rate from Jager and Leek, ``Empirical estimates
suggest most published medical research is true," 2013,
Biostatistics, using an EM approach due to the presence of
rounding and censoring. It also allows users to estimate the
false discovery rate conditional on
covariates, using a regression framework, as per Boca and Leek,
``A direct approach to estimating false discovery rates conditional on
covariates," 2018, PeerJ.

Depends R (>= 3.4)

Imports methods, splines, stats4, stats

License GPL (>= 3)

URL <https://github.com/leekgroup/swfdr>

BugReports <https://github.com/leekgroup/swfdr/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Suggests dplyr, ggplot2, BiocStyle, knitr, qvalue, reshape2,
rmarkdown, testthat

VignetteBuilder knitr

biocViews MultipleComparison, StatisticalMethod, Software

git_url <https://git.bioconductor.org/packages/swfdr>

git_branch RELEASE_3_20

git_last_commit 14086a6

git_last_commit_date 2024-10-29

Repository Bioconductor 3.20

Date/Publication 2025-03-31

Contents

BMI_GIANT_GWAS_sample	2
calculateSwfdr	3
get_number_decimals	4
journals_pVals	4
lm_pi0	5
lm_qvalue	6
Index	8

BMI_GIANT_GWAS_sample *Subset of SNPs from meta-analysis of BMI GWAS study.*

Description

A dataset containing 50,000 SNPs and results for their associations with BMI.

Usage

```
data(BMI_GIANT_GWAS_sample)
```

Format

A data frame with 50,000 rows and 9 variables:

SNP ID for SNP (single nucleotide polymorphism)

A1 Allele 1 for SNP

A2 Allele 2 for SNP

Freq_MAF_Hapmap Frequency of minor allele (MAF) in Hapmap project

b Estimated beta for association between SNP and BMI

se Estimated standard error (se) for association between SNP and BMI

p P-value for association between SNP and BMI

N Total sample size considered for association of SNP and BMI

Freq_MAF_Int_Hapmap Three approximately equal intervals for the Hapmap MAFs

Value

Object of class `tbl_df`, `tbl`, `data.frame`.

Source

https://www.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium_data_files#GWAS_Anthropometric_2015_BMI

calculateSwfdr	<i>Calculate the science-wise FDR (swfdr)</i>
----------------	---

Description

Calculate the science-wise FDR (swfdr)

Usage

```
calculateSwfdr(
  pValues,
  truncated,
  rounded,
  pi0 = 0.5,
  alpha = 1,
  beta = 50,
  numEmIterations = 100
)
```

Arguments

pValues	Numerical vector of p-values
truncated	Vector of 0s and 1s with indices corresponding to those in pValues; 1 indicates that the p-values is truncated, 0 that it is not truncated
rounded	Vector of 0s and 1s with indices corresponding to those in pValues; 1 indicates that the p-values is rounded, 0 that it is not rounded
pi0	Initial prior probability that a hypothesis is null (default is 0.5)
alpha	Initial value of parameter alpha from Beta(alpha, beta) true positive distribution (default is 1)
beta	Initial value of parameter beta from Beta(alpha, beta) true positive distribution (default is 50)
numEmIterations	The number of EM iterations (default is 100)

Value

pi0	Final value of prior probability - estimated from EM - that a hypothesis is null, i.e. estimated swfdr
alpha	Final value of parameter alpha - estimated from EM - from Beta(alpha, beta) true positive distribution
beta	Final value of parameter beta - estimated from EM - from Beta(alpha, beta) true positive distribution
z	Vector of expected values of the indicator of whether the p-value is null or not - estimated from EM - for the non-rounded p-values (values of NA represent the rounded p-values)
n0	Expected number of rounded null p-values - estimated from EM - between certain cutpoints (0.005, 0.015, 0.025, 0.035, 0.045, 0.05)
n	Number of rounded p-values between certain cutpoints (0.005, 0.015, 0.025, 0.035, 0.045, 0.05)

Examples

```
pVals <- runif(100)
tt <- rr <- rep(0, 100)
resSwfdr <- calculateSwfdr(pValues = pVals, truncated = tt, rounded = rr, numEMIterations=100)
```

get_number_decimals *Get number of decimals (i.e. return total number of digits after decimal point) for any vector of numbers in [0,1) if number of decimals <= 6*

Description

Get number of decimals (i.e. return total number of digits after decimal point) for any vector of numbers in [0,1) if number of decimals <= 6

Usage

```
get_number_decimals(x)
```

Arguments

x	Numerical vector where all elements are in [0,1)
---	--

Value

Vector giving the number of decimals for each element in x if the number is <= 6; otherwise return 7 with a warning

Examples

```
#get_number_decimals(c(0.0006, 0.0750, 0.0420, 0.0031, 0.0001, 0.0100))
#get_number_decimals(c(6*10^-4, 7.5*10^-2, 4.2*10^-2, 3.1*10^-3, 10^-4, 10^-2))
#get_number_decimals(c(6.5*10^-4, 0.0100))
#get_number_decimals(c(6.5e-4, 0.0100))
#get_number_decimals(c(0.00065, 0.0100))
#get_number_decimals(c(10^-7, 10e-7, 10e-3))
```

journals_pVals *P-values from abstracts from articles in 5 biomedical journals (American Journal of Epidemiology, BMJ, JAMA, Lancet, New England Journal of Medicine), over 11 years (2000-2010).*

Description

A dataset containing 15,653 p-values.

Usage

```
journals_pVals
```

Format

A `tbl` data frame with 15,653 rows and 5 variables:

pvalue P-value

pvalueTruncated Equals to 1 if the p-value is truncated, 0 otherwise

pubmedID Pubmed ID of the article

year Year of publication

journal Journal

Value

Object of class `tbl_df`, `tbl`, `data.frame`.

Source

Code for extracting p-values at: [inst/script/getPvalues.R](#)

lm_pi0

Estimation of pi0, proportion of p-values consistent with a null hypothesis

Description

Estimation of π_0 , proportion of p-values consistent with a null hypothesis

Usage

```
lm_pi0(
  p,
  lambda = seq(0.05, 0.95, 0.05),
  X,
  type = c("logistic", "linear"),
  smooth.df = 3,
  threshold = TRUE,
  smoothing = c("unit.spline", "smooth.spline")
)
```

Arguments

p	numeric vector, p-values
lambda	numeric vector, thresholds used to bin pvalues, must be in [0,1).
X	numeric matrix, covariates that might be related to p values (one test per row, one variable per column).
type	character, type of regression used to fit features to pvalues
smooth.df	integer, degrees of freedom when estimating $\pi_0(x)$ with a smoother.
threshold	logical, if TRUE, all estimates are thresholded into unit interval; if FALSE, all estimates are left as they are computed
smoothing	character, type of smoothing used to fit π_0

Value

object of class ‘`lm_pi0`’, which is a list with several components

<code>call</code>	matched function call
<code>lambda</code>	numeric vector of thresholds used in calculating <code>pi0.lambda</code>
<code>X.names</code>	character vector of covariates used in modeling
<code>pi0.lambda</code>	numeric matrix of estimated $\pi_0(x)$ for each value of <code>lambda</code> . The number of columns is the number of tests, the number of rows is the length of <code>lambda</code> .
<code>pi0</code>	numerical vector of smoothed estimate of $\pi_0(x)$. The length is the number of rows in <code>X</code> .
<code>pi0.smooth</code>	(only output with <code>smoothing="smooth.spline"</code>) Matrix of fitted values from the smoother fit to the $\pi_0(x)$ estimates at each value of <code>lambda</code> (same number of rows and columns as <code>pi0.lambda</code>)

Examples

```
# define a covariate
X <- seq(-1,2,length=1000)
# set probability of being null
pi0 <- 1/4*X + 1/2
# generate null/alternative p-values
nullI <- rbinom(1000,prob=pi0,size=1)> 0
# vector of p-values
pValues <- rep(NA,1000)
pValues[nullI] <- runif(sum(nullI)) # from U(0,1)
pValues[!nullI] <- rbeta(sum(!nullI),1,2) # from Beta
pi0x <- lm_pi0(pValues, X=X)
```

Description

The recipe for turning pvalues into qvalues is adapted from package ‘`qvalue`’ and articles by Storey, Tibshirani, Taylor, Siegmund.

Usage

```
lm_qvalue(
  p,
  X,
  pfdr = FALSE,
  pi0 = NULL,
  smoothing = c("unit.spline", "smooth.spline"),
  ...
)
```

Arguments

p	numeric vector of p-values
X	matrix of covariates (can be missing if pi0 is specified instead)
pfdr	logical, making estimates robust for small p-values and a small sample size
pi0	list with pi0 estimates from lm_pi0. If this is not provided, pi0 is estimated using function lm_pi0.
smoothing	character, type of smoothing used to fit pi0. Note the default in this function is different than in lm_pi0.
...	other parameters (passed on to lm_pi0 if pi0 is not provided)

Value

object of class ‘lm_qvalue’, which is a list with several components

call	matched function call
pvalues	numeric vector of original p-values
qvalues	numeric vector of q-values
	other list elements transferred from pi0

Examples

```
# define a covariate
X <- rep(c(0, 1), each=1000)
# generate p-values, randomly for group 0 and with low values for group 1
pVal <- c(runif(1000), rbeta(1000, 0.2, 1))
# compute qvalues, using the covariate
qVal <- lm_qvalue(pVal, X=X)
```

Index

* datasets

BMI_GIANT_GWAS_sample, [2](#)

journals_pVals, [4](#)

BMI_GIANT_GWAS_sample, [2](#)

calculateSwfdr, [3](#)

get_number_decimals, [4](#)

journals_pVals, [4](#)

lm_pi0, [5](#)

lm_qvalue, [6](#)