

Package ‘OLINgui’

September 1, 2025

Version 1.82.0

Title Graphical user interface for OLIN

Author Matthias Futschik <mfutschik@ualg.pt>

Maintainer Matthias Futschik <mfutschik@ualg.pt>

Depends R (>= 2.0.0), OLIN (>= 1.4.0)

Imports graphics, marray, OLIN, tcltk, tkWidgets, widgetTools

Description Graphical user interface for the OLIN package

biocViews Microarray, TwoChannel, QualityControl, Preprocessing,
Visualization

License GPL-2

URL <http://olin.sysbiolab.eu>

git_url <https://git.bioconductor.org/packages/OLINgui>

git_branch RELEASE_3_21

git_last_commit 6d53023

git_last_commit_date 2025-04-15

Repository Bioconductor 3.21

Date/Publication 2025-08-31

Contents

OLINgui	2
Index	4

Description

The function OLINgui provides a graphical user interface for visualisation, normalisation and quality testing of two-channel microarray data. It is based on the functions of the OLIN package.

Usage

```
OLINgui()
```

Details

The function OLINgui launches a graphical user interface for the OLIN package. It is based on Tk widgets using the R TclTk interface by Peter Dalgaard. It also employs some pre-made widgets from the tkWidgets Bioconductor-package by Jianhua Zhang for the selection of objects/files to be loaded.

OLINgui provides a convenient interface to most functionalities of the OLIN package without restriction of options. An exception is the visualisation, where default arguments for plotting are used. To fine-tune plots, the underlying plotting functions in the OLIN package can be applied.

The usage of OLINgui assumes existing array objects for the batch of arrays to be analysed and normalised. To construct array objects using a graphical interface, refer to [read.marrayRaw](#). Some underlying functions (e.g. [mxy2.plot](#) and optionally [olin](#)) require an additional list of X- and Y-coordinates of spots. This has to be done “by hand” yet. However, most functions do not need this list.

For a overview of the functionality of OLINgui, please refer to the package documentation.

Value

OLINgui returns a tclObj object.

Note

The newest versions of OLINgui can be found at the OLIN webpage (<http://itb.biologie.hu-berlin.de/~futschik/software/R/OLIN>).

Author(s)

Matthias E. Futschik (<http://itb.biologie.hu-berlin.de/~futschik>)

References

1. M.Futschik and T.Crompton (2004) *Model selection and efficiency testing for normalization of cDNA microarray data*, **Genome Biology**, 5:R60
2. M.Futschik and T.Crompton (2005), Optimized normalization, visualization and quality testing for two-channel microarray data, *Bioinformatics*, 21(8):1724-6
3. OLIN web-page: <http://itb.biologie.hu-berlin.de/~futschik/software/R/OLIN>

*OLIN*gui

3

See Also

[olin](#)

Index

- * **misc**
 - OLINGui, [2](#)
- * **multivariate**
 - OLINGui, [2](#)
- * **nonlinear**
 - OLINGui, [2](#)
- mxy2.plot, [2](#)
- olin, [2](#), [3](#)
- OLINGui, [2](#)
- read.marrayRaw, [2](#)