

Package ‘ReactomePA’

April 15, 2017

Type Package

Title Reactome Pathway Analysis

Version 1.18.1

Author Guangchuang Yu <guangchuangyu@gmail.com> with contributions from Vladislav Petyuk

Maintainer Guangchuang Yu <guangchuangyu@gmail.com>

Description This package provides functions for pathway analysis based on REACTOME pathway database. It implements enrichment analysis, gene set enrichment analysis and several functions for visualization.

Depends R (>= 3.3.0), DOSE (>= 2.11.12)

Imports AnnotationDbi, reactome.db, igraph, graphite

Suggests BiocStyle, clusterProfiler, knitr, org.Hs.eg.db, testthat

VignetteBuilder knitr

ByteCompile true

License GPL-2

URL <https://guangchuangyu.github.io/ReactomePA>

BugReports <https://github.com/GuangchuangYu/ReactomePA/issues>

biocViews Pathways, Visualization, Annotation, MultipleComparison, GeneSetEnrichment, Reactome

RoxygenNote 5.0.1

NeedsCompilation no

R topics documented:

ReactomePA-package	2
DataSet	2
enrichPathway	2
getALLEG	4
getDb	4
gsePathway	5
viewPathway	5

Index

7

ReactomePA-package *Reactome Pathway Analysis*

Description

This package is designed for reactome pathway analysis.

Details

Package: ReactomePA
Type: Package
Version: 1.9.4
Date: 02-09-2012
biocViews: Bioinformatics, Pathway, Visualization
Depends: AnnotationDbi, org.Hs.eg.db, igraph, plyr, methods, stats, qvalue, reactome.db
Suggests: GOSemSim, DOSE, clusterProfiler
License: GPL-2

Author(s)

Guangchuang Yu <guangchuangyu@gmail.com>

Maintainer: Guangchuang Yu <guangchuangyu@gmail.com>

See Also

[enrichResult](#)

DataSet *Datasets sample contains a sample of gene IDs.*

Description

Datasets sample contains a sample of gene IDs.

enrichPathway *Pathway Enrichment Analysis of a gene set. Given a vector of genes, this function will return the enriched pathways with FDR control.*

Description

Pathway Enrichment Analysis of a gene set. Given a vector of genes, this function will return the enriched pathways with FDR control.

Usage

```
enrichPathway(gene, organism = "human", pvalueCutoff = 0.05,
  pAdjustMethod = "BH", qvalueCutoff = 0.2, universe, minGSSize = 10,
  maxGSSize = 500, readable = FALSE)
```

Arguments

gene	a vector of entrez gene id.
organism	one of "human", "rat", "mouse", "celegans", "yeast", "zebrafish", "fly".
pvalueCutoff	Cutoff value of pvalue.
pAdjustMethod	one of "holm", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr", "none"
qvalueCutoff	Cutoff value of qvalue
universe	background genes
minGSSize	minimal size of genes annotated by Ontology term for testing.
maxGSSize	maximal size of each geneSet for analyzing
readable	whether mapping gene ID to gene Name

Value

A `enrichResult` instance.

Author(s)

Guangchuang Yu <http://ygc.name>

See Also

`enrichResult-class`

Examples

```
gene <- c("11171", "8243", "112464", "2194",
  "9318", "79026", "1654", "65003",
  "6240", "3476", "6238", "3836",
  "4176", "1017", "249")
yy = enrichPathway(gene, pvalueCutoff=0.05)
head(summary(yy))
#plot(yy)
```

`getALLEG`*getALLEG*

Description

get all entrezgene ID of a specific organism

Usage

`getALLEG(organism)`

Arguments

`organism` species

Value

entrez gene ID vector

Author(s)

Yu Guangchuang

`getDb`*getDb*

Description

mapping organism name to annotationDb package name

Usage

`getDb(organism)`

Arguments

`organism` one of supported organism

Value

annotationDb name

Author(s)

Yu Guangchuang

gsePathway	<i>gsePathway</i>
------------	-------------------

Description

Gene Set Enrichment Analysis of Reactome Pathway

Usage

```
gsePathway(geneList, organism = "human", exponent = 1, nPerm = 1000,
            minGSSize = 10, maxGSSize = 500, pvalueCutoff = 0.05,
            pAdjustMethod = "BH", verbose = TRUE, seed = FALSE, by = "fgsea")
```

Arguments

geneList	order ranked geneList
organism	organism
exponent	weight of each step
nPerm	permutation numbers
minGSSize	minimal size of each geneSet for analyzing
maxGSSize	maximal size of each geneSet for analyzing
pvalueCutoff	pvalue Cutoff
pAdjustMethod	pvalue adjustment method
verbose	print message or not
seed	logical
by	one of 'fgsea' or 'DOSE'

Value

gseaResult object

Author(s)

Yu Guangchuang

viewPathway	<i>viewPathway</i>
-------------	--------------------

Description

view reactome pathway

Usage

```
viewPathway(pathName, organism = "human", readable = TRUE,
            foldChange = NULL, ...)
```

Arguments

pathName	pathway Name
organism	supported organism
readable	logical
foldChange	fold change
...	additional parameters passed to netplot

Details

plotting reactome pathway

Value

plot

Author(s)

Yu Guangchuang

Index

*Topic **datasets**
 DataSet, [2](#)
*Topic **manip**
 enrichPathway, [2](#)
*Topic **package**
 ReactomePA-package, [2](#)
 DataSet, [2](#)
 enrichPathway, [2](#)
 enrichResult, [2](#)
 getALLEG, [4](#)
 getDb, [4](#)
 gsePathway, [5](#)
 netplot, [6](#)
 ReactomePA (ReactomePA-package), [2](#)
 ReactomePA-package, [2](#)
 viewPathway, [5](#)