

SWATH2stats example script

Example R code showing the usage of the SWATH2stats package. The data processed is the publicly available dataset of *S.pyogenes* (Röst et al. 2014) (<http://www.peptideatlas.org/PASS/PASS00289>). The results file ‘rawOpenSwathResults_1pcnt_only.tsv’ can be found on PeptideAtlas (<ftp://PASS00289@ftp.peptideatlas.org/..Spyogenes/results/>). This is a R Markdown file, showing the result of processing this data. The lines shaded in grey represent the R code executed during this analysis.

The SWATH2stats package can be directly installed from Bioconductor using the commands below (<http://bioconductor.org/packages/devel/bioc/html/SWATH2stats.html>).

```
if (!require("BiocManager"))
  install.packages("BiocManager")
BiocManager::install("SWATH2stats")
```

Part 1: Loading and annotation

Load the SWATH-MS example data from the package, this is a reduced file in order to limit the file size of the package.

```
library(SWATH2stats)
library(data.table)
data('Spyogenes', package = 'SWATH2stats')
```

Alternatively the original file downloaded from the Peptide Atlas can be loaded from the working directory.

```
data <- data.frame(fread('rawOpenSwathResults_1pcnt_only.tsv', sep='\t', header=TRUE))
```

Extract the study design information from the file names. Alternatively, the study design table can be provided as an external table.

```
Study_design <- data.frame(Filename = unique(data$align_origfilename))
Study_design$Filename <- gsub(".*strep_align/(.*)_all_peakgroups.*", "\\\1",
  Study_design$Filename)
Study_design$Condition <- gsub("(Strep.*)_Repl.*", "\\\1", Study_design$Filename)
Study_design$BioReplicate <- gsub(".*Repl([[:digit:]])_.*", "\\\1", Study_design$Filename)
Study_design$Run <- seq(1:nrow(Study_design))
head(Study_design)
```

```
##                                     Filename Condition BioReplicate Run
## 1  Strep0_Repl1_R02/split_hroest_K120808  Strep0          1    1
## 2  Strep0_Repl2_R02/split_hroest_K120808  Strep0          2    2
## 3 Strep10_Repl1_R02/split_hroest_K120808  Strep10         1    3
## 4 Strep10_Repl2_R02/split_hroest_K120808  Strep10         2    4
```

The SWATH-MS data is annotated using the study design table.

```
data.annotated <- sample_annotation(data, Study_design, column.file = "align_origfilename")
```


Remove the decoy peptides for a subsequent inspection of the data.

```
data.annotated.nodecoy <- subset(data.annotated, decoy==FALSE)
```


Plot the variation of the signal across replicates.

```
variation <- plot_variation(data.annotated.nodecoy)
```

Intensity cv across conditions




```
variation[[2]]
```

```
##   Condition mode_cv mean_cv median_cv
## 1   Strep0 0.2280372 0.2545450 0.2351859
## 2   Strep10 0.1706934 0.2947144 0.2592725
```

Plot the total variation versus variation within replicates.

```
variation_total <- plot_variation_vs_total(data.annotated.nodecoy)
```

Intensity coefficient of variation – total versus within replicates



```
variation_total[[2]]
```

```
##      scope mode_cv mean_cv median_cv
## 1 replicate 0.2209867 0.2728681 0.2438041
## 2      total 0.2655678 0.3439050 0.3139993
```

Calculate the summed signal per peptide and protein across samples.

```
peptide_signal <- write_matrix_peptides(data.annotated.nodecoy)
protein_signal <- write_matrix_proteins(data.annotated.nodecoy)
head(protein_signal)
```


```
##                               ProteinName Strep0_1_1 Strep0_2_2 Strep10_1_3
## 1 Spy0_Exp3652_DDB_SeqID_1571119    265206    163326     51831
## 2 Spy0_Exp3652_DDB_SeqID_1579753    185725    150672     21483
```

```
## 3 Spyo_Exp3652_DDB_SeqID_1631459      176686      132415      42165
## 4 Spyo_Exp3652_DDB_SeqID_1640263      3310        6617      98550
## 5 Spyo_Exp3652_DDB_SeqID_1709452      852502      747772      503581
## 6 Spyo_Exp3652_DDB_SeqID_17244480      17506       29578      7607
##   Strep10_2_4
## 1      45021
## 2      144314
## 3      32735
## 4      45169
## 5      504761
## 6      2482
```


Part 3: FDR estimation

Estimate the overall FDR across runs using a target decoy strategy.

```
par(mfrow = c(1, 3))
fdr_target_decoy <- assess_fdr_overall(data.annotated, n.range = 10, FFT = 0.25, output = 'Rconsole')
```



Global m-score cutoff connectivity to FDR quality



According to this

FDR estimation one would need to filter the data with a lower mscore threshold to reach an overall protein FDR of 5%.

```
mscore4protfdr(data, FFT = 0.25, fdr_target = 0.05)
```

```
## Target protein FDR:0.05
## Required overall m-score cutoff:0.0017783
## achieving protein FDR =0.0488
## [1] 0.001778279
```

Part 4: Filtering

Filter data for values that pass the 0.001 mscore criteria in at least two replicates of one condition.

```
data.filtered <- filter_mscore_condition(data.annotated, 0.001, n.replica = 2)
```

```
## Fraction of peptides selected: 0.67
```

```
## Dimension difference: 7226, 0
```

Select only the 10 peptides showing strongest signal per protein.

```
data.filtered2 <- filter_on_max_peptides(data.filtered, n_peptides = 10)
```

```
## Before filtering:
```

```
##   Number of proteins: 884
```

```
##   Number of peptides: 6594
```

```
##
```

```
## Percentage of peptides removed: 29.6%
```

```
##
```

```
## After filtering:
```

```
##   Number of proteins: 884
```

```
##   Number of peptides: 4642
```

Filter for proteins that are supported by at least two peptides.

```
data.filtered3 <- filter_on_min_peptides(data.filtered2, n_peptides = 2)

## Before filtering:
##   Number of proteins: 884
##   Number of peptides: 4642
##
## Percentage of peptides removed: 3.6%
##
## After filtering:
##   Number of proteins: 717
##   Number of peptides: 4475
```

Part 5: Conversion

Convert the data into a transition-level format (one row per transition measured).

```
data.transition <- disaggregate(data.filtered3)

## The library contains 6 transitions per precursor.
##
## The data table was transformed into a table containing one row per transition.

Convert the data into the format required by MSstats.

MSstats.input <- convert4MSstats(data.transition)

## One or several columns required by MSstats were not in the data. The columns were created and filled
## Missing columns: ProductCharge, IsotopeLabelType

## IsotopeLabelType was filled with light.

## Warning in convert4MSstats(data.transition): Intensity values that were 0,
## were replaced by NA

head(MSstats.input)

##                               ProteinName PeptideSequence PrecursorCharge
## 1 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                  3
## 2 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                  3
## 3 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                  3
## 4 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                  3
## 5 Spyo_Exp3652_DDB_SeqID_1571119          AHIAYLPSDGR                  2
## 6 Spyo_Exp3652_DDB_SeqID_1571119          AHIAYLPSDGR                  2
##                               FragmentIon ProductCharge IsotopeLabelType Intensity
## 1 105801_AEAAIYQFLEAIGENPNR/3_y6          NA        light       4752
## 2 105801_AEAAIYQFLEAIGENPNR/3_y6          NA        light       6144
## 3 105801_AEAAIYQFLEAIGENPNR/3_y6          NA        light       3722
## 4 105801_AEAAIYQFLEAIGENPNR/3_y6          NA        light       6624
## 5      118149_AHIAYLPSDGR/2_y8          NA        light       4036
## 6      118149_AHIAYLPSDGR/2_y8          NA        light       1642
##   BioReplicate Condition Run
## 1           2    Strep0  2
## 2           1    Strep10 3
## 3           2    Strep10  4
## 4           1    Strep0  1
```



```

## Matrix products: default
## BLAS: /home/biocbuild/bbs-3.8-bioc/R/lib/libRblas.so
## LAPACK: /home/biocbuild/bbs-3.8-bioc/R/lib/libRlapack.so
##
## locale:
## [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
## [3] LC_TIME=en_US.UTF-8       LC_COLLATE=C
## [5] LC_MONETARY=en_US.UTF-8   LC_MESSAGES=en_US.UTF-8
## [7] LC_PAPER=en_US.UTF-8      LC_NAME=C
## [9] LC_ADDRESS=C              LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] stats      graphics   grDevices utils      datasets  methods   base
##
## other attached packages:
## [1] data.table_1.11.8  SWATH2stats_1.12.1
##
## loaded via a namespace (and not attached):
## [1] progress_1.2.0        tidyselect_0.2.5    purrr_0.2.5
## [4] reshape2_1.4.3        colorspace_1.3-2    htmltools_0.3.6
## [7] stats4_3.5.1         yaml_2.2.0          blob_1.1.1
## [10] XML_3.98-1.16       rlang_0.3.0.1      pillar_1.3.0
## [13] glue_1.3.0          DBI_1.0.0          BiocGenerics_0.28.0
## [16] bit64_0.9-7         bindrcpp_0.2.2     bindr_0.1.1
## [19] plyr_1.8.4          stringr_1.3.1     munsell_0.5.0
## [22] gtable_0.2.0        evaluate_0.12     memoise_1.1.0
## [25] labeling_0.3        Biobase_2.42.0    knitr_1.20
## [28] IRanges_2.16.0       biomaRt_2.38.0    parallel_3.5.1
## [31] AnnotationDbi_1.44.0 Rcpp_1.0.0        scales_1.0.0
## [34] backports_1.1.2      formatR_1.5       S4Vectors_0.20.1
## [37] bit_1.1-14          ggplot2_3.1.0     hms_0.4.2
## [40] digest_0.6.18       stringi_1.2.4     dplyr_0.7.8
## [43] grid_3.5.1          rprojroot_1.3-2   tools_3.5.1
## [46] bitops_1.0-6         magrittr_1.5      lazyeval_0.2.1
## [49] RCurl_1.95-4.11     tibble_1.4.2      RSQLite_2.1.1
## [52] crayon_1.3.4        pkgconfig_2.0.2   prettyunits_1.0.2
## [55] assertthat_0.2.0     rmarkdown_1.10    httr_1.3.1
## [58] R6_2.3.0            compiler_3.5.1

```