

# SWATH2stats example script

Example R code showing the usage of the SWATH2stats package. The data processed is the publicly available dataset of *S.pyogenes* (Röst et al. 2014) (<http://www.peptideatlas.org/PASS/PASS00289>). The results file ‘rawOpenSwathResults\_1pcnt\_only.tsv’ can be found on PeptideAtlas (<ftp://PASS00289@ftp.peptideatlas.org/..../Spyogenes/results/>). This is a R Markdown file, showing the result of processing this data. The lines shaded in grey represent the R code executed during this analysis.

The SWATH2stats package can be directly installed from Bioconductor using the commands below (<http://bioconductor.org/packages/devel/bioc/html/SWATH2stats.html>).

```
if (!require("BiocManager"))
  install.packages("BiocManager")
BiocManager::install("SWATH2stats")
```

## Part 1: Loading and annotation

Load the SWATH-MS example data from the package, this is a reduced file in order to limit the file size of the package.

```
library(SWATH2stats)

## Registered S3 methods overwritten by 'ggplot2':
##   method      from
##   [.quosures    rlang
##   c.quosures    rlang
##   print.quosures rlang

library(data.table)
data('Spyogenes', package = 'SWATH2stats')
```

Alternatively the original file downloaded from the Peptide Atlas can be loaded from the working directory.

```
data <- data.frame(fread('rawOpenSwathResults_1pcnt_only.tsv', sep='\t', header=TRUE))
```

Extract the study design information from the file names. Alternatively, the study design table can be provided as an external table.

```
Study_design <- data.frame(Filename = unique(data$align_origfilename))
Study_design$Filename <- gsub(".*strep_align/(.*)_all_peakgroups.*", "\\\1",
  Study_design$Filename)
Study_design$Condition <- gsub("(Strep.*)_Repl.*", "\\\1", Study_design$Filename)
Study_design$BioReplicate <- gsub("[[:digit:]]_*", "\\\1", Study_design$Filename)
Study_design$Run <- seq(1:nrow(Study_design))
head(Study_design)

##                               Filename Condition BioReplicate Run
## 1 Strep0_Repl1_R02/split_hroest_K120808  Strep0            1    1
## 2 Strep0_Repl2_R02/split_hroest_K120808  Strep0            2    2
## 3 Strep10_Repl1_R02/split_hroest_K120808 Strep10           1    3
## 4 Strep10_Repl2_R02/split_hroest_K120808 Strep10           2    4
```

The SWATH-MS data is annotated using the study design table.

```
data.annotated <- sample_annotation(data, Study_design, column.file = "align_origfilename")
```

Remove the decoy peptides for a subsequent inspection of the data.

```
data.annotated.nodecoy <- subset(data.annotated, decoy==FALSE)
```

## Part 2: Analyze correlation, variation and signal

Count the different analytes for the different injections.

```
count_analytes(data.annotated.nodecoy)
```


```
##      run_id transition_group_id FullPeptideName ProteinName
## 1  Strep0_1_1              10229        8377     1031
## 2  Strep0_2_2              9716       7970     1003
## 3 Strep10_1_3             8692       7138     943
## 4 Strep10_2_4             8424       6941     910
```

Plot the correlation of the signal intensity.

```
correlation <- plot_correlation_between_samples(data.annotated.nodecoy, column.values = 'Intensity')

## Warning: Ignoring unknown aesthetics: fill
```

Intensity correlation between samples:  
Pearson (upper triangle) and Spearman correlation (lower triangle)




Plot the correlation of the delta\_rt, which is the deviation of the retention time from the expected retention time.

```
correlation <- plot_correlation_between_samples(data.annotated.nodecoy, column.values = 'delta_rt')

## Warning: Ignoring unknown aesthetics: fill
```


delta\_rt correlation between samples:  
Pearson (upper triangle) and Spearman correlation (lower triangle)



Plot the variation of the signal across replicates.

```
variation <- plot_variation(data.annotated.nodecoy)
```

### cv across conditions




```
variation[[2]]
```

```
##   Condition   mode_cv   mean_cv median_cv
## 1    Strep0 0.2280372 0.2545450 0.2351859
## 2    Strep10 0.1706934 0.2947144 0.2592725
```

Plot the total variation versus variation within replicates.

```
variation_total <- plot_variation_vs_total(data.annotated.nodecoy)
```

### coefficient of variation – total versus within replicates



```
variation_total[[2]]
```

```
##           scope   mode_cv   mean_cv median_cv
## 1 replicate 0.2209867 0.2728681 0.2438041
## 2      total 0.2655678 0.3439050 0.3139993
```

Calculate the summed signal per peptide and protein across samples.

```
peptide_signal <- write_matrix_peptides(data.annotated.nodecoy)
protein_signal <- write_matrix_proteins(data.annotated.nodecoy)
head(protein_signal)
```


```
##                               ProteinName Strep0_1_1 Strep0_2_2 Strep10_1_3
## 1 Spy0_Exp3652_DDB_SeqID_1571119      265206     163326      51831
## 2 Spy0_Exp3652_DDB_SeqID_1579753      185725     150672      21483
```

```
## 3 Spyo_Exp3652_DDB_SeqID_1631459      176686      132415      42165
## 4 Spyo_Exp3652_DDB_SeqID_1640263      3310        6617      98550
## 5 Spyo_Exp3652_DDB_SeqID_1709452      852502      747772      503581
## 6 Spyo_Exp3652_DDB_SeqID_17244480     17506       29578      7607
##   Strep10_2_4
## 1      45021
## 2      144314
## 3      32735
## 4      45169
## 5      504761
## 6      2482
```


## Part 3: FDR estimation

Estimate the overall FDR across runs using a target decoy strategy.

```
par(mfrow = c(1, 3))
fdr_target_decoy <- assess_fdr_overall(data.annotated, n.range = 10, FFT = 0.25, output = 'Rconsole')
```



**Global m-score cutoff connectivity to FDR quality**



According to this

FDR estimation one would need to filter the data with a lower mscore threshold to reach an overall protein FDR of 5%.

```
mscore4protfdr(data, FFT = 0.25, fdr_target = 0.05)
```

```
## Target protein FDR:0.05
## Required overall m-score cutoff:0.0017783
## achieving protein FDR =0.0488
## [1] 0.001778279
```

## Part 4: Filtering

Filter data for values that pass the 0.001 mscore criteria in at least two replicates of one condition.

```
data.filtered <- filter_mscore_condition(data.annotated, 0.001, n.replica = 2)
```

```
## Fraction of peptides selected: 0.67
```

```
## Dimension difference: 7226, 0
```

Select only the 10 peptides showing strongest signal per protein.

```
data.filtered2 <- filter_on_max_peptides(data.filtered, n_peptides = 10)
```

```
## Before filtering:
```

```
##   Number of proteins: 884
```

```
##   Number of peptides: 6594
```

```
##
```

```
## Percentage of peptides removed: 29.6%
```

```
##
```

```
## After filtering:
```

```
##   Number of proteins: 884
```

```
##   Number of peptides: 4642
```

Filter for proteins that are supported by at least two peptides.

```
data.filtered3 <- filter_on_min_peptides(data.filtered2, n_peptides = 2)

## Before filtering:
##   Number of proteins: 884
##   Number of peptides: 4642
##
## Percentage of peptides removed: 3.6%
##
## After filtering:
##   Number of proteins: 717
##   Number of peptides: 4475
```

## Part 5: Conversion

Convert the data into a transition-level format (one row per transition measured).

```
data.transition <- disaggregate(data.filtered3)

## The library contains 6 transitions per precursor.
##
## The data table was transformed into a table containing one row per transition.

Convert the data into the format required by MSstats.

MSstats.input <- convert4MSstats(data.transition)

## One or several columns required by MSstats were not in the data. The columns were created and filled
## Missing columns: ProductCharge, IsotopeLabelType

## IsotopeLabelType was filled with light.

## Warning in convert4MSstats(data.transition): Intensity values that were 0,
## were replaced by NA

head(MSstats.input)

##                               ProteinName PeptideSequence PrecursorCharge
## 1 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                 3
## 2 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                 3
## 3 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                 3
## 4 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR                 3
## 5 Spyo_Exp3652_DDB_SeqID_1571119 AHIAYLPSDGR                  2
## 6 Spyo_Exp3652_DDB_SeqID_1571119 AHIAYLPSDGR                  2
##                               FragmentIon ProductCharge IsotopeLabelType Intensity
## 1 105801_AEAAIYQFLEAIGENPNR/3_y6          NA      light       4752
## 2 105801_AEAAIYQFLEAIGENPNR/3_y6          NA      light       6144
## 3 105801_AEAAIYQFLEAIGENPNR/3_y6          NA      light       3722
## 4 105801_AEAAIYQFLEAIGENPNR/3_y6          NA      light       6624
## 5 118149_AHIAYLPSDGR/2_y8                NA      light       4036
## 6 118149_AHIAYLPSDGR/2_y8                NA      light       1642
##   BioReplicate Condition Run
## 1           2    Strep0  2
## 2           1    Strep10 3
## 3           2    Strep10  4
## 4           1    Strep0  1
```

```
## 5      1   Strep0   1
## 6      1   Strep10  3
```

Convert the data into the format required by mapDIA.

```
mapDIA.input <- convert4mapDIA(data.transition)
head(mapDIA.input)
```

```
##                               ProteinName      PeptideSequence
## 1 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR
## 2 Spyo_Exp3652_DDB_SeqID_1571119          AHIAYLPSDGR
## 3 Spyo_Exp3652_DDB_SeqID_1571119          EEFTAVFK
## 4 Spyo_Exp3652_DDB_SeqID_1571119 EKAEEAAIYQFLEAIGENPNR
## 5 Spyo_Exp3652_DDB_SeqID_1571119          EQHEDVVIVK
## 6 Spyo_Exp3652_DDB_SeqID_1571119    LTSQIADALVEALNPK
##                               FragmentIon Strep0_1 Strep0_2 Strep10_1 Strep10_2
## 1 105801_AEAAIYQFLEAIGENPNR/3_y6     6624     4752     6144     3722
## 2 118149_AHIAYLPSDGR/2_y8       4036     2405     1642      720
## 3 35179_EEFTAVFK/2_y5       2307     1541     1561      NaN
## 4 28903_EKAEEAAIYQFLEAIGENPNR/3_y6     3410     2185      NaN     1984
## 5 73581_EQHEDVVIVK/2_b6       2423     1343      NaN      NaN
## 6 115497_LTSQIADALVEALNPK/2_y11     6553     6349      NaN      NaN
```

Convert the data into the format required by aLFQ.

```
aLFQ.input <- convert4aLFQ(data.transition)
```

```
## Checking the integrity of the transitions takes a lot of time. To speed up consider changing the opt.
```

```
head(aLFQ.input)
```

```
##           run_id          protein_id      peptide_id
## 1 Strep0_2_2 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR
## 2 Strep10_1_3 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR
## 3 Strep10_2_4 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR
## 4 Strep0_1_1 Spyo_Exp3652_DDB_SeqID_1571119 AEAAIYQFLEAIGENPNR
## 5 Strep0_1_1 Spyo_Exp3652_DDB_SeqID_1571119          AHIAYLPSDGR
## 6 Strep10_1_3 Spyo_Exp3652_DDB_SeqID_1571119          AHIAYLPSDGR
##           transition_id      peptide_sequence
## 1 AEAAIYQFLEAIGENPNR 105801_AEAAIYQFLEAIGENPNR/3_y6 AEAAIYQFLEAIGENPNR
## 2 AEAAIYQFLEAIGENPNR 105801_AEAAIYQFLEAIGENPNR/3_y6 AEAAIYQFLEAIGENPNR
## 3 AEAAIYQFLEAIGENPNR 105801_AEAAIYQFLEAIGENPNR/3_y6 AEAAIYQFLEAIGENPNR
## 4 AEAAIYQFLEAIGENPNR 105801_AEAAIYQFLEAIGENPNR/3_y6 AEAAIYQFLEAIGENPNR
## 5          AHIAYLPSDGR 118149_AHIAYLPSDGR/2_y8          AHIAYLPSDGR
## 6          AHIAYLPSDGR 118149_AHIAYLPSDGR/2_y8          AHIAYLPSDGR
##   precursor_charge transition_intensity concentration
## 1                  3                 4752          ?
## 2                  3                 6144          ?
## 3                  3                 3722          ?
## 4                  3                 6624          ?
## 5                  2                 4036          ?
## 6                  2                 1642          ?
```

Session info on the R version and packages used.

```
sessionInfo()
```

```
## R version 3.6.0 (2019-04-26)
```

```

## Platform: x86_64-pc-linux-gnu (64-bit)
## Running under: Ubuntu 18.04.2 LTS
##
## Matrix products: default
## BLAS:    /home/biocbuild/bbs-3.9-bioc/R/lib/libRblas.so
## LAPACK:  /home/biocbuild/bbs-3.9-bioc/R/lib/libRlapack.so
##
## locale:
## [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
## [3] LC_TIME=en_US.UTF-8       LC_COLLATE=C
## [5] LC_MONETARY=en_US.UTF-8   LC_MESSAGES=en_US.UTF-8
## [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
## [9] LC_ADDRESS=C              LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] stats      graphics   grDevices utils      datasets  methods   base
##
## other attached packages:
## [1] data.table_1.12.2  SWATH2stats_1.14.0
##
## loaded via a namespace (and not attached):
## [1] Rcpp_1.0.1          formatR_1.6        pillar_1.3.1
## [4] compiler_3.6.0      plyr_1.8.4         prettyunits_1.0.2
## [7] progress_1.2.0      bitops_1.0-6       tools_3.6.0
## [10] bit_1.1-14         biomaRt_2.40.0    digest_0.6.18
## [13] memoise_1.1.0      RSQLite_2.1.1     evaluate_0.13
## [16] tibble_2.1.1       gtable_0.3.0      pkgconfig_2.0.2
## [19] rlang_0.3.4        DBI_1.0.0         parallel_3.6.0
## [22] yaml_2.2.0         xfun_0.6          httr_1.4.0
## [25] stringr_1.4.0      dplyr_0.8.0.1    knitr_1.22
## [28] hms_0.4.2          IRanges_2.18.0   S4Vectors_0.22.0
## [31] bit64_0.9-7        stats4_3.6.0     grid_3.6.0
## [34] tidyselect_0.2.5    Biobase_2.44.0   glue_1.3.1
## [37] R6_2.4.0           AnnotationDbi_1.46.0 XML_3.98-1.19
## [40] rmarkdown_1.12       blob_1.1.1        ggplot2_3.1.1
## [43] reshape2_1.4.3      purrr_0.3.2      magrittr_1.5
## [46] BiocGenerics_0.30.0 scales_1.0.0      htmltools_0.3.6
## [49] assertthat_0.2.1    colorspace_1.4-1  labeling_0.3
## [52] stringi_1.4.3      RCurl_1.95-4.12 lazyeval_0.2.2
## [55] munsell_0.5.0       crayon_1.3.4

```