

Package ‘KOFM’

July 21, 2025

Type Package

Title Test the Kronecker Product Structure in Tensor Factor Models

Version 0.1.1

Date 2025-01-02

Author Zetai Cen [aut, cre]

Maintainer Zetai Cen <z.cen@lse.ac.uk>

Description To test if a tensor time series following a Tucker-decomposition factor model has a Kronecker product structure. Supplementary functions for tensor reshape and its reversal are also included.

License GPL-3

Imports tensorMiss, MEFM, RSpectra, stats, utils

Encoding UTF-8

RoxygenNote 7.2.3

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2025-01-08 15:50:02 UTC

Contents

divisors	2
ten_reshape	2
ten_reshape_back	3
testKron_A	4
testKron_auto	4

Index	6
--------------	----------

divisors	<i>Divisor combination generator</i>
----------	--------------------------------------

Description

Generating all possible divisor combination of certain length for a given positive integer.

Usage

```
divisors(x, d)
```

Arguments

x	A positive integer.
d	A vector of positive integers whose length is the length of divisor combination and each value sets the maximum of each divisor.

Value

A matrix with each row representing a divisor combination.

Examples

```
divisors(6, c(20,20));
```

ten_reshape	<i>Tensor reshape</i>
-------------	-----------------------

Description

Performing tensor reshape on a given tensor.

Usage

```
ten_reshape(ten, AA, time.mode = TRUE)
```

Arguments

ten	An array representing a tensor.
AA	A vector representing mode indices to reshape along.
time.mode	Logical. TRUE if mode-1 of the input tensor is the time mode and hence not involved in reshape; otherwise reshape is on the entire input tensor. Default is TRUE.

Value

An array representing a reshaped tensor.

Examples

```
ten_reshape(array(1:24, dim=c(2,3,4)), c(2,3), FALSE);
```

ten_reshape_back	<i>Tensor reshape reversal</i>
------------------	--------------------------------

Description

Performing reversed tensor reshape on a given tensor.

Usage

```
ten_reshape_back(ten, AA, original.dim, time.mode = TRUE)
```

Arguments

ten	An array representing a tensor.
AA	A vector representing mode indices to reshape along back.
original.dim	A vector representing the dimension of the original tensor before reshape.
time.mode	Logical. TRUE if mode-1 of the input tensor is the time mode and hence not involved in reshape; otherwise reshape is on the entire input tensor. Default is TRUE.

Value

An array representing a tensor.

Examples

```
ten_reshape_back(array(1:24, dim=c(2,12)), c(2,3), c(2,3,4), FALSE);
```

testKron_A	<i>Testing Kronecker product structure along specified modes</i>
------------	--

Description

Testing the Kronecker product structure of a tensor time series with a specified set of mode indices.

Usage

```
testKron_A(ten, AA, r, alpha = c(0.01, 0.05), q = 0.05, r.exact = FALSE)
```

Arguments

ten	An array representing an order-(K+1) tensor which is an order-K tensor time series with mode-1 being the time mode.
AA	A vector with elements at least 1 and at most K, representing the tensor modes to test.
r	A vector representing the rank for 'ten'.
alpha	A vector representing the desired significance levels. Default is c(0.01, 0.05).
q	A number between 0 and 1, representing the quantile for the decision statistic. Default is 0.05.
r.exact	Logical. Perform the test only using 'r' if TRUE, otherwise using all divisor combinations of the last mode rank of the reshaped data. Default is FALSE.

Value

A list containing the following: level: a matrix with each entry reporting an example test size, corresponding to its rank used (row) and level of alpha (column); the alpha is reported in order of parameter 'alpha'. decision: a matrix with each entry reporting the decision statistic aggregated by quantile of parameter 'q', corresponding to its rank used (row) and level of alpha (column); the alpha is reported in order of parameter 'alpha'. rank: a matrix with K columns and each row represents a different rank used, corresponding to the rows in the 'level' and 'decision' matrices.

testKron_auto	<i>Testing Kronecker product structure without specified modes</i>
---------------	--

Description

Testing the Kronecker product structure of a tensor time series without a specified set of mode indices.

Usage

```
testKron_auto(  
  ten,  
  r = 0,  
  alpha = c(0.01, 0.05),  
  q = 0.05,  
  r.exact = FALSE,  
  all = FALSE  
)
```

Arguments

ten	An array representing an order-(K+1) tensor which is an order-K tensor time series with mode-1 being the time mode.
r	A vector representing the rank for 'ten'.
alpha	A vector representing the desired significance levels. Default is c(0.01, 0.05).
q	A number between 0 and 1, representing the quantile for the decision statistic. Default is 0.05.
r.exact	Logical. Perform the test only using 'r' if TRUE, otherwise using all divisor combinations of the last mode rank of the reshaped data. Default is FALSE.
all	Logical. when TRUE, all sets of mode indices are tested; otherwise each reshaped data using leave-one-out sets is sequentially tested. Default is FALSE.

Value

A list containing the following: **decision**: a data frame with each row reporting the decision rule aggregated by quantile of parameter 'q' for different levels of alpha; the first column represents all non-trivial sets of mode indices to test if 'all' is TRUE, otherwise represents each mode to identify. **level**: a data frame with each row reporting an example test size aggregated by quantile of parameter 'q' for different levels of alpha; the first column represents all non-trivial sets of mode indices to test if 'all' is TRUE, otherwise represents each mode to identify. **rank**: a vector of integers representing either the input rank or the estimated rank used in testing.

Index

divisors, [2](#)

ten_reshape, [2](#)

ten_reshape_back, [3](#)

testKron_A, [4](#)

testKron_auto, [4](#)