

Package ‘pubh’

October 21, 2025

Title A Toolbox for Public Health and Epidemiology

Version 3.0.0

Maintainer Josie Athens <josie.athens@gmail.com>

Description A toolbox for making R functions and capabilities more accessible to students and professionals from Epidemiology and Public Health related disciplines. Includes a function to report coefficients and confidence intervals from models using robust standard errors (when available), functions that expand 'ggplot2' plots and functions relevant for introductory papers in Epidemiology or Public Health. Please note that use of the provided data sets is for educational purposes only.

Depends R (>= 4.5.0), emmeans, ggplot2, gtsummary, huxtable, stats

Imports car, dplyr, Epi, epitools, jtools, lmtest, performance, sandwich, sjlabelled, sjmisc, survival, tibble, tidyselect

Suggests broom, broom.helpers, cardx, easystats, effectsize, ggeffects, ISwR, knitr, MASS, nlme, rstatix

License GPL-2

Encoding UTF-8

LazyData true

RoxygenNote 7.3.3

VignetteBuilder knitr

BugReports <https://github.com/josie-athens/pubh/issues>

NeedsCompilation no

Author Josie Athens [aut, cre],
Frank Harell [ctb],
John Fox [ctb],
R-Core [ctb]

Repository CRAN

Date/Publication 2025-10-21 11:20:02 UTC

Contents

bar_error	3
Bernard	4
bland_altman	4
bmj	5
Brenner	6
bst	6
coef_det	7
cosm_reg	8
cosm_sum	9
cross_tbl	10
effect_plot	11
estat	12
expand_df	13
Fentress	14
freq_cont	15
gen_bst_df	16
geo_mean	17
get_r2	17
gg_star	18
glm_coef	19
harm_mean	21
Hodgkin	22
inv_logit	23
jack_knife	23
Kirkwood	24
knife_mean	24
leverage	25
logistic_gof	26
Macmahon	26
mhor	27
model_labels	28
multiple	29
odds_trend	30
Oncho	31
predict_inv	32
prop_or	33
pseudo_r2	34
qq_plot	35
rank_influence	35
rank_leverage	36
reference_range	37
rel_dis	38
Roberts	38
Rothman	39
round_pval	40
Sandler	40

<i>bar_error</i>	3
Sharples	41
ss_jk	42
stats_quotes	42
strip_error	43
Thall	43
theme_pubh	44
Tuzson	45
Vanderpump	46
Index	47

<i>bar_error</i>	<i>Bar charts with error bars.</i>
------------------	------------------------------------

Description

`bar_error` constructs bar charts in with error bars showing 95 confidence intervals around mean values. High of bars represent mean values.

Usage

`bar_error(data, x, y, alpha = 0.7)`

Arguments

- | | |
|--------------------|---|
| <code>data</code> | A data frame. |
| <code>x</code> | A variable in the data frame. |
| <code>y</code> | A variable in the data frame |
| <code>alpha</code> | Opacity of the colour fill (0 = invisible, 1 = opaque). |

Examples

```
require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)
data(birthwt, package = "MASS")

birthwt <- birthwt |>
  mutate(
    smoke = factor(smoke, labels = c("Non-smoker", "Smoker"))
  ) |>
  var_labels(
    bwt = "Birth weight (g)",
    smoke = "Smoking status"
  )

birthwt |>
  bar_error(x = smoke, y = bwt)
```

Bernard

Survival of patients with sepsis.

Description

A randomised, double-blind, placebo-controlled trial of intravenous ibuprofen in 455 patients who had sepsis, defined as fever, tachycardia, tachypnea, and acute failure of at least one organ system.

Usage

Bernard

Format

A labelled tibble with 455 rows and 9 variables:

id Patient ID

treat Treatment, factor with levels "Placebo" and "Ibuprofen".

race Race/ethnicity, factor with levels "White", "African American" and "Other".

fate Mortality status at 30 days, factor with levels "Alive" and "Dead".

apache Baseline APACHE score.

o2del Oxygen delivery at baseline.

followup Follow-up time in hours.

temp0 Baseline temperature in centigrades.

temp10 Temperature after 36 hr in centigrades.

Source

Bernard, GR, et al. (1997) The effects of ibuprofen on the physiology and survival of patients with sepsis, N Engl J Med 336: 912–918.

bland_altman

Bland-Altman agreement plots.

Description

Bland-Altman agreement plots.

Usage

```
bland_altman(data, x, y, size = 1, transform = FALSE)
```

Arguments

data	A data frame.
x	A numerical variable.
y	A numerical variable.
size	Size of the symbol using to plot data.
transform	Logical, should ratios instead of differences be used to construct the plot?

Details

`bland_altman` constructs Bland-Altman agreement plots.

Variables in formula are continuous paired observations. When the distribution of the outcome is not normal, but becomes normal with a log-transformation, `bland_altman` can plot the ratio between outcomes (difference in the log scale) by using option `transform = TRUE`.

Examples

```
data(Sharples)

Sharples |>
  bland_altman(
    x = weight, y = srweight,
    transform = TRUE, size = 0.7
  ) +
  xlab("Mean of weights (kg)") +
  ylab("Measured / Self-reported weight")
```

bmj

Palette inspired by the British Medical Journal.

Description

Palette inspired by the British Medical Journal.

Usage

```
bmj
```

Format

An object of class character of length 9.

 Brenner

Prevalence of Helicobacter pylori infection in preschool children.

Description

A data set containing the prevalence of *Helicobacter pylori* infection in preschool children according to parental history of duodenal or gastric ulcer.

Usage

Brenner

Format

A labelled tibble with 863 rows and 2 variables:

ulcer History of duodenal or gastric ulcer, factor with levels "No" and "Yes".

infected Infected with *Helicobacter pylori*, factor with levels "No" and "Yes".

Source

Brenner H, Rothenbacher D, Bode G, Adler G (1998) Parental history of gastric or duodenal ulcer and prevalence of *Helicobacter pylori* infection in preschool children: population based study. *BMJ* 316:665.

 bst

Bootstrap Confidence Intervals.

Description

bst estimates confidence intervals around the [mean](#), [median](#) or [geo_mean](#).

Usage

```
bst(x, stat = "mean", n = 1000, CI = 95, digits = 2)
```

Arguments

x	A numerical variable. Missing observations are removed by default.
stat	Statistic, either "mean" (default), "median" or "gmean" (geometric mean).
n	Number of replicates for the bootstrap (n=1000 by default).
CI	Confidence intervals (CI=95 by default).
digits	Number of digits for rounding (default = 2).

Value

A data frame with the estimate and confidence intervals.

Examples

```
data(IgM, package = "ISwR")
bst(IgM, "median")

bst(IgM, "gmean")
```

coef_det	<i>Coefficient of determination.</i>
----------	--------------------------------------

Description

coef_det estimates the coefficient of determination (r-squared) from fitted (predicted) and observed values. Outcome from the model is assumed to be numerical.

Usage

```
coef_det(obs, fit)
```

Arguments

obs	Vector with observed values (numerical outcome).
fit	Vector with fitted (predicted) values.

Value

A scalar, the coefficient of determination (r-squared).

Examples

```
## Linear regression:
Riboflavin <- seq(0, 80, 10)
OD <- 0.0125 * Riboflavin + rnorm(9, 0.6, 0.03)
titration <- data.frame(Riboflavin, OD)
model1 <- lm(OD ~ Riboflavin, data = titration)
summary(model1)
coef_det(titration$OD, fitted(model1))

## Non-linear regression:
library(nlme, quietly = TRUE)
data(Puromycin)
mm.tx <- gnls(rate ~ SSmicmen(conc, Vm, K),
  data = Puromycin,
  subset = state == "treated"
)
summary(mm.tx)
coef_det(Puromycin$rate[1:12], mm.tx$fitted)
```

cosm_reg	<i>Cosmetics for tables of regression coefficients. Converts tables generated by tbl_regression to huxtable and adds some cosmetics.</i>
----------	--

Description

Cosmetics for tables of regression coefficients. Converts tables generated by [tbl_regression](#) to [huxtable](#) and adds some cosmetics.

Usage

```
cosm_reg(gt_tbl, pad = 3, type = 3, bold = TRUE, head_label = "***Variable**")
```

Arguments

gt_tbl	A table object generated by tbl_regression .
pad	Numerical, padding above and bellow rows.
type	Anova's type to calculate global p-values.
bold	Display labels in bold?
head_label	Character, label to be used as head for the variable's column.

Value

A [huxtable](#).

Examples

```
require(sjlabelled, quietly = TRUE)

data(diet, package = "Epi")
diet <- diet |>
  var_labels(
    chd = "Coronary Heart Disease",
    fibre = "Fibre intake (g/day)"
  )

model_binom <- glm(chd ~ fibre, data = diet, family = binomial)

model_binom |>
  tbl_regression(exponentiate = TRUE) |>
  cosm_reg(bold = TRUE) |>
  theme_pubh(1) |>
  add_footnote(get_r2(model_binom), font_size = 9)

data(birthwt, package = "MASS")
birthwt <- birthwt |>
  mutate(
    smoke = factor(smoke, labels = c("Non-smoker", "Smoker")),
```

```

    race = factor(race, labels = c("White", "African American", "Other"))
  ) |>
  var_labels(
    bwt = "Birth weight (g)",
    smoke = "Smoking status",
    race = "Race"
  )

model_norm <- lm(bwt ~ smoke + race, data = birthwt)

model_norm |>
  tbl_regression() |>
  cosm_reg(bold = TRUE) |>
  theme_pubh(1) |>
  add_footnote(get_r2(model_norm), font_size = 9)

```

cosm_sum

Cosmetics for summary tables Adds some cosmetics to tables of descriptive statistics generated by `tbl_summary`.

Description

Cosmetics for summary tables Adds some cosmetics to tables of descriptive statistics generated by `tbl_summary`.

Usage

```
cosm_sum(gt_tbl, pad = 3, bold = FALSE, head_label = "**Variable**")
```

Arguments

<code>gt_tbl</code>	A table object generated by tbl_summary .
<code>pad</code>	Numerical, padding above and below rows.
<code>bold</code>	Display labels in bold?
<code>head_label</code>	Character, label to be used as head for the variable's column.

Details

Function `cosm_sum` adds some cosmetics to tables generated by [tbl_summary](#), then converts the table as a [huxtable](#) and sets proper alignment.

Value

A [huxtable](#).

Examples

```
require(dplyr, quietly = TRUE)

data(Oncho)
Oncho |>
  select(-id) |>
  tbl_summary() |>
  cosm_sum(bold = TRUE) |>
  theme_pubh(1)
```

cross_tbl

Table of descriptive statistics by categorical variable.

Description

cross_tbl is a wrapper to function from package [tbl_summary](#) that constructs tables of descriptive statistics stratified by levels of a categorical outcome.

Usage

```
cross_tbl(
  data,
  by,
  head_label = " ",
  bold = TRUE,
  show_total = TRUE,
  p_val = FALSE,
  pad = 3,
  method = 2,
  ...
)
```

Arguments

data	A data frame where the variables in the formula can be found.
by	The quoted name of the categorical variable (factor) used for the stratification.
head_label	Character, label to be used as head for the variable's column.
bold	Display labels in bold?
show_total	Logical, show column with totals?
p_val	Logical, show p-values?
pad	Numerical, padding above and below rows.
method	An integer indicating methods for continuous variables. 1 Reports means and standard deviations. 2 Reports medians and interquartile ranges.
...	Additional arguments passed to tbl_summary .

Details

Function `cross_tbl` is a relatively simple wrapper to function `tbl_summary`. It constructs contingency tables and can also be used to report a table with descriptives for all variables stratified by one of the variables. Please see examples to see how to list variables. If data is labelled, the label of the stratifying variable is used as part of the header.

Value

A huxtable with descriptive statistics stratified by levels of the outcome.

See Also

[tbl_summary](#)

Examples

```
require(dplyr, quietly = TRUE)

#' data(Oncho)

## A two by two contingency table:
Oncho |>
  select(mf, area) |>
  cross_tbl(by = "mf", bold = TRUE) |>
  theme_pubh(2)

## Reporting prevalence:
Oncho |>
  select(mf, area) |>
  cross_tbl(by = "area", bold = TRUE) |>
  theme_pubh(2)

## Descriptive statistics for all variables in the \code{Oncho} data set except \code{id}.
Oncho |>
  select(-id) |>
  cross_tbl(by = "mf", bold = TRUE) |>
  theme_pubh(2)
```

effect_plot

Constructs effect plots on for cases when the response (outcome) is a numerical variable and the explanatory (exposure) is a categorical variable.

Description

`effect_plot` constructs plots with error bars on which the upper and lower limits of the bars are given by the variables `CI_high` and `CI_low`, respectively.

Usage

```
effect_plot(data, x, y, orientation = "x")
```

Arguments

data	A data frame.
x	A variable in the data frame.
y	A variable in the data frame.
orientation	A string indicating the orientation of the bars.

Value

An error bars plot, for example, those to show the effects of a categorical variable on a numerical variable.

Examples

```
data(Fentress)
require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)

pain_cis <- Fentress |>
  gen_bst_df(pain ~ group)
names(pain_cis)[1] = "Mean"
pain_cis = pain_cis |>
  var_labels(Mean = "Pain reduction")

pain_cis |>
  effect_plot(x = Cohort, y = Mean)
```

 estat

Descriptive statistics for continuous variables.

Description

estat calculates descriptives of numerical variables.

Usage

```
estat(object = NULL, formula = NULL, data = NULL, digits = 2, label = NULL)
```

Arguments

object	When chaining, this holds an object produced in the earlier portions of the chain. Most users can safely ignore this argument. See details and examples.
formula	A formula with shape: ~ x or ~ x z (for groups).
data	A data frame where the variables in the formula can be found.
digits	Number of digits for rounding (default = 2).
label	Label used to display the name of the variable (see examples).

Value

A data frame with descriptive statistics.

See Also

[summary](#).

Examples

```
data(kfm, package = "ISwR")
require(sjlabelled, quietly = TRUE)
kfm <- kfm |>
  var_labels(
    dl.milk = "Breast-milk intake (dl/day)",
    sex = "Sex",
    weight = "Child weight (kg)",
    ml.suppl = "Milk substitute (ml/day)",
    mat.weight = "Maternal weight (kg)",
    mat.height = "Maternal height (cm)"
  )

kfm |>
  estat(~dl.milk)

estat(~ dl.milk | sex, data = kfm)

kfm |>
  estat(~ weight | sex)
```

expand_df

Expand a data frame.

Description

expand_df expands a data frame by a vector of frequencies.

Usage

```
expand_df(aggregate.data, index.var = "Freq", retain.freq = FALSE)
```

Arguments

aggregate.data A data frame.

index.var A numerical variable with the frequencies (counts).

retain.freq Logical expression indicating if frequencies should be kept.

Details

This is a generic function that resembles weighted frequencies in other statistical packages (for example, Stata). `expand.df` was adapted from a function developed by deprecated package `epicalc` (now package `epiDisplay`).

Value

An expanded data frame with replicates given by the frequencies.

Examples

```
Freq <- c(5032, 5095, 41, 204)
Mortality <- gl(2, 2, labels = c("No", "Yes"))
Calcium <- gl(2, 1, 4, labels = c("No", "Yes"))
anyca <- data.frame(Freq, Mortality, Calcium)
anyca
anyca.exp <- expand_df(anyca)
with(anyca.exp, table(Calcium, Mortality))
```

Fentress

Migraine pain reduction.

Description

Randomised control trial on children suffering from frequent and severe migraine. Control group represents untreated children. The active treatments were either relaxation alone or relaxation with biofeedback.

Usage

Fentress

Format

A labelled tibble with 18 rows and 2 variables:

pain Reduction in weekly headache activity expressed as percentage of baseline data.

group Group, a factor with levels "Untreated", "Relaxation" (alone) and "Biofeedback" (relaxation and biofeedback).

Source

Fentress, DW, et al. (1986) Biofeedback and relaxation-response in the treatment of pediatric migraine. *Dev Med Child Neurol* 28:1 39-46.

Altman, DA (1991) *Practical statistics for medical research*. Chapman & Hall/CRC.

Examples

```
data(Fentress)

Fentress |>
  strip_error(x = group, y = pain)
```

freq_cont	<i>Relative and Cumulative Frequency.</i>
-----------	---

Description

freq_cont tabulates a continuous variable by given classes.

Usage

```
freq_cont(x, bks, dg = 2)
```

Arguments

x	A numerical (continuous) variable. Ideally, relatively long (greater than 100 observations).
bks	Breaks defining the classes (see example).
dg	Number of digits for rounding (default = 2).

Value

A data frame with the classes, the mid-point, the frequencies, the relative and cumulative frequencies.

Examples

```
data(IgM, package = "ISwR")
Ab <- data.frame(IgM)
estat(~IgM, data = Ab)
freq_cont(IgM, seq(0, 4.5, 0.5))
```

gen_bst_df

Generate a data frame with estimate and bootstrap CIs.

Description

gen_bst_df is a function called that generates a data frame with confidence intervals of a continuous variable by levels of one or two categorical ones (factors).

Usage

```
gen_bst_df(object = NULL, formula = NULL, data = NULL, stat = "mean", ...)
```

Arguments

object	When chaining, this holds an object produced in the earlier portions of the chain. Most users can safely ignore this argument. See details and examples.
formula	A formula with shape: $y \sim x$ or $y \sim x z$ where y is a numerical variable and both x and z are factors.
data	A data frame where the variables in the formula can be found.
stat	Statistic used for bst .
...	Passes optional arguments to bst .

Value

A data frame with the confidence intervals by level.

Examples

```
data(kfm, package = "ISwR")
require(sjlabelled, quietly = TRUE)
kfm <- kfm |>
  var_labels(
    dl.milk = "Breast-milk intake (dl/day)",
    sex = "Sex",
    weight = "Child weight (kg)",
    ml.suppl = "Milk substitute (ml/day)",
    mat.weight = "Maternal weight (kg)",
    mat.height = "Maternal height (cm)"
  )

kfm |>
  gen_bst_df(dl.milk ~ sex)

data(Fentress)

Fentress |> gen_bst_df(pain ~ group)
```

geo_mean	<i>Geometric mean.</i>
----------	------------------------

Description

Geometric mean.

Usage

```
geo_mean(x)
```

Arguments

x	A numeric variable with no negative values.
---	---

Value

A scalar, the calculated geometric mean.

Examples

```
data(IgM, package = "ISwR")
Ab <- data.frame(IgM)
estat(~IgM, data = Ab)
geo_mean(IgM)
```

get_r2	<i>Estimate R2 or Pseudo-R2 from regression models</i>
--------	--

Description

get_r2 is a is a wrap function that calls r2 from package performance. Calculates the R2 or pseudo-R2 value for different regression model objects, returning a character object for easy printing in tables of coefficients.

Usage

```
get_r2(model, ...)
```

Arguments

model	A statistical regression model.
...	Additional arguments passed to r2.

Details

The main purpose of `get_r2` is to allow easy printing of R2 value in tables of coefficients (see examples).

See Also

[r2](#).

Examples

```
require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)

data(birthwt, package = "MASS")
birthwt <- birthwt |>
  mutate(
    smoke = factor(smoke, labels = c("Non-smoker", "Smoker")),
    race = factor(race, labels = c("White", "African American", "Other"))
  ) |>
  var_labels(
    bwt = "Birth weight (g)",
    smoke = "Smoking status",
    race = "Race"
  )

model_norm <- lm(bwt ~ smoke + race, data = birthwt)

get_r2(model_norm)
```

gg_star

Annotating a plot to display differences between groups.

Description

`gg_star` is a function used to display differences between groups (see details).

Usage

```
gg_star(fig, x1, y1, x2, y2, y3, legend = "*", ...)
```

Arguments

<code>fig</code>	A gformula object.
<code>x1</code>	Position in x for the start of the horizontal line.
<code>y1</code>	Position in y for the start of the vertical line, below to the horizontal line.
<code>x2</code>	Position in x for the end of the horizontal line.
<code>y2</code>	Position in y where the horizontal line is drawn.

y3	Position in y where the text is added.
legend	Character text used for annotating the plot.
...	Additional information passed to <code>gf_text</code> .

Details

This function draws an horizontal line from coordinate (x1, y2) to coordinate (x2, y2). Draws vertical lines below the horizontal line, towards data, from (x1, y1) to (x1, y2) and from (x2, y1) to (x2, y2). Finally, adds text above the horizontal line, at the mid point between x1 and x2. See examples.

Examples

```
data(kfm, package = "ISwR")
require(sjlabelled, quietly = TRUE)
data(energy, package = "ISwR")
energy <- energy |>
  var_labels(
    expend = "Energy expenditure (MJ/day)",
    stature = "Stature"
  )

p <- energy |>
  strip_error(x = stature, y = expend)

gg_star(p, x1 = 1, y1 = 13, x2 = 2, y2 = 13.2, y3 = 13.4, "**") +
  ylim(0, 13.6)
```

 glm_coef

Table of coefficients from generalised linear models.

Description

`glm_coef` displays estimates with confidence intervals and p-values from generalised linear models (see Details).

Usage

```
glm_coef(
  model,
  digits = 2,
  alpha = 0.05,
  labels = NULL,
  se_rob = FALSE,
  type = "cond",
  exp_norm = FALSE
)
```

Arguments

<code>model</code>	A model from any of the classes listed in the details section.
<code>digits</code>	A scalar, number of digits for rounding the results (default = 2).
<code>alpha</code>	Significant level (default = 0.05) used to calculate confidence intervals.
<code>labels</code>	An optional character vector with the names of the coefficients (including intercept).
<code>se_rob</code>	Logical, should robust errors be used to calculate confidence intervals? (default = FALSE).
<code>type</code>	Character, either "cond" (condensed) or "ext" (extended). See details.
<code>exp_norm</code>	Logical, should estimates and confidence intervals should be exponentiated? (for family == "gaussian").

Details

`glm_coef` recognises objects (models) from the following classes: `clm`, `clogit`, `coxph`, `gee`, `glm`, `glmerMod`, `lm`, `lme`, `lmerMod`, `multinom`, `negbin`, `polr` and `surveg`

For models from logistic regression (including conditional logistic, ordinal and multinomial), Poisson or survival analysis, coefficient estimates and corresponding confidence intervals are automatically exponentiated (back-transformed).

By default, `glm_coef` uses naive standard errors for calculating confidence intervals but has the option of using robust standard errors instead.

`glm_coef` can display two different data frames depending on the option of `type`, for `type = "cond"` (the default), `glm_coef` displays the standard table of coefficients with confidence intervals and p-values; for `type = "ext"`, `glm_coef` displays additional statistics including standard errors.

Please read the Vignette on Regression for more details.

Value

A data frame with estimates, confidence intervals and p-values from `glm` objects.

Examples

```
require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)

## Continuous outcome.
data(birthwt, package = "MASS")
birthwt <- birthwt |>
  mutate(
    smoke = factor(smoke, labels = c("Non-smoker", "Smoker")),
    race = factor(race, labels = c("White", "African American", "Other"))
  ) |>
  var_labels(
    bwt = "Birth weight (g)",
    smoke = "Smoking status",
    race = "Race"
  )
```

```

model_norm <- lm(bwt ~ smoke + race, data = birthwt)

glm_coef(model_norm, labels = model_labels(model_norm))

## Logistic regression.
data(diet, package = "Epi")
model_binom <- glm(chd ~ fibre, data = diet, family = binomial)
model_binom |>
  glm_coef(labels = c("Constant", "Fibre intake (g/day)"))

model_binom |>
  glm_coef(labels = c("Constant", "Fibre intake (g/day)"), type = "ext")

```

harm_mean	<i>Harmonic mean.</i>
-----------	-----------------------

Description

Harmonic mean.

Usage

```
harm_mean(x)
```

Arguments

x A numeric variable with no zero values.

Value

A scalar, the calculated harmonic mean.

Examples

```

data(IgM, package = "ISwR")
Ab <- data.frame(IgM)
estat(~IgM, data = Ab)
harm_mean(IgM)

```

Hodgkin

T-cell counts from Hodgkin's disease patients.

Description

Number of CD4+ T-cells and CD8+ T-cells in blood samples from patients in remission from Hodgkin's disease or in remission from disseminated malignancies.

Usage

Hodgkin

Format

A labelled tibble with 40 rows and 3 variables:

CD4 Concentration of CD4+ T-cells (cells / mm³).

CD8 Concentration of CD8+ T-cells (cells / mm³).

Group Group, factor with levels "Non-Hodgkin" and "Hodgkin".

Source

Shapiro, CM, et al (1986) Immunologic status of patients in remission from Hodgkin's disease and disseminated malignancies. Am J Med Sci 293:366-370.

Altman, DA (1991) Practical statistics for medical research. Chapman & Hall/CRC.

Examples

```
data(Hodgkin)
require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)

Hodgkin <- Hodgkin |>
  mutate(
    Ratio = CD4 / CD8
  ) |>
  var_labels(
    Ratio = "CD4+ / CD8+ T-cells"
  )

estat(~ Ratio | Group, data = Hodgkin)

Hodgkin |>
  qq_plot(y = Ratio) +
  facet_grid(cols = vars(Group))
```

inv_logit	<i>Inverse of the logit</i>
-----------	-----------------------------

Description

inv_logit Calculates the inverse of the logit (probability in logistic regression)

Usage

```
inv_logit(x)
```

Arguments

x	Numerical value used to compute the inverse of the logit.
---	---

jack_knife	<i>Ranks leverage observations from Jackknife method.</i>
------------	---

Description

jack_knife Ranks the squared differences between mean values from Jackknife analysis (arithmetic mean estimated by removing one observation at a time) and the original mean value.

Usage

```
jack_knife(x)
```

Arguments

x	A numeric variable. Missing values are removed by default.
---	--

Value

Data frame with the ranked squared differences.

See Also

[rank_leverage](#).

Examples

```
x <- rnorm(10, 170, 8)
x
mean(x)
jack_knife(x)

x <- rnorm(100, 170, 8)
mean(x)
head(jack_knife(x))
```

Kirkwood	<i>Body weight and plasma volume.</i>
----------	---------------------------------------

Description

Body weight and plasma volume in eight healthy men.

Usage

Kirkwood

Format

A labelled data frame with 8 rows and 3 variables:

subject Subject ID.

weight Body weight in kg.

volume Plasma volume in litres.

Source

Kirkwood, BR and Sterne, JAC (2003) Essential Medical Statistics. Second Edition. Blackwell.

Examples

```
data(Kirkwood)

Kirkwood |>
  ggplot(aes(weight, volume)) +
  geom_point()
```

knife_mean	<i>Jackknife for means.</i>
------------	-----------------------------

Description

knife_mean is an internal function. Calculates arithmetic means by removing one observation at a time.

Usage

knife_mean(x)

Arguments

x A numerical variable. Missing values are removed for the mean calculation.

Value

A vector with the mean calculations.

Examples

```
x <- rnorm(10, 170, 8)
x
mean(x)
knife_mean(x)
```

leverage

<i>Leverage.</i>

Description

leverage is an internal function called by [rank_leverage](#).

Usage

```
leverage(x)
```

Arguments

x	A numeric variable. Missing values are removed by default.
---	--

Details

Estimates the leverage of each observation around the arithmetic mean.

Value

Variable with corresponding leverage estimations

Examples

```
x <- rnorm(10, 170, 8)
x
mean(x)
leverage(x)
rank_leverage(x)
```

logistic_gof	<i>Goodness of fit for Logistic Regression.</i>
--------------	---

Description

logistic_gof performs the Hosmer and Lemeshow test to test the goodness of fit of a logistic regression model. This function is part of `residuals.lrm` from package `rms`.

Usage

```
logistic_gof(model)
```

Arguments

model	A logistic regression model object.
-------	-------------------------------------

Author(s)

Frank Harrell, Vanderbilt University <f.harrell@vanderbilt.edu>

References

Hosmer DW, Hosmer T, Lemeshow S, le Cessie S, Lemeshow S. A comparison of goodness-of-fit tests for the logistic regression model. *Stat in Med* 16:965–980, 1997.

Examples

```
data(diet, package = "Epi")
model <- glm(chd ~ fibre, data = diet, family = binomial)
glm_coef(model, labels = c("Constant", "Fibre intake (g/day)"))
logistic_gof(model)
```

Macmahon	<i>Breast cancer and age of childbirth.</i>
----------	---

Description

An international case-control study to test the hypothesis that breast cancer is related to the age that a woman gives childbirth.

Usage

```
Macmahon
```

Format

A labelled tibble with 185 rows and 2 variables:

cancer Diagnosed with breast cancer, a factor with levels "No" and "Yes".

age Age mother gives childbirth, factor with levels "<20", "20-24", "25-29", "30-34" and ">34".

Source

Macmahon, B. et al. (1970). Age at first birth and breast cancer risk. Bull WHO 43, 209-221.

mhor	<i>Mantel-Haenszel odds ratio.</i>
------	------------------------------------

Description

mhor computes odds ratios by levels of the stratum variable as well as the Mantel-Haenszel pooled odds ratio. The test for effect modification (test for interaction) is also displayed.

Usage

```
mhor(object = NULL, formula = NULL, data = NULL)
```

Arguments

object	When chaining, this holds an object produced in the earlier portions of the chain. Most users can safely ignore this argument. See details and examples.
formula	A formula with shape: outcome ~ stratum/exposure.
data	A data frame containing the variables used in formula.

Value

Odds ratios with 95 outcome by levels of stratum. The Mantel-Haenszel pooled OR and the test for effect modification is also reported.

Examples

```
data(oswego, package = "epitools")
require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)
oswego <- oswego |>
  mutate(
    ill = factor(ill, labels = c("No", "Yes")),
    sex = factor(sex, labels = c("Female", "Male")),
    chocolate.ice.cream = factor(chocolate.ice.cream, labels = c("No", "Yes"))
  ) |>
  var_labels(
    ill = "Developed illness",
    sex = "Sex",
```

```

      chocolate.ice.cream = "Consumed chocolate ice cream"
    )

oswego |>
  mhor(ill ~ sex / chocolate.ice.cream)

```

model_labels

Using labels as coefficient names in tables of coefficients.

Description

model_labels replaces row names in glm_coef with labels from the original data frame.

Usage

```
model_labels(model, intercept = TRUE)
```

Arguments

model	A generalised linear model.
intercept	Logical, should the intercept be added to the list of coefficients?

Details

model_labels does not handle yet interaction terms, see examples.

Please read the Vignette on Regression for more examples.

Examples

```

require(dplyr, quietly = TRUE)
require(sjlabelled, quietly = TRUE)

data(birthwt, package = "MASS")
birthwt <- birthwt |>
  mutate(
    smoke = factor(smoke, labels = c("Non-smoker", "Smoker")),
    race = factor(race, labels = c("White", "African American", "Other"))
  ) |>
  var_labels(
    bwt = "Birth weight (g)",
    smoke = "Smoking status",
    race = "Race"
  )

model_norm <- lm(bwt ~ smoke + race, data = birthwt)

glm_coef(model_norm, labels = model_labels(model_norm))

model_int <- lm(formula = bwt ~ smoke * race, data = birthwt)

```

```

model_int |>
  glm_coef(labels = c(
    model_labels(model_int),
    "Smoker: African American",
    "Smoker: Other"
  ))

```

multiple

*Multiple comparisons with plot.***Description**

multiple displays results from post-doc analysis and constructs corresponding plot.

Usage

```

multiple(
  model,
  formula,
  adjust = "hochberg",
  type = "response",
  reverse = TRUE,
  level = 0.95,
  digits = 2,
  ...
)

```

Arguments

model	A fitted model supported by emmeans, such as the result of a call to aov, lm, glm, etc.
formula	A formula with shape: ~ y or ~ y x (for interactions). Where y is the term of the model on which comparisons are made and x is a term interacting with y.
adjust	Method to adjust CIs and p-values (see details).
type	Type of prediction (matching "linear.predictor", "link", or "response").
reverse	Logical argument. Determines the direction of comparisons.
level	Confidence interval significance level.
digits	Number of digits for rounding (default = 2).
...	Further arguments passed to emmeans .

Details

The default adjusting method is "mvt" which uses the multivariate t distribution. Other options are: "bonferroni", "holm", "hochberg", "tukey" and "none". The default option for argument reverse is to make reverse comparisons, i.e., against the reference level matching comparisons from lm and glm.

Value

A list with objects: `df` A data frame with adjusted p-values, `fig_ci` a plot with estimates and adjusted confidence intervals and `fig_pval` a plot comparing adjusted p-values.

See Also

[emmeans](#), [pwpp](#).

Examples

```
data(birthwt, package = "MASS")
birthwt$race <- factor(birthwt$race, labels = c("White", "African American", "Other"))

model_1 <- aov(bwt ~ race, data = birthwt)
multiple(model_1, ~race)

multiple(model_1, ~race) |>
  effect_plot(x = estimate, y = contrast, orientation = "y") +
  xlab("Difference in birth weights (g)") +
  ylab("") + geom_vline(xintercept = 0, col = bmj[2], lty = 2)
```

odds_trend

Function to calculate OR using Wald CI, and plot trend.

Description

`odds_trend` calculates the odds ratio with confidence intervals (Wald) for different levels. (three or more) of the exposure variable.

Usage

```
odds_trend(data, x, y, method = "wald", ...)
```

Arguments

<code>data</code>	A data frame.
<code>x</code>	A variable in the data frame.
<code>y</code>	A variable in the data frame.
<code>method</code>	Method for calculating confidence interval around odds ratio.
<code>...</code>	Passes optional arguments to <code>oddsratio</code> .

Details

`odds_trend` is a wrap function that calls `oddsratio` from package `epitools`.

Additional methods for confidence intervals include: "midp", "fisher", and "small".

Value

A data frame.

See Also

[oddsratio](#).

Examples

```
## A cross-sectional study looked at the association between obesity and a biopsy resulting
## from mammography screening.

Freq <- c(3441, 34, 39137, 519, 20509, 280, 12149, 196, 11882, 199)
Biopsy <- gl(2, 1, 10, labels = c("No", "Yes"))
Weight <- gl(5, 2, 10, labels = c(
  "Underweight", "Normal", "Over (11-24%)",
  "Over (25-39%)", "Over (> 39%)"
))
breast <- data.frame(Freq, Biopsy, Weight)
breast

breast <- expand_df(breast)
require(sjlabelled, quietly = TRUE)

breast <- var_labels(breast,
  Weight = "Weight group"
)

breast |>
  odds_trend(x = Weight, y = Biopsy)

breast |>
  odds_trend(x = Weight, y = Biopsy) |>
  effect_plot(x = OR, y = Exposure)
```

Oncho

Onchocerciasis in Sierra Leone.

Description

Study of onchocerciasis ("river blindness") in Sierra Leone, in which subjects were classified according to whether they lived in villages in savannah or rainforest area.

Usage

Oncho

Format

A labelled tibble with 1302 rows and 7 variables:

id Subject ID.

mf Infected with Onchocerciasis volvulus, factor with levels "Not-infected" and "Infected".

area Area of residence, factor with levels "Savannah" and "Rainforest".

agegrp Age group in years, factor with levels "5-9", "10-19", "20-39" and "40+".

sex Subject sex, factor with levels "Male" and "Female".

mfload Microfilariae load.

lesions Severe eye lesions, factor with levels "No" and "Yes".

Source

McMahon, JE, Sowa, SIC, Maude, GH and Kirkwood BR (1988) Onchocerciasis in Sierra Leone 2: a comparison of forest and savannah villages. Trans Roy Soc Trop Med Hyg 82: 595-600.

Kirkwood, BR and Sterne, JAC (2003) Essential Medical Statistics. Second Edition. Blackwell.

predict_inv

Given y solve for x in a simple linear model.

Description

predict_inv Calculates the value the predictor x that generates value y with a simple linear model.

Usage

```
predict_inv(model, y)
```

Arguments

model A simple linear model object (class lm).

y A numerical scalar, the value of the outcome for which we want to calculate the predictor x.

Value

The estimated value of the predictor.

Examples

```
## Spectrophotometry example. Titration curve for riboflavin (nmol/ml). The sample has an absorbance
## of 1.15. Aim is to estimate the concentration of riboflavin in the sample.
```

```
Riboflavin <- seq(0, 80, 10)
OD <- 0.0125 * Riboflavin + rnorm(9, 0.6, 0.03)
titration <- data.frame(Riboflavin, OD)

require(sjlabelled, quietly = TRUE)
titration <- titration |>
  var_labels(
    Riboflavin = "Riboflavin (nmol/ml)",
    OD = "Optical density"
  )

titration |>
  ggplot(aes(Riboflavin, OD)) +
  geom_point(col = bmj[1]) +
  geom_smooth(col = bmj[2], se = TRUE, lwd = 0.5, method = "loess")

## Model with intercept different from zero:
model <- lm(OD ~ Riboflavin, data = titration)
glm_coef(model)

predict_inv(model, 1.15)
```

prop_or

Proportion, p1 from proportion p2 and OR.

Description

prop_or is a simple function to calculate a proportion, from another proportion and the odds ratio between them.

Usage

```
prop_or(p2, or)
```

Arguments

p2	The value of a proportion in the unexposed group (p2).
or	The odds ratio of p1/p2.

Value

p1, the proportion in the exposed group (p1).

Examples

```
flu <- matrix(c(20, 80, 220, 140), nrow = 2)
colnames(flu) <- c("Yes", "No")
rownames(flu) <- c("Vaccine", "Placebo")
flu

or <- (20 * 140) / (80 * 220)
p2 <- 80 / 220
prop_or(p2 = p2, or = or)
20 / 240
```

pseudo_r2	<i>Pseudo R2 (logistic regression) pseudo_r2 Calculates R2 analogues (pseudo R2) of logistic regression.</i>
-----------	--

Description

Pseudo R2 (logistic regression) pseudo_r2 Calculates R2 analogues (pseudo R2) of logistic regression.

Usage

```
pseudo_r2(model)
```

Arguments

model A logistic regression model.

Details

pseudo_r2 calculates three pseudo R2 of logistic regression models: 1) Nagelkerke, 2) Cox and Snell, 3) Hosmer and Lemeshow.

Value

A data frame with the calculated pseudo R2 values.

Examples

```
data(Oncho)
model_oncho <- glm(mf ~ area, data = Oncho, binomial)
glm_coef(model_oncho, labels = c("Constant", "Area (rainforest/savannah)"))
pseudo_r2(model_oncho)
```

qq_plot	<i>Quantile-quantile plots against the standard Normal distribution.</i>
---------	--

Description

qq_plot constructs quantile-quantile plots against the standard normal distribution (also known as quantile-normal plots).

Usage

```
qq_plot(data, y, size = 0.7)
```

Arguments

data	A data frame.
y	A numerical variable in the data frame.
size	Size of the marker.

Examples

```
data(kfm, package = "ISwR")
require(sjlabelled, quietly = TRUE)
kfm <- kfm |>
  var_labels(
    dl.milk = "Breast-milk intake (dl/day)",
    sex = "Sex",
    weight = "Child weight (kg)",
    ml.suppl = "Milk substitute (ml/day)",
    mat.weight = "Maternal weight (kg)",
    mat.height = "Maternal height (cm)"
  )

kfm |>
  qq_plot(dl.milk)
```

rank_influence	<i>Ranks observations based upon influence measures on models.</i>
----------------	--

Description

rank_influence calculates influence measures of each data observation on models and then ranks them.

Usage

```
rank_influence(model)
```

Arguments

model A generalised linear model object.

Details

rank_influence is a wrap function that calls [influence.measures](#), ranks observations on their significance influence on the model and displays the 10 most influential observations (if they are significant).

See Also

[influence.measures](#).

Examples

```
data(diet, package = "Epi")
model <- glm(chd ~ fibre, data = diet, family = binomial)
rank_influence(model)
```

rank_leverage	<i>Ranks observations by leverage.</i>
---------------	--

Description

rank_leverage ranks observations by their leverage (influence) on the arithmetic mean.

Usage

```
rank_leverage(x)
```

Arguments

x A numeric variable. Missing values are removed by default.

Value

A data frame ranking observations by their leverage around the mean.

See Also

[jack_knife](#).

Examples

```
x <- rnorm(10, 170, 8)
x
mean(x)
rank_leverage(x)

x <- rnorm(100, 170, 8)
mean(x)
head(rank_leverage(x))
```

reference_range	<i>Reference range (reference interval).</i>
-----------------	--

Description

reference_range estimates the reference range (reference interval) of a numerical variable.

Usage

```
reference_range(avg, std)
```

Arguments

avg	The arithmetic mean (a scalar numerical value).
std	The standard deviation (a scalar numerical value).

Details

The reference range assumes normality and represents the limits that would include 95 observations.

Value

A data frame with the reference range limits.

Examples

```
x <- rnorm(100, 170, 8)
round(mean(x), 2)
round(sd(x), 2)

round(reference_range(mean(x), sd(x)), 2)
```

rel_dis

Relative Dispersion.

Description

Calculates the coefficient of variation (relative dispersion) of a variable. The relative dispersion is defined as the standard deviation over the arithmetic mean.

Usage

```
rel_dis(x)
```

Arguments

x A numerical variable. NA's observations are removed by default.

Value

The coefficient of variation (relative dispersion).

Examples

```
height <- rnorm(100, 170, 8)
rel_dis(height)
```

Roberts

Extracorporeal membrane oxygenation in neonates.

Description

A clinical trial on the value of extracorporeal membrane oxygenation for term neonates with severe respiratory failure. RCT compares active treatment against conventional management.

Usage

```
Roberts
```

Format

A labelled tibble with 185 rows and 2 variables:

emo Extracorporeal membrane oxygenation treatment, factor with levels "No" and "Yes".

survived One year survival, factor with levels "No" and "Yes".

Source

Roberts, TE (1998) Extracorporeal Membrane Oxygenation Economics Working Group. Economic evaluation and randomised controlled trial of extracorporeal membrane oxygenation: UK collaborative trial. *Brit Med J* 317:911-16.

Rothman

Oral contraceptives and stroke.

Description

A case-control study of oral contraceptives and stroke in young women with presence or absence of hypertension. Cases represent thrombotic stroke and controls are hospital controls. The group of no hypertension includes normal blood pressure (<140/90 mm Hg) and borderline hypertension (140-159/90-94 mm Hg). Hypertension group includes moderate hypertension (160-179/95-109 mm Hg) and severe hypertension (180+/110+ mm Hg). This data has been used as an example of join exposure by Rothman for measuring interactions (see examples).

Usage

Rothman

Format

A labelled tibble with 477 rows and 3 variables:

stroke Thrombotic stroke, factor with levels "No" and "Yes".

oc Current user of oral contraceptives, factor with levels "Non-user" and "User".

ht Hypertension, factor with levels "No" (<160/95 mm Hg) and "Yes".

Source

Collaborative Group for the Study of Stroke in Young Women (1975) Oral contraceptives and stroke in young women. JAMA 231:718-722.

Rothman, KJ (2002) Epidemiology. An Introduction. Oxford University Press.

Examples

```
data(Rothman)

mhor(stroke ~ ht / oc, data = Rothman)

## Model with standard interaction term:
model1 <- glm(stroke ~ ht * oc, data = Rothman, family = binomial)
glm_coef(model1)

## Model considering join exposure:
Rothman$join <- 0
Rothman$join[Rothman$oc == "Non-user" & Rothman$ht == "Yes"] <- 1
Rothman$join[Rothman$oc == "User" & Rothman$ht == "No"] <- 2
Rothman$join[Rothman$oc == "User" & Rothman$ht == "Yes"] <- 3
Rothman$join <- factor(Rothman$join, labels = c(
  "Unexposed", "Hypertension", "OC user",
  "OC and hypertension"
```

```

))

require(sjlabelled, quietly = TRUE)
Rothman$join <- set_label(Rothman$join, label = "Exposure")

model2 <- glm(stroke ~ join, data = Rothman, family = binomial)
glm_coef(model2)

```

round_pval	<i>Rounding p-values.</i>
------------	---------------------------

Description

round_pval is an internal function called by glm_coef to round p-values from model coefficients.

Usage

```
round_pval(pval)
```

Arguments

pval	vector of p-values, numeric.
------	------------------------------

Sandler	<i>Passive smoking in adulthood and cancer risk.</i>
---------	--

Description

A case-control study to investigate the effects of passive smoking on cancer. Passive smoking was defined as exposure to the cigarette smoke of a spouse who smoked at least one cigarette per day for at least 6 months.

Usage

```
Sandler
```

Format

A labelled tibble with 998 rows and 3 variables:

passive Passive smoker, factor with levels "No" and "Yes".

cancer Diagnosed with cancer, factor with levels "No" and "Yes".

smoke Active smoker, factor with levels "No" and "Yes".

Source

Sandler, DP, Everson, RB, Wilcox, AJ (1985). Passive smoking in adulthood and cancer risk. *Amer J Epidemiol*, 121: 37-48.

Examples

```
data(Sandler)

mhor(cancer ~ smoke / passive, data = Sandler)
```

 Sharples

Measured and self-reported weight in New Zealand.

Description

Data on measured and self-reported weight from 40–50 year old participants in the 1989/1990 Life In New Zealand Survey.

Usage

Sharples

Format

A tibble with 343 rows and 4 variables:

srweight Self-reported weight in kg.

weight Measured weight in kg.

srbmi Body mass index calculated from self-reported weight and self-reported height in kg/m².

mbmi Body mass index calculated from measured weight and measured height in kg/m².

Source

Sharples, H, et al. (2012) Agreement between measured and self-reported height, weight and BMI in predominantly European middle-aged New Zealanders: findings from a nationwide 1989 survey. *New Zealand Med J* 125: 60-69.

Examples

```
Sharples |>
  bland_altman(x = weight, y = srweight,
    transform = TRUE, size = 0.7) +
  xlab("Mean of weights (kg)") +
  ylab("Measured / Self-reported weight")
```

ss_jk	<i>Sum of squares for Jackknife.</i>
-------	--------------------------------------

Description

ss_jk is an internal function called by [jack_knife](#). It calculates the squared difference of a numerical variable around a given value (for example, the mean).

Usage

```
ss_jk(obs, stat)
```

Arguments

obs	A numerical vector with no missing values (NA's).
stat	The value of the statistic that is used as a reference.

Value

The squared difference between a variable and a given value.

Examples

```
x <- rnorm(10, 170, 8)
x
mean(x)
ss_jk(x, mean(x))
jack_knife(x)
```

stats_quotes	<i>Internal function to calculate descriptive statistics.</i>
--------------	---

Description

stats_quotes is an internal function called by estat.

Usage

```
stats_quotes(x, data2, digits = 2)
```

Arguments

x	a numeric variable
data2	A data frame where x can be found.
digits	Number of digits for rounding.

strip_error	<i>Strip plots with error bars.</i>
-------------	-------------------------------------

Description

strip_error constructs strip plots with error bars showing 95 confidence intervals around mean values.

Usage

```
strip_error(data, x, y, size = 0.5)
```

Arguments

data	A data frame.
x	A categorical variable (the exposure).
y	A numerical variable (the outcome or response variable).
size	Size of the marker.

Examples

```
data(energy, package = "ISwR")
require(sjlabelled, quietly = TRUE)
energy <- energy |>
  var_labels(
    expend = "Energy expenditure (MJ/day)",
    stature = "Stature"
  )

energy |>
  strip_error(x = stature, y = expend)
```

Thall	<i>RCT on the treatment of epilepsy.</i>
-------	--

Description

Randomised control trial of an antiepileptic drug (prograbide), in which the number of seizures of 59 patients at baseline and other four follow-up visits were recorded.

Usage

```
Thall
```

Format

A tibble with 59 rows and 8 variables:

id Subject ID.

treat Treatment, factor with levels "Control" and "Prograbide".

base Number of seizures at baseline.

age Age in years at baseline.

y1 Number of seizures at year one follow-up.

y2 Number of seizures at year two follow-up.

y3 Number of seizures at year three follow-up.

y4 Number of seizures at year four follow-up.

Source

Thall, PF and Vail, SC (1990) Some covariance models for longitudinal count data with over-dispersion. *Biometrics*, 46: 657-671.

Stukel, TA (1993) Comparison of methods for the analysis of longitudinal data. *Statistics Med* 12: 1339-1351.

Shoukri, MM and Chaudhary, MA (2007) Analysis of correlated data with SAS and R. Third Edition. Chapman & Hall/CRC.

theme_pubh	<i>A theme for huxtables This function quickly set a default style for a huxtable.</i>
------------	--

Description

A theme for huxtables This function quickly set a default style for a huxtable.

Usage

```
theme_pubh(ht, rw = 1)
```

Arguments

ht A huxtable object.

rw A numeric vector with the rows on which a bottom border is desired.

Details

theme_pubh is a variation of theme_article with the added flexibility of adding a bottom border line at desired row numbers.

Examples

```
require(dplyr, quietly = TRUE)
data(Oncho)

Oncho |>
  select(area, mf) |>
  cross_tbl(by = "area") |>
  theme_pubh(2)

data(Bernard)

t1 <- estat(~ apache | fate, data = Bernard)
t2 <- estat(~ o2del | fate, data = Bernard)
rbind(t1, t2) |>
  as_hux() |>
  theme_pubh(c(1, 3))
```

Tuzson

*Peak knee velocity in walking at flexion and extension.***Description**

Data of peak knee velocity in walking at flexion and extension in studies about functional performance in cerebral palsy.

Usage

```
Tuzson
```

Format

A labelled tibble with 18 rows and 2 variables:

flexion Peak knee velocity in gait: flexion (degree/s).

extension Peak knee velocity in gait: extension (degree/s).

Source

Tuzson, AE, Granata, KP, and Abel, MF (2003) Spastic velocity threshold constrains functional performance in cerebral palsy. Arch Phys Med Rehabil 84: 1363-1368.

Examples

```
data(Tuzson)

Tuzson |>
  ggplot(aes(extension, flexion)) +
  geom_point()

cor.test(~ flexion + extension, data = Tuzson)
```

Vanderpump

Smoking and mortality in Wickham, England.

Description

Data represents women participating in a health survey in Wickham, England in 1972-1974.

Usage

Vanderpump

Format

A labelled tibble with 1314 rows and 3 variables:

vstatus Vitality status, factor with levels "Alive" and "Death".

smoker Smoking status, factor with levels "Non-smoker" and "Smoker".

agegrp Age group, factor with levels "18-44", "45-64" and "64+".

Source

Vanderpump, MP, et al (1996) Thyroid, 6:155-160.

Appleton, DR, French, JM and Vanderpump, PJ (1996) Ignoring a covariate: An example of Simpson's paradox. The American Statistician 50:340-341.

Vittinghoff, E, Glidden, DV, Shiboski, SC and McCulloh, CE (2005) Regression methods in Biostatistics. Springer.

Examples

```
data(Vanderpump)
```

```
mhor(vstatus ~ agegrp / smoker, data = Vanderpump)
```

Index

* datasets

Bernard, [4](#)
bmj, [5](#)
Brenner, [6](#)
Fentress, [14](#)
Hodgkin, [22](#)
Kirkwood, [24](#)
Macmahon, [26](#)
Oncho, [31](#)
Roberts, [38](#)
Rothman, [39](#)
Sandler, [40](#)
Sharples, [41](#)
Thall, [43](#)
Tuzson, [45](#)
Vanderpump, [46](#)

bar_error, [3](#)
Bernard, [4](#)
bland_altman, [4](#)
bmj, [5](#)
Brenner, [6](#)
bst, [6](#), [16](#)

coef_det, [7](#)
cosm_reg, [8](#)
cosm_sum, [9](#)
cross_tbl, [10](#)

effect_plot, [11](#)
emmeans, [29](#), [30](#)
estat, [12](#)
expand_df, [13](#)

Fentress, [14](#)
freq_cont, [15](#)

gen_bst_df, [16](#)
geo_mean, [6](#), [17](#)
get_r2, [17](#)
gf_text, [19](#)

gg_star, [18](#)
glm_coef, [19](#)

harm_mean, [21](#)
Hodgkin, [22](#)
huxtable, [8](#), [9](#)

influence.measures, [36](#)
inv_logit, [23](#)

jack_knife, [23](#), [36](#), [42](#)

Kirkwood, [24](#)
knife_mean, [24](#)

leverage, [25](#)
logistic_gof, [26](#)

Macmahon, [26](#)
mean, [6](#)
median, [6](#)
mhor, [27](#)
model_labels, [28](#)
multiple, [29](#)

odds_trend, [30](#)
oddsratio, [31](#)
Oncho, [31](#)

predict_inv, [32](#)
prop_or, [33](#)
pseudo_r2, [34](#)
pwpp, [30](#)

qq_plot, [35](#)

r2, [18](#)
rank_influence, [35](#)
rank_leverage, [23](#), [25](#), [36](#)
reference_range, [37](#)
rel_dis, [38](#)

Roberts, [38](#)
Rothman, [39](#)
round_pval, [40](#)

Sandler, [40](#)
Sharples, [41](#)
ss_jk, [42](#)
stats_quotes, [42](#)
strip_error, [43](#)
summary, [13](#)

tbl_regression, [8](#)
tbl_summary, [9–11](#)
Thall, [43](#)
theme_pubh, [44](#)
Tuzson, [45](#)

Vanderpump, [46](#)