

Package ‘agpower’

July 22, 2025

Title Recurrent Event Analysis Planning for Robust Andersen-Gill Model

Version 0.1.2

Description Power and associated functions useful in prospective planning and monitoring of a clinical trial when a recurrent event endpoint is to be assessed by the robust Andersen-Gill model, see Lin, Wei, Yang, and Ying (2010) <[doi:10.1111/1467-9868.00259](https://doi.org/10.1111/1467-9868.00259)>. The equations developed in Ingel and Jahn-Eimermacher (2014) <[doi:10.1002/bimj.201300090](https://doi.org/10.1002/bimj.201300090)> and their consequences are employed.

License Apache License (>= 2)

Encoding UTF-8

RoxygenNote 7.3.2

Imports stats

Suggests dplyr, testthat (>= 3.0.0), tidy

Config/testthat/edition 3

NeedsCompilation no

Author Stephen Rush [aut, cre]

Maintainer Stephen Rush <rushacademic@gmail.com>

Repository CRAN

Date/Publication 2025-06-06 13:20:05 UTC

Contents

alpNeeded	2
alpNeeded2	3
assurance	4
assurance2	6
btaNeeded	8
btaNeeded2	10
btaNeeded3	11
erNeeded	13
eventsNeeded	15
eventsNeeded2	16

nNeeded	17
nNeeded2	18
pow	19
pow2	20
power.lwyy.test	21
thtap2thta	23

Index	25
--------------	-----------

alpNeeded	<i>Function to compute alpha needed (fixed sample size)</i>
-----------	---

Description

Function to compute two-sided alpha needed to achieve target power given a rate ratio. Useful for computing probability to achieve hurdles.

Usage

```
alpNeeded(N, bta1, thta, tau, lam0, pow = 0.8, ar = 0.5)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
tau	Expected follow-up time.
lam0	Event rate for control.
pow	Target power.
ar	Allocation ratio (Number control / Total)

Details

This function computes the two-sided alpha alp. Function assumes a rate ratio < 1 is favourable to treatment.

Value

The two-sided alpha level.

Examples

```
# alpha needed to achieve multiple powers given rate ratio (and other input).
alpNeeded(N = 1000, bta1 = log(0.8), thta = 2, tau = 1, lam0 = 1.1, pow = c(.7, .8))

# alpha needed for many inputs
if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(RR = 0.8) %>%
    crossing(
      thta = c(2, 3, 4),
      lam0 = 1.1,
      pow = c(0.7, 0.8),
      N = c(500, 1000),
      tau = 1
    ) %>%
    mutate(
      alp = alpNeeded(N = N, bta1 = log(RR), thta = thta, tau = tau, lam0 = lam0, pow = pow)
    )
  assumptions %>% data.frame()

}
```

alpNeeded2

*Function to compute alpha needed (fixed sample size)***Description**

Function to compute two-sided alpha needed to achieve target power given a rate ratio. Useful for computing probability to achieve hurdles.

Usage

```
alpNeeded2(N, bta1, thta, L, pow = 0.8, ar = 0.5)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
L	Number of events.
pow	Target power.
ar	Allocation ratio (Number control / Total).

Details

This function computes the two-sided alpha alp. Function assumes a rate ratio < 1 is favourable to treatment.

Value

The two-sided alpha level.

Examples

```
# alpha needed to achieve multiple powers given rate ratio (and other input).
alpNeeded2(N = 1000, bta1 = log(0.8), thta = 2, L = 1000, pow = c(.7, .8))

# alpha needed for many inputs
if (require("dplyr") & require("tidyr")) {

}
}
```

assurance

Assurance (expected power) for LWYY

Description

Function to compute assurance given fixed sample size N and follow-up τ , under input assumptions. Assumes a log-normal prior distribution. Here assurance is taken to mean probability to achieve statistical significance ($p\text{-value} < \text{alp}$).

Usage

```
assurance(
  N,
  bta1,
  bta1_sd,
  thta,
  tau,
  lam,
  alp = 0.05,
  ar = 0.5,
  ns = 1000,
  method = c("integration", "montecarlo"),
  frailty.type = c("unblind", "blind"),
  lam.type = c("base", "pool"),
  thtawarning = FALSE
)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
bta1_sd	assumed standard deviation of log(rate ratio)
thta	Variance of frailty parameter. If frailty.type = "blind", assumes thta derives from pooled model; if frailty.type = "unblind" assumes thta is from correctly specified model. Default "unblind".
tau	Expected follow-up time.
lam	Event rate. If lam.type = "pool", assumes lam is pooled rate; if lam.type = "base", assumes lam is baseline control event rate. Default "base".
alp	Two-sided alpha-level.
ar	Allocation ratio (Number control / Total).
ns	Maximum number of subintervals (if method = "integration") or Number of draws from prior distribution (if method = "montecarlo").
method	Whether to numerically solve ("integration") or estimate by random draws ("montecarlo"). Defaults to numerical.
frailty.type	Indicates whether frailty variance is based on blinded information ("blind") or unblinded ("unblind"). Default "unblind".
lam.type	Indicates whether event rate is based on control rate ("base") or pooled rate ("pool"). Default "base".
thtawarning	If TRUE indicates how many estimates of theta were negative before setting to 0. Default FALSE.

Details

If working with a blinded estimate of frailty variance (i.e. misspecified model), it is recommended to use frailty.type = "blind" and lam.type = "pool". In which case the frailty variance (i.e. model with treatment effect) is derived using thta and the quantile drawn from the prior distribution of the log-rate ratio. If working with an estimate of frailty variance, should use frailty.type = "unblind" instead.

Function assumes a rate ratio < 1 is favourable to treatment.

Value

The assurance given the input assumptions.

Examples

```
assurance(N = 500, bta1 = log(0.8), bta1_sd = 1, thta = 2, tau = 1, lam = 1.1, alp = 0.05,
          ns = 100000)
```

```
if (require("dplyr") & require("tidyr")) {
  assumptions = tibble(alp = 0.05) %>%
```

```

crossing(
  N = c(500, 1000),
  RR = c(0.6, 0.7, 0.8),
  bta1_sd = 1,
  thta = c(2, 3, 4),
  tau = c(0.8, 0.9, 1.0),
  lam0 = c(3, 3.5)
) %>%
mutate(pow = pow(N = N, bta1 = log(RR), thta = thta, tau = tau, lam = lam0, alp = alp)) %>%
mutate(
  assurance_in_blind = assurance(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                tau = tau, lam = lam0, alp = alp, ns = 1000,
                                frailty.type = "blind", lam.type = "pool")
) %>%
mutate(
  assurance_mc_blind = assurance(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                tau = tau, lam = lam0, alp = alp, ns = 1000,
                                method = "monte",
                                frailty.type = "blind", lam.type = "pool")
) %>%
mutate(
  assurance_in_unblind = assurance(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                   tau = tau, lam = lam0, alp = alp, ns = 1000)
) %>%
mutate(
  assurance_mc_unblind = assurance(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                   tau = tau, lam = lam0, alp = alp, ns = 1000)
)

assumptions %>% data.frame()
}

```

assurance2

Assurance (expected power) for LWYY

Description

Function to compute assurance given fixed sample size N and number of events, under input assumptions. Assumes a log-normal prior distribution. Here assurance is taken to mean probability to achieve statistical significance (p -value $< \alpha$).

Usage

```

assurance2(
  N,
  bta1,
  bta1_sd,
  thta,
  L,

```

```

    alp = 0.05,
    ar = 0.5,
    ns = 1000,
    method = c("integration", "montecarlo"),
    frailty.type = c("unblind", "blind"),
    thtawarning = FALSE
  )

```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
bta1_sd	assumed standard deviation of log(rate ratio)
thta	Variance of frailty parameter. If frailty.type = "blind", assumes thta derives from pooled model; if frailty.type = "unblind" assumes thta is from correctly specified model. Default "unblind".
L	Number of events
alp	Two-sided alpha-level.
ar	Allocation ratio (Number control / Total).
ns	Maximum number of subintervals (if method = "integration") or Number of draws from prior distribution (if method = "montecarlo").
method	Whether to numerically solve ("integration") or estimate by random draws ("montecarlo"). Defaults to numerical.
frailty.type	Indicates whether frailty variance is based on blinded information ("blind") or unblinded ("unblind"). Default "unblind".
thtawarning	If TRUE indicates how many estimates of theta were negative before setting to 0. Default FALSE.

Details

If working with a blinded estimate of frailty variance (i.e. misspecified model), it is recommended to use frailty.type = "blind". In which case the frailty variance (i.e. model with treatment effect) is derived using thta and the quantile drawn from the prior distribution of the log-rate ratio. If working with an estimate of frailty variance, should use frailty.type = "unblind" instead.

Function assumes a rate ratio < 1 is favourable to treatment.

Value

The assurance given the input assumptions.

Examples

```

assurance2(N = 500, bta1 = log(0.8), bta1_sd = 1, thta = 2, L = 1000, alp = 0.05,
           ns = 100000)

```

```

if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
  crossing(
    N = c(500, 1000),
    RR = c(0.6, 0.7, 0.8),
    bta1_sd = 1,
    thta = c(2, 3, 4),
    L = c(500, 1000, 1500)
  ) %>%
  mutate(pow = pow2(N = N, bta1 = log(RR), thta = thta, L = L, alp = alp)) %>%
  mutate(
    assurance_in_blind = assurance2(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                   L = L, alp = alp, ns = 1000,
                                   frailty.type = "blind")
  ) %>%
  mutate(
    assurance_mc_blind = assurance2(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                   L = L, alp = alp, ns = 1000,
                                   method = "monte",
                                   frailty.type = "blind")
  ) %>%
  mutate(
    assurance_in_unblind = assurance2(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                     L = L, alp = alp, ns = 1000)
  ) %>%
  mutate(
    assurance_mc_unblind = assurance2(N = N, bta1 = log(RR), bta1_sd = bta1_sd, thta = thta,
                                     L = L, alp = alp, ns = 1000)
  )

  assumptions %>% data.frame()

}

```

btaNeeded

Function to compute log rate ratio needed (fixed sample size)

Description

Function to compute log rate ratio needed to achieve target power at one-sided Type I control level $\alpha/2$. Useful to compute critical value (set $\text{pow} = 0.5$).

Usage

```

btaNeeded(
  N,
  thta,
  tau,
  lam,

```



```

    alp = 0.05,
    pow = 0.8,
    ar = 0.5,
    frailty.type = c("unblind", "blind"),
    lam.type = c("base", "pool"),
    interval = c(log(0.5), log(1))
  )

```

Arguments

N	Sample size.
thta	Variance of frailty parameter. If frailty.type = "blind", assumes thta derives from pooled model; if frailty.type = "unblind" assumes thta is from correctly specified model. Default "unblind".
tau	Expected follow-up time.
lam	Event rate. If lam.type = "pool", assumes lam is pooled rate; if lam.type = "base", assumes lam is baseline control event rate. Default "base".
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total)
frailty.type	Indicates whether frailty variance is based on blinded information ("blind") or unblinded ("unblind"). Default "unblind".
lam.type	Indicates whether event rate is based on control rate ("base") or pooled rate ("pool"). Default "base".
interval	Initial search interval for bta1.

Details

This function computes the log rate ratio $bta1$ as the root of the equation $pow(bta1, N, thta_, tau, lam0_, alp, ar) - pow = 0$, where $thta_$ and $lam0_$ also depend on $bta1$ if using estimates from blinded analyses. If frailty.type = "blind": $thta_ = thtap2thta(thta, bta1)$; otherwise if frailty = "unblind": $thta_ = thta$. If lam.type = "pool" then $lam0_ = lam * 2 / (1 + exp(bta1))$; otherwise if lam.type = "base": $lam0_ = lam$. Function assumes a rate ratio < 1 is favourable to treatment.

Value

The log rate ratio.

Examples

```

# Based on unblinded estimates
btaNeeded(N = 1000, thta = 2, tau = 1, lam = 1.1, alp = c(0.01, 0.05), pow = c(.5))
exp(btaNeeded(N = 1000, thta = 2, tau = 1, lam = 1.1, alp = c(0.01, 0.05), pow = c(.5)))

# Based on blinded estimates
btaNeeded(N = 1000, thta = 2, tau = 1, lam = 0.7, alp = c(0.01, 0.05), pow = c(.5),
  frailty.type = "bl", lam.type = "po")

```

```

exp(btaNeeded(N = 1000, thta = 2, tau = 1, lam = 0.7, alp = c(0.01, 0.05), pow = c(.5),
             frailty.type = "bl", lam.type = "po"))

# Based on blinded estimates
if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
    crossing(
      thta = c(2, 3, 4),
      lam = 1.1,
      pow = c(0.5, 0.8),
      N = c(500, 1000),
      tau = 1
    ) %>%
    mutate(
      bta1 = btaNeeded(N = N, thta = thta, tau = tau, lam = lam, alp = alp, pow = pow),
      RR = exp(bta1)
    )
  assumptions %>% data.frame()

}

```

btaNeeded2

Function to compute log rate ratio needed (fixed sample size)

Description

Function to compute log rate ratio needed to achieve target power at one-sided Type I control level $\alpha/2$. Useful to compute critical value (set $\text{pow} = 0.5$).

Usage

```

btaNeeded2(
  N,
  thta,
  L,
  alp = 0.05,
  pow = 0.8,
  ar = 0.5,
  frailty.type = c("unblind", "blind"),
  interval = c(log(0.5), log(1))
)

```

Arguments

N Sample size.

thta	Variance of frailty parameter. If frailty.type = "blind", assumes thta derives from pooled model; if frailty.type = "unblind" assumes thta is from correctly specified model. Default "unblind".
L	Number of events
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total)
frailty.type	Indicates whether frailty variance is based on blinded information ("blind") or unblinded ("unblind"). Default "unblind".
interval	Initial search interval for bta1.

Details

This function computes the log rate ratio $bta1$ as the root of the equation $pow2(bta1, N, thta_ , L, alp, ar) - pow = 0$, where $thta_$ depends on $bta1$ if using estimates from blinded analyses. If frailty.type = "blind": $thta_ = thtap2thta(thta, bta1)$; otherwise if frailty = "unblind": $thta_ = thta$. Function assumes a rate ratio < 1 is favourable to treatment.

Value

The log rate ratio.

Examples

```
# Based on unblinded estimates

# Based on blinded estimates
btaNeeded2(N = 1000, thta = 2, L = 1000, alp = c(0.01, 0.05), pow = c(.5), frailty.type = "bl")
exp(btaNeeded2(N = 1000, thta = 2, L = 1000, alp = c(0.01, 0.05), pow = c(.5), frailty.type = "bl"))
```

btaNeeded3

Function to compute log rate ratio needed

Description

Function to compute log rate ratio needed to achieve target power at one-sided Type I control level $alp/2$. Useful to compute critical value (set pow = 0.5).

Usage

```

btaNeeded3(
  thta,
  L,
  tau,
  lam,
  alp = 0.05,
  pow = 0.8,
  ar = 0.5,
  frailty.type = c("unblind", "blind"),
  lam.type = c("base", "pool"),
  interval = c(log(0.5), log(1))
)

```

Arguments

thta	Variance of frailty parameter. If frailty.type = "blind", assumes thta derives from pooled model; if frailty.type = "unblind" assumes thta is from correctly specified model. Default "unblind".
L	Number of events.
tau	Expected follow-up time.
lam	Event rate. If lam.type = "pool", assumes lam is pooled rate; if lam.type = "base", assumes lam is baseline control event rate. Default "base".
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total)
frailty.type	Indicates whether frailty variance is based on blinded information ("blind") or unblinded ("unblind"). Default "unblind".
lam.type	Indicates whether event rate is based on control rate ("base") or pooled rate ("pool"). Default "base".
interval	Initial search interval for bta1.

Details

This function computes the log rate ratio bta1 as the root of the equation $\text{eventsNeeded}(\text{bta1}, \text{thta}_-, \text{tau}, \text{lam0}_-, \text{alp}, \text{pow}, \text{ar}) - L = 0$, where thta_- and lam0_- also depend on bta1 if using estimates from blinded analyses. If frailty.type = "blind": $\text{thta}_- = \text{thtap}2\text{thta}(\text{thta}, \text{bta1})$; otherwise if frailty = "unblind": $\text{thta}_- = \text{thta}$. If lam.type = "pool" then $\text{lam0}_- = \text{lam} * 2 / (1 + \exp(\text{bta1}))$; otherwise if lam.type = "base": $\text{lam0}_- = \text{lam}$. Function assumes a rate ratio < 1 is favourable to treatment.

Value

The log rate ratio.

Examples

```

# Based on unblinded estimates
btaNeeded3(thta = 2, L = 1000, tau = 1, lam = 1.1, alp = c(0.01, 0.05), pow = c(.5))
exp(btaNeeded3(thta = 2, L = 1000, tau = 1, lam = 1.1, alp = c(0.01, 0.05), pow = c(.5)))

# Based on blinded estimates
btaNeeded3(thta = 2, L = 1000, tau = 1, lam = 0.7, alp = c(0.01, 0.05), pow = c(.5),
  frailty.type = "bl", lam.type = "po")
exp(btaNeeded3(thta = 2, L = 1000, tau = 1, lam = 0.7, alp = c(0.01, 0.05), pow = c(.5),
  frailty.type = "bl", lam.type = "po"))

# Based on blinded estimates
if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
    crossing(
      thta = c(2, 3, 4),
      lam = 1.1,
      pow = c(0.5, 0.8),
      L = c(500, 1000),
      tau = 1
    ) %>%
    mutate(
      bta1 = btaNeeded3(thta = thta, L = L, tau = tau, lam = lam, alp = alp, pow = pow),
      RR = exp(bta1)
    )
  assumptions %>% data.frame()

}

```

erNeeded

*Baseline event rate needed (fixed sample size)***Description**

Function to compute baseline (control) event rate needed to achieve given power at one-sided Type I control level $\alpha/2$.

Usage

```

erNeeded(
  N,
  bta1,
  thta,
  tau,
  alp = 0.05,
  pow = 0.8,
  ar = 0.5,

```

```
lam0warning = FALSE
)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
tau	Expected follow-up time.
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total).
lam0warning	If TRUE indicates how many estimates of lam0 were negative before setting to Inf. Default FALSE.

Details

Assumes rate ratio < 1 is favourable to treatment. A negative estimated event rate indicates no event rate is sufficient under the input assumptions.

Value

The baseline event rate needed to achieve target power at one-sided Type I control level $\alpha/2$, given the input assumptions.

Examples

```
erNeeded(N = 500, bta1 = log(0.6), thta = 2, tau = 1, alp = 0.05, pow = 0.8)
erNeeded(N = 500, bta1 = log(0.6), thta = 3, tau = 1, alp = 0.05, pow = 0.8)
```

```
if (require("dplyr") & require("tidyr")) {
  assumptions = tibble(alp = 0.05) %>%
  crossing(
    tau = c(0.8, 0.9, 1.0),
    RR = c(0.6, 0.7, 0.8),
    thta = c(2, 3, 4),
    pow = 0.8,
    N = c(500, 1000)
  ) %>%
  mutate(er = erNeeded(N = N, bta1 = log(RR), thta = thta, tau = tau, alp, pow))

  assumptions %>% data.frame()
}
```



```

    )
    assumptions %>% data.frame()
  }

```

eventsNeeded2	<i>Number events needed (fixed sample size)</i>
---------------	---

Description

Function to compute number events (L) needed to achieve given power with fixed sample size N.

Usage

```
eventsNeeded2(N, bta1, thta, alp = 0.05, pow = 0.8, ar = 0.5, Lmessage = FALSE)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total).
Lmessage	If TRUE indicates how many estimates of L were negative before setting to Inf. Default FALSE.

Details

Assumes rate ratio < 1 is favourable to treatment. A negative estimated number of events indicates no number of events is sufficient under the input assumptions.

Value

The number of events (L) needed to achieve target power at one-sided Type I control level $\alpha/2$, given the input assumptions.

Examples

```

eventsNeeded2(N = 500, bta1 = log(0.8), thta = 2, alp = 0.05, pow = 0.8)
eventsNeeded2(N = 500, bta1 = log(0.8), thta = 3, alp = 0.05, pow = 0.8)

if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
  crossing(
    RR = c(0.6, 0.7, 0.8),
    thta = c(2, 3, 4),
    pow = 0.8,
    N = c(500, 1000)
  ) %>%
  mutate(L = eventsNeeded2(N = N, bta1 = log(RR), thta = thta, alp, pow))

  assumptions %>% data.frame()

}

```

nNeeded

Function to compute sample size needed to achieve target power

Description

Computes sample size needed to achieve target power at one-sided Type I control level $\alpha/2$.

Usage

```
nNeeded(bta1, thta, tau, lam0, alp = 0.05, pow = 0.8, ar = 0.5)
```

Arguments

bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
tau	Expected follow-up time.
lam0	Baseline rate for control.
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total)

Value

The sample size required given the input assumptions to achieve target power.

Examples

```
nNeeded(bta1 = log(0.8), thta = 1, tau = 0.8, lam0 = 3.5, alp = 0.05, pow = 0.8)

if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
  crossing(
    tau = c(0.8, 0.9, 1.0),
    RR = c(0.6, 0.7, 0.8),
    lam0 = c(3, 3.5),
    thta = c(2, 3, 4),
    pow = 0.8
  ) %>%
  mutate(N = nNeeded(bta1 = log(RR), thta = thta, tau = tau, lam0 = lam0, alp = alp, pow = pow))

  assumptions %>% data.frame()

}
```

nNeeded2

Function to compute sample size needed to achieve target power

Description

Computes sample size needed to achieve target power at one-sided Type I control level $\text{alp}/2$. A negative estimated sample size indicates no sample size is sufficient under the input assumptions.

Usage

```
nNeeded2(bta1, thta, L, alp = 0.05, pow = 0.8, ar = 0.5)
```

Arguments

bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
L	Number of events
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total)

Value

The sample size required given the input assumptions to achieve target power.

Examples

```
nNeeded2(bta1 = log(0.8), thta = 1, L = 1000, alp = 0.05, pow = 0.8)

if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
  crossing(
    L = c(500, 1000, 1500),
    RR = c(0.6, 0.7, 0.8),
    thta = c(2, 3, 4),
    pow = 0.8
  ) %>%
  mutate(N = nNeeded2(bta1 = log(RR), thta = thta, L = L, alp = alp, pow = pow))

  assumptions %>% data.frame()

}
```

 pow

Power for LWYY (fixed sample size)

Description

Function to compute power at one-sided Type I control level $\alpha/2$.

Usage

```
pow(N, bta1, thta, tau, lam0, alp = 0.05, ar = 0.5)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
tau	Expected follow-up time.
lam0	Baseline rate for control.
alp	Two-sided alpha-level.
ar	Allocation ratio (Number control / Total)

Details

Note: Approximation breaks down in no event scenario. For example, `pow(N=1000, bta1 = log(1), thta = 1, lam0 = 0, tau = 1, alp = 0.05)` returns a power of 0.025

Value

The power given the input assumptions.

Examples

```
pow(N = 500, bta1 = log(0.8), thta = 2, tau = 1, lam0 = 1.1, alp = 0.05)
pow(N = 500, bta1 = log(0.8), thta = 3, tau = 1, lam0 = 1.1, alp = 0.05)

if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
  crossing(
    tau = c(0.8, 0.9, 1.0),
    RR = c(0.6, 0.7, 0.8),
    lam0 = c(3, 3.5),
    thta = c(2, 3, 4),
    N = c(500, 1000)
  ) %>%
  mutate(pow = pow(N = N, bta1 = log(RR), thta = thta, tau = tau, lam0 = lam0, alp = alp))

  assumptions %>% data.frame()

}
```

pow2

Power for LWYY (fixed sample size)

Description

Function to compute power at one-sided Type I control level $\alpha/2$.

Usage

```
pow2(N, bta1, thta, L, alp = 0.05, ar = 0.5)
```

Arguments

N	Sample size.
bta1	log-transform of rate ratio.
thta	Variance of frailty parameter.
L	Number of events.
alp	Two-sided alpha-level.
ar	Allocation ratio (Number control / Total)

Value

The power given the input assumptions.

Examples

```

pow2(N = 500, bta1 = log(0.8), thta = 2, L = 1000, alp = 0.05)
pow2(N = 500, bta1 = log(0.8), thta = 3, L = 1000, alp = 0.05)

if (require("dplyr") & require("tidyr")) {

  assumptions = tibble(alp = 0.05) %>%
  crossing(
    thta = c(1),
    RR = c(0.6, 0.7, 0.8),
    L = c(1000, 1500, 2000),
    N = c(500, 1000)
  ) %>%
  mutate(pow = pow2(N = N, bta1 = log(RR), thta = thta, L = L, alp = alp))

  assumptions %>% data.frame()

}

```

power.lwyy.test	<i>Power calculations for one-sided two-sample test of LWYY model parameter.</i>
-----------------	--

Description

Function to compute power at one-sided Type I control level $\alpha/2$ or determine parameters to target given power to test the hypotheses $H_0: RR = 1$ vs $H_A: RR < 1$ for the LWYY (Andersen-Gill with robust standard errors) model.

Usage

```

power.lwyy.test(
  N = NULL,
  RR = NULL,
  bta1 = NULL,
  thta,
  L = NULL,
  tau = NULL,
  lam = NULL,
  alp = 0.05,
  pow = NULL,
  ar = 0.5,
  frailty.type = c("unblind", "blind"),
  lam.type = c("base", "pool")
)

```

Arguments

N	Sample size.
RR, bta1	Rate ratio, log-transform of rate ratio. Provide at most one of RR and bta1.
thta	Variance of frailty parameter.
L	Number of events.
tau	Expected follow-up time.
lam	Event rate. If lam.type = "base", it is the event rate for control. If lam.type = "pool", it is the pooled rate.
alp	Two-sided alpha-level.
pow	Target power.
ar	Allocation ratio (Number control / Total)
frailty.type	Indicates whether frailty variance is based on blinded information ("blind") or unblinded ("unblind"). Default "unblind".
lam.type	Indicates whether event rate is based on control rate ("base") or pooled rate ("pool"). Ignored if lam = NULL. Default "base".

Details

An object of class "power.lwyytest" has the following components:

- method: Description of the test.
- N: Total sample size. $N = N_c + N_t$, where $N_c = ar * N$ is the number on control and $N_t = (1-ar) * N$ is the number on treatment.
- RR, RRCV: Rate ratio powered for and critical value for rate ratio.
- bta1, bta1CV: The log of RR, RRCV.
- thta: The variance of the frailty parameter.
- thtap: If frailty.type = "blind", the input variance from a blinded source.
- L: Number of events. Note that all else being equal, an increase (decrease) in N requires a decrease (increase) in L.
- tau, lam0: The mean follow-up time and control event rate. Note if tau = 1, then lam0 may be interpreted as mean cumulative intensity on control.
- lamp: If lam.type = "pool" and argument lam is not null, the input rate from a blinded source.
- alp: alp/2 is the one-sided Type I control level of the test $H_0: RR = 1$ vs $H_A: RR < 1$.
- pow: Power of the test.
- ar: Allocation to control ratio N_c/N .
- note: Set of key notes about the assessment.

Value

An object of class "power.lwyytest", a list of arguments, including those computed, with method and note elements.

Examples

```
x = power.lwyy.test(N = 1000, RR = 0.8, thta = 1, L = 1000, tau = 0.9, alp = 0.05, ar = 0.5)
print(x)
```

```
x = power.lwyy.test(N = 1000, RR = 0.8, thta = 1, tau = 0.9, lam = 1.23, alp = 0.05, ar = 0.5)
print(x)
```

```
x = power.lwyy.test(N = 1000, RR = 0.8, thta = 1, tau = NULL, lam = 1.23, alp = 0.05, ar = 0.5)
print(x, digits = 3)
```

thtap2thta

Obtain theta from pooled theta (model without treatment).

Description

Function transforms estimate of blinded pooled theta (from misspecified model without adjusting for treatment) to estimate of theta for model adjusting for treatment.

Usage

```
thtap2thta(bta1, thtap, ar = 0.5, thtawarning = FALSE)
```

Arguments

bta1	log-transform of assumed rate ratio.
thtap	Estimate of the variance of the frailty parameter under misspecification (no adjustment for treatment).
ar	Allocation ratio (Number in control / Total).
thtawarning	If TRUE indicates how many estimates of theta were negative before setting to 0. Default FALSE.

Details

This function assumes a recurrent event distribution with exponential baseline function and frailty parameter distribution with mean 1 and variance θ , and derives from expectations of the variance under misspecification.

Specifically, the following relationship between the frailty variance for the misspecified model (θ_p) and correctly specified model (θ) is used

$$\theta_p = Var(Z \cdot \exp \beta) = c^2 - 2pc - 2(1 - p) \exp \beta c + (p + (1 - p) \exp 2\beta)(\theta + 1)$$

, where $c = E(Z \exp X \beta)$ and $p = ar$.

Value

An estimate of the variance of the frailty parameter when the model includes treatment.

Examples

```
thtap2thta(2, log(c(0.8, 0.7, 0.6)))
```


Index

alpNeeded, 2
alpNeeded2, 3
assurance, 4
assurance2, 6

btaNeeded, 8
btaNeeded2, 10
btaNeeded3, 11

erNeeded, 13
eventsNeeded, 15
eventsNeeded2, 16

nNeeded, 17
nNeeded2, 18

pow, 19
pow2, 20
power.lwyy.test, 21

thtap2thta, 23