

Package ‘NetWeaver’

January 20, 2025

Type Package

Title Graphic Presentation of Complex Genomic and Network Data Analysis

Version 0.0.6

Date 2019-02-26

Author Minghui Wang, Bin Zhang

Maintainer Minghui Wang <m.h.wang@live.com>

Description Implements various simple function utilities and flexible pipelines to generate circular images for visualizing complex genomic and network data analysis features.

Depends R (>= 3.3.0)

License GPL-3

Suggests knitr, rmarkdown

VignetteBuilder knitr

URL <https://github.com/mw201608/NetWeaver/>

BugReports <https://github.com/mw201608/NetWeaver/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2019-02-26 18:40:07 UTC

Contents

ensemble_rank	2
getrankp	3
is.overlap	4
Modules	5
NetWeaver	5
rc.get.coordinates	7
rc.get.params	8
rc.initialize	8
rc.plot.area	11

rc.plot.barchart	12
rc.plot.grColLegend	13
rc.plot.heatmap	14
rc.plot.histogram	15
rc.plot.ideogram	16
rc.plot.line	17
rc.plot.link	18
rc.plot.mHistogram	19
rc.plot.point	20
rc.plot.ribbon	21
rc.plot.text	22
rc.plot.track	23
rc.plot.track.id	24
rc.reset.params	25
rc.track.pos	25
ucsc.hg19.cytoband	26

Index**27**

ensemble_rank*Ensemble Rank*

Description

Compute composite rank score using evidence from multiple features.

Usage

```
ensemble_rank(x, method=c('ProductOfRank', 'MeanOfLog', 'MeanOfLogLog', 'Mean'),
               small=1.0e-320, standardize=TRUE)
```

Arguments

- x a matrix of discriminant values (e.g., P values) measuring the strength of the association between objects (eg modules) (in rows) and variables/features (in columns).
- method a character string specifying the ranking metric. See Details.
- small offset the small p values before taking log transformation.
- standardize whether to rescale the final ranking score by dividing the maximum value.

Details

Three ranking metrics are currently implemented:

ProductOfRank is the one used in Zhang et al. (Cell 2013, 153: 707-720) with a slight change to standardize the scores to be between 0 and 1;

MeanOfLog computes the mean of -log(p value) which penalizes insignificant p values;

MeanOfLogLog computes the mean of $\log(-\log(p \text{ value}))$ which penalizes insignificant p values and shrinks the difference in the ranges of p values.

Means computes the row mean of absolute values of x.

Value

A vector of ranking scores. The larger the score, the higher the rank.

Author(s)

Minghui Wang <m.h.wang@live.com>

Examples

```
#Rank US cities by the significance test of excessive arrests compared to average
#compute the p value of one-tailed z-test
x=apply(USArrests,2,function(x) pnorm((x-mean(x))/sd(x),lower.tail=FALSE))
#compute ranking score using three different metrics
score1=ensemble_rank(x,method='ProductOfRank')
score2=ensemble_rank(x,method='MeanOfLog')
score3=ensemble_rank(x,method='MeanOfLogLog')
#plot the top 5 worst cities by each metric
par(mfrow=c(1,3))
barplot(sort(score1,decreasing=TRUE)[1:5],las=2)
barplot(sort(score2,decreasing=TRUE)[1:5],las=2)
barplot(sort(score3,decreasing=TRUE)[1:5],las=2)
```

getrankp

getrankp

Description

Compute probability (fraction) of values in a large population more extreme than input series.

Usage

getrankp(x, y, truncated.size=0)

Arguments

- x A vector of input series.
- y A vector of population values.
- truncated.size See Details. Only use when you know this.

Details

This function can be used to compute permutation-based false discovery rate (two-tailed). In such case, x contains test statistics from observed data while y contains test statistics from permutation. x could be a truncated set, with small values discarded to save memory.

Value

A vector of the same size as *x*.

Author(s)

Minghui Wang <m.h.wang@live.com>

Examples

```
x=abs(rnorm(100))
y=abs(rnorm(10000))
getrankp(x,y)[1:4]
```

is.overlap

Region overlap test

Description

Test if two regions are overlapping.

Usage

```
is.overlap(x,y)
```

Arguments

- | | |
|----------|--|
| <i>x</i> | a vector of two numeric values specifying the start and end positions of the first region. |
| <i>y</i> | a vector of two numeric values specifying the start and end positions of the second region |

Value

Logic test output.

Author(s)

Minghui Wang <m.h.wang@live.com>

Examples

```
is.overlap(c(10,100),c(90,120))
is.overlap(c(10,100),c(110,120))
```

Modules	<i>Example Module Dataset</i>
---------	-------------------------------

Description

This example dataset and sample code illustrate the use of NetWeaver to visualize the complex features of gene coexpression network modules.

Usage

```
data(Modules)
```

Details

This dataset contains a data.frame called `Modules`. Each row is a module, with the module id in the first column. The second column is ranking score. The next 4 columns are coefficients of module-trait correlations. The rest columns are P values of enrichment for various gene signatures. The sample R code shows a pipeline for visualizing the module feature data using a circos style plot.

Author(s)

Minghui Wang <m.h.wang@live.com>, Bin Zhang <bin.zhang@mssm.edu>

See Also

[rc.initialize](#)

Examples

```
## Not run:  
## see a tutorial for how to plot this dataset  
vignette("netweaver")  
  
## End(Not run)
```

Description

NetWeaver is motivated towards developing a simple and flexible pipeline for visualizing the complex features of enrichment and correlation of gene coexpression network modules. While circos style 2D track plot is one natural choice for such practice, existing packages are designed primarily for handling genome structure and intervals. They are either too complicated to use, requiring certain level of knowledge of scripting, or limited in applications to only genomic structure data. To address these issues, particularly extend beyond applications in genomic structure data, NetWeaver offers a lightweight implementation of circular track plot, providing simple and flexible R function utilities and pipelines to generate circular images for visualizing different types of structure/relationship data.

The original version of this package was developed for Figure 7 of Wang et al (2016) *Genome Medicine* 8:104, which illustrates more than 20 properties for 50 coexpression network modules with a circular track plot. Please try to cite the paper when you use results from this software in a publication:

Wang M, Roussos P, McKenzie A, Zhou X, Kajiwara Y, Brennand K, DeLuca GC, Crary JF, Casaccia P, Buxbaum J et al. 2016. Integrative Network Analysis of Nineteen Brain Regions Identifies Molecular Signatures and Networks Underlying Selective Regional Vulnerability to Alzheimer's Disease. *Genome Medicine* 8: 104.

Details

There are two sample pipelines available:

1. Analysis of a real dataset of gene coexpression network modules can be reached through `vignette("netweaver")`.
2. Analysis of a hypothetical data is shown in sample code of `rc.initialize`.

Author(s)

Minghui Wang <m.h.wang@live.com>, Bin Zhang <bin.zhang@mssm.edu>

References

Wang M, Roussos P, McKenzie A, Zhou X, Kajiwara Y, Brennand K, DeLuca GC, Crary JF, Casaccia P, Buxbaum J et al. 2016. Integrative Network Analysis of Nineteen Brain Regions Identifies Molecular Signatures and Networks Underlying Selective Regional Vulnerability to Alzheimer's Disease. *Genome Medicine* 8: 104.

See Also

[rc.initialize](#), [Modules](#)

rc.get.coordinates *Get Coordinates*

Description

Retrieve x and y coordinates in a track.

Usage

```
rc.get.trackCoordinates(track.id, Start, End, Chr=NULL, degree=NULL, trackThickness=NULL)
rc.get.coordinates(track.id, Pos, Chr=NULL, degree=NULL, innerSide=TRUE, bottomSide=TRUE)
```

Arguments

track.id	number of track from outermost.
Start, End	start/end position on a chromosome or since first chromosome. See Details.
Pos	a vector of positions on a chromosome or since first chromosome. See Details.
Chr	a chromosome id. See Details.
degree	the angle of the arc rotation, overwrites Start, End, Pos and Chr.
trackThickness	thickness (height) of a track.
innerSide	whether to compute coordinates on the inner side of a track. Outer side coordinates will be returned if FALSE. Used for circular layout.
bottomSide	whether to compute coordinates on the bottom side of a track. Upper side coordinates will be returned if FALSE. Used for landscape layout.

Details

If Chr is NULL, Start, End and Pos will be considered as cumulative positions since first chromosome.

Value

A list of x and y coordinates.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.initialize](#), [rc.reset.params](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

`rc.get.params` *Get Parameters*

Description

Retrieve parameters of Circos plot after initialization.

Usage

```
rc.get.params()
```

Value

A list.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.initialize](#), [rc.reset.params](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

`rc.initialize` *Initialize Circos Plot Parameters*

Description

Setup default parameter for Circos plot.

Usage

```
rc.initialize(cyto.info, num.tracks=NULL, chr.order=NULL,
stepUnit=10^7, Layout=c('circular','landscape'), params=list())
```

Arguments

<code>cyto.info</code>	data.frame, see Details.
<code>num.tracks</code>	integer, number of tracks.
<code>chr.order</code>	character vector of chromosome ids specifying the ordering of chromosomes.
<code>stepUnit</code>	integer, smoothing factor for faster plotting.
<code>Layout</code>	layout for plotting.
<code>params</code>	a list of named items. See Details.

Details

`cyto.info` is a data.frame of chromosomal position ordered cytobands, with columns: Chr, Start, End, Stain, and any additional information (like band color), where Chr is chromosome name, Start and End are the start and end positions on the chromosome, and Stain is the cyto stain. The stain is normally one of the "gneg", "acen", "stalk", "gvar", "gpos", "gpos100", "gpos75", "gpos66", "gpos50", "gpos33", and "gpos25", which will be plotted by color "white", "red", "steelblue", "lightgrey", "black", "black", "gray40", "gray50", "gray60", "gray70" and "gray80", accordingly. Customized colors for the cyto bands can be specified in an additional column named "BandColor".

Additional plot parameters can be specified through argument `params`, including:

- `color.line`, color for lines and links, default "black".
- `chr.padding`, padding between chromosomes is a fraction of the total chromosome sizes, default 0.1.
- `track.padding`, paddings between tracks is a fraction of the track height, default 0.1
- `track.height`, track height, default 0.15.
- `radius` radius of the circos, default 1.
- `sector.degree`, a value between 0 and 2π (the default) specifying the circular sector size of the circos plot.

After initialization, the parameter settings can be retrieved by `rc.get.params`.

Noted that while `cyto.info` requires input to be in a form of chromosome cytobands, the input is not limited to genomic features. As illustrated in example data [Modules](#), complex features of gene coexpression network modules can also be plotted with the current circos visualization technique.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.get.params](#), [rc.reset.params](#), [rc.plot.ideogram](#), [rc.plot.histogram](#), [rc.plot.mHistogram](#),
[rc.plot.barchart](#), [rc.plot.link](#), [rc.plot.ribbon](#), [Modules](#)

Examples

```
library(NetWeaver)
options(stringsAsFactors=FALSE)
## set fake Cyto data
Cyto=data.frame(Chr=paste0('C',1:20), Start=1, End=100, BandColor=colors()[2:21])

## initialize circos
#firstly set number of tracks, should be larger than the actual number of tracks
#used for plotting in order to leave sufficient sapce in the middle
num.tracks=9
rc.initialize(Cyto, num.tracks=num.tracks, params=list(chr.padding=0.1,sector.degree=2*pi))

##retrieve parameters
```

```

params=rc.get.params()
#make plot area
rc.plot.area(size=0.95)

##plot ideogram on track 1 and 2 (start from the outside to inside)
track.num=1:2
rc.plot.ideogram(track.num, plot.band=TRUE, plot.chromosome.id=TRUE)

##plot histogram/barchart that span multiple chromosomes
MultHistData=data.frame(Chr1=paste0('C',seq(1,18,3)), Start1=50,
Chr2=paste0('C',seq(3,20,3)), End2=20, Col=1:6)
track.num=3
rc.plot.mHistogram(MultHistData, track.id=track.num, data.col=5,
color.col=5, fixed.height=FALSE)

##plot histogram that occupies two tracks 4 and 5
HistData=data.frame(Chr=paste0('C',1:20), Start=1, End=50, Data=runif(20))
params$color.hist <- 'black'
rc.reset.params(params)
track.num=5
rc.plot.histogram(HistData, track.num, data.col=4, fixed.height=FALSE,
track.border=NA, custom.track.height=params$track.height*2)

##plot heatmap on track 6
HeatData=data.frame(Chr=paste0('C',1:20), Start=1,End=100, Data=1:20)
colfuncHeat=function(n) rev(heat.colors(n))
track.num=track.num+1
rc.plot.histogram(HeatData, track.num, data.col=4, color.gradient=colfuncHeat(50),
fixed.height=TRUE)

##plot stacked barchart on track 7
BarData=data.frame(Chr=paste0('C',1:20), Start=1,
End=seq(10,86,length.out=20), Data=matrix(runif(20*4),nrow=20))
track.num=track.num+1
rc.plot.barchart(BarData, track.num, data.col=4:7)

##plot links in the middle
LinkData=data.frame(Chr1=sample(Cyto$Chr,40,replace=TRUE), Pos1=20,
Chr2=sample(Cyto$Chr,40,replace=TRUE),Pos2=20, Data=runif(20))
LinkData=LinkData[LinkData$Chr1 != LinkData$Chr2,]
params$color.line='blue'
rc.reset.params(params)
track.num=track.num+1
rc.plot.link(LinkData, track.num, data.col=4, arrow.length=0.1)
ribbonData=data.frame(Chr1=c('C1','C3'), Start1=c(10,10), End1=c(40,40),
Chr2=c('C17','C10'), Start2=20, End2=60, Col=c('red','brown'))
rc.plot.ribbon(ribbonData, track.num, color.col='Col', twist=TRUE)
#label track id
rc.plot.track.id(2:7, col=2)
#add text label
rc.plot.text(data.frame(Chr='C3',Pos=50,Label='GeneX'),
track.id=3,srt=45,cex=0.8,col='blue')
#add line mark

```

```
rc.plot.line(data.frame(Chr='C19',Pos=seq(10,90,by=15),Col='red'),  
track.id=3, color.col=3,arrow.length=0.2)
```

rc.plot.area*Setup Plot Area*

Description

Create new graphics frame for circle plot .

Usage

```
rc.plot.area(size=1, oma=rep(0,4), mar=rep(0,4))
```

Arguments

size	a value between 0 to 1, specifying the effective size of the circle plot area in the current window. The smaller the size, the larger the blank area around the circle plot.
oma	A vector of the form c(bottom, left, top, right) giving the size of the outer margins in lines of text.
mar	A numerical vector of the form c(bottom, left, top, right) which gives the number of lines of margin to be specified on the four sides of the plot.

Details

After setting up, the extremes of the user coordinates of the plotting region can be found out by `par('usr')`.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.initialize](#), [rc.reset.params](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.barchart *Bar Plots*

Description

Add a track of barcharts.

Usage

```
rc.plot.barchart(Data, track.id, data.col, color.col=NULL, bar.color=NULL,
track.color=NA, track.border=NULL, polygon.border=NULL,
custom.track.height=NULL, ratio=FALSE)
```

Arguments

Data	data.frame, data to be plotted. See Details.
track.id	integer, in which track to plot.
data.col	integer, specifying the column(s) that contain the data for plotting. A stacked barchart is created if there are multiple columns of data.
color.col	integer, specifying the column that contains the color. Only used when there is only one data column.
bar.color	a vector of colors for the bars or bar components. By default, grey is used if there is one data column, and a gamma-corrected grey palette if there are multiple columns of data.
track.color	NA or color code for the track background.
track.border	the color to draw the track border. Use NA to omit borders.
polygon.border	the color to draw the polygon border. See explanation for polygon .
custom.track.height	NULL or numeric, specifying customized track height to overwrite the default. See rc.get.params for default value.
ratio	logical, specifying whether the data values in each row should be converted to ratios. Used only for stacked barchart.

Details

Data must have at least three columns. The first three columns must be named as Chr, Start and End, specifying the chromosomes and positions for the start and end points of the links. Additional columns can be used to specify data and color.

[rc.plot.histogram](#) can also be used for plotting barcharts except stacked barchart.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.link](#), [rc.plot.mHistogram](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.grColLegend *Plot Gradient Color Legend*

Description

Plot gradient color legend at given position.

Usage

```
rc.plot.grColLegend(x, y, cols, at=NULL, legend=at,
                     title='Color', width=0.1, height=0.3, gap=0,
                     direction=c('vertical', 'horizontal'), cex.text=1, cex.title=1)
```

Arguments

x, y	numeric values of coordinates where the legend is plotted. See details.
cols	a vector of colors.
at	integers; index legend text in the color vector cols. See details.
legend	character strings of legend text with the same length of vector at.
title	character string of the legend title.
width	numeric, width of the color legend bar.
height	numeric, height of the color legend bar.
gap	numeric, size of the gap between two color blocks.
direction	plot the color legend bar in either vertical or horizontal direction.
cex.text	numeric, magnitude of the legend text.
cex.title	numeric, magnitude of the legend title.

Details

x and y set the coordinates of bottom left starting point. The extremes of the user coordinates of the plotting region can be found out by `par('usr')`.

By default NULL, parameter at will be set as a vector with values 1, `ceiling(length(cols)/2)`, and `length(cols)`.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.link](#), [rc.plot.histogram](#)

Examples

#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.

rc.plot.heatmap *Plot Heat-map*

Description

Add multiple tracks of heat-map on a circos plot.

Usage

```
rc.plot.heatmap(Data, track.id, color.gradient=NULL,
track.color=NA, track.border=NULL, polygon.border=NULL)
```

Arguments

- | | |
|----------------|---|
| Data | matrix, data to be plotted. See Details. |
| track.id | integer, starting track id. |
| color.gradient | a vector of gradient colors. See details. |
| track.color | NA or color code for the track background. |
| track.border | the color to draw the track border. Use NA to omit borders. |
| polygon.border | the color to draw the polygon border. See explanation for polygon . |

Details

This function employs [rc.plot.histogram](#) to plot heat-map. Every row of Data will be plotted as heat-map in one track. The column names of Data must be the chromosome ids.

If color.gradient is not NULL, the data will be scaled to positive integers in the range of 1~length(color.gradient) to index the colors in vector color.gradient. If color.gradient isNULL, the input Data must be a matrix of colors or anything that can be converted to colors.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#)

Examples

#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.

rc.plot.histogram *Plot Histogram, Barchart or Heat-map*

Description

Add a track of histogram, barchart, or heat-map on a circos plot.

Usage

```
rc.plot.histogram(Data, track.id, data.col=NULL, color.col=NULL,  
color.gradient=NULL, fixed.height=FALSE, track.color=NA, track.border=NULL,  
polygon.border=NULL, custom.track.height=NULL, max.value=NULL)
```

Arguments

Data	data.frame, data to be plotted. See Details.
track.id	integer, in which track to plot.
data.col	integer, specifying the column that contains the data for plotting.
color.col	integer, specifying the column that contains the color.
color.gradient	a vector of gradient colors. See details.
fixed.height	logical, whether to fix the histogram height which results in heat-map. TRUE if data.col is bar.color.
track.color	NA or color code for the track background.
track.border	the color to draw the track border. Use NA to omit borders.
polygon.border	the color to draw the polygon border. See explanation for polygon .
custom.track.height	NULL or numeric, specifying customized track height to overwrite the default. See rc.get.params for default value.
max.value	NULL or numeric, specifying the maximum data value for normalization. Default NULL, get max from data column.

Details

Data must have at least three columns. The first three columns must be named as Chr, Start and End, specifying the chromosomes and positions for the start and end points of the links. Additional columns can be used to specify data and color.

If color.gradient is not NULL, color.col is ignored and the data will be scaled to positive integers in the range of 1~length(color.gradient) to index the colors in vector color.gradient.

For plotting stacked barcharts, use function [rc.plot.barchart](#) instead.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.link](#), [rc.plot.mHistogram](#), [rc.plot.barchart](#)

Examples

#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.

rc.plot.ideogram *Plot Ideogram*

Description

Add chromosome ideogram on circos plot.

Usage

```
rc.plot.ideogram(track.ids, plot.band=TRUE, plot.chromosome.id=TRUE,
chrom.alias=NULL, color.chromosome.id=NULL, cex.text=1, track.border=NULL,
polygon.border=NULL, las=0, custom.track.height=NULL)
```

Arguments

track.ids	vector, two integers specifying the two ticks for plotting chromosome name and cyto band respectively.
plot.band	logic, whether to plot ideogram cyto band.
plot.chromosome.id	logic, whether to plot chromosome id.
chrom.alias	NULL or a chromosome named vector of alias.
color.chromosome.id	NULL or a chromosome named vector of colors.
cex.text	numeric, scale of text.
track.border	the color to draw the track border. Use NA to omit borders.
polygon.border	the color to draw the polygon border. See explanation for polygon .
las	numeric in 0,1,2,3; the style of chromosome labels. 0, always parallel to the track [default]; 1, always horizontal; 2, always perpendicular to the track; 3, always vertical.
custom.track.height	NULL or numeric, specifying customized track height when plotting cyto band.

Author(s)

Minghui Wang <m.h.wang@live.com>

Examples

#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.

rc.plot.line*Plot Line*

Description

Plot lines at designated position.

Usage

```
rc.plot.line(Data, track.id, color.col=NULL, custom.length=NULL, arrow.length=0,  
arrow.angle=30, arrow.code=2, ...)
```

Arguments

Data	a data.frame. See Details.
track.id	a vector of integers, specifying the tracks for plotting line.
color.col	integer, specifying the column that contains the color.
custom.length	NULL or numeric, specifying line length.
arrow.length	length of the edges of the arrow head (in inches). See arrows
arrow.angle	angle from the shaft of the arrow to the edge of the arrow head. See arrows
arrow.code	integer code, determining kind of arrows to be drawn. See arrows
...	further graphical parameters (from par), such as lty and lwd.

Details

Data is a data.frame, with at least two columns named 'Chr' and 'Pos', specifying the chromosomal positioins for each line in every row. An additional column can be used to specify the line color. Default line length is determined by track height.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.track](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.link*Plot Link***Description**

Add a track of links on circos plot.

Usage

```
rc.plot.link(Data, track.id, data.col=NULL, color.col = NULL,
             max.lwd=1, sort.links=TRUE, arrow.length=0, arrow.angle=30, ...)
```

Arguments

<code>Data</code>	data.frame of at least four columns. See Details.
<code>track.id</code>	integer, the track number for plotting.
<code>data.col</code>	integer or character string, specifies the column of data.
<code>color.col</code>	integer or character string, specifies the column of colors.
<code>max.lwd</code>	integer, maximum line width.
<code>sort.links</code>	logical, whether to re-assign link start and end positions by sorting them. See details
<code>arrow.length</code>	length of the edges of the arrow head (in inches). See arrows
<code>arrow.angle</code>	angle from the shaft of the arrow to the edge of the arrow head. See arrows
<code>...</code>	further graphical parameters (from par), such as lty and lwd.

Details

Data must have at least four columns: Chr1, Pos1, Chr2 and Pos2, specifying the chromosomes and positions for the start and end points of the links. Additional columns may be used to specify the data, color and max line width.

If `data.col` is not `NULL`, the line width will be proportional to the values in column `data.col` with the maximum line width determined by `max.lwd`.

If `sort.links` is true, the links originate from the same chromosome will be sorted and equally spaced to minimize crossing.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.ribbon](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.mHistogram *Plot Histogram or Barplot Across Chromosomes*

Description

Plot histogram or barplot that overlaps with multiple chromosomes.

Usage

```
rc.plot.mHistogram(Data, track.id, data.col, color.col=NULL, color.gradient=NULL,
  fixed.height=FALSE, track.color=NA, track.border=NULL, polygon.border=NULL,
  custom.track.height=NULL, max.value=NULL)
```

Arguments

Data	data.frame of at least four columns. See Details.
track.id	integer, the track number for plotting.
data.col	integer or character string, specifies the column of data.
color.col	integer or character string, specifies the column of colors.
color.gradient	a vector of gradient colors.
fixed.height	logical, whether to fix the histogram height, resulting in heat-map if TRUE.
track.color	NA or color code for the track background.
track.border	the color to draw the track border. Use NA to omit borders.
polygon.border	the color to draw the polygon border. See explanation for polygon .
custom.track.height	NULL or numeric, specifying customized track height to overwrite the default. See rc.get.params for default value.
max.value	NULL or numeric, specifying the maximum data value for normalization. Default NULL, get max from data column data.col.

Details

Data must have at least four columns: Chr1, Start1, Chr2 and End2, specifying the chromosomes and positions for the start and end points. Additional columns may be used to specify the data, color, etc.

If color.gradient is not NULL, it will supersede color.col.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.link](#), [rc.plot.histogram](#)

Examples

#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.

rc.plot.point

Plot Point

Description

Plot point(s) at designated position.

Usage

`rc.plot.point(Data, track.id, color.col=NULL, custom.track.height=NULL, ...)`

Arguments

- | | |
|----------------------------------|--|
| <code>Data</code> | a data.frame. See Details. |
| <code>track.id</code> | a vector of integers, specifying the tracks for plotting point(s). |
| <code>color.col</code> | column id in Data specifying the colors. |
| <code>custom.track.height</code> | NULL or numeric, specifying customized track height. |
| <code>...</code> | further graphical parameters (from <code>par</code>). |

Details

Data is a data.frame with at least two columns named 'Chr', 'Pos', and 'Height', specifying the chrosomal positoin and the height within the track of the points. "Height" will be scaled to have a maximum of 1.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.track](#)

Examples

#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.

rc.plot.ribbon *Plot Ribbon*

Description

Add a track of ribbons on circos plot.

Usage

```
rc.plot.ribbon(Data, track.id, color.col = NULL, twist=FALSE)
```

Arguments

Data	data.frame of at least six columns. See Details.
track.id	integer, the track number for plotting.
color.col	integer or character string, specifies the column of colors.
twist	logic, whehter to twist the ribbon.

Details

Data must have at least six columns: Chr1, Start1, End1, Chr2, Start2 and End2, specifying the chromosomes and positions for the start and end points of the ribbons. Additional columns may be used to specify the color.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.link](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.text*Plot Text*

Description

Plot text labels at designated position.

Usage

```
rc.plot.text(Data, track.id, col='black', custom.track.height=NULL, ...)
```

Arguments

<code>Data</code>	a data.frame. See Details.
<code>track.id</code>	a vector of integers, specifying the tracks for plotting text.
<code>col</code>	a vector of color for the text.
<code>custom.track.height</code>	NULL or numeric, specifying customized track height.
<code>...</code>	further graphical parameters (from par), such as srt and family.

Details

`Data` is a data.frame with at least three columns named 'Chr', 'Pos', and 'Label', specifying the chrosomal positoin and text labels.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.track](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.track *Plot Track*

Description

Add a track to a circos plot.

Usage

```
rc.plot.track(track.id, border='black', col=NA, custom.track.height=NULL)
```

Arguments

track.id	integer, track id.
border	the color to draw the track border. Use NA to omit borders.
col	NA or color code for the track background.
custom.track.height	NULL or numeric, specifying customized track height. See details.

Details

custom.track.height sets customized track height, which will be useful for track(s) requiring bigger/smaller height than default.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.mHistogram](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

rc.plot.track.id *Plot Track Id*

Description

Plot labels in designated tracks.

Usage

```
rc.plot.track.id(track.id, labels=NULL, degree=0,  
col='black', custom.track.height=NULL, ...)
```

Arguments

track.id	a vector of integers, specifying the tracks for plotting id.
labels	NULL or a vector of character string, specifying the text to be written.
degree	the angle of the arc rotation.
col	color for the text.
custom.track.height	NULL or numeric, specifying customized track height.
...	further graphical parameters (from par), such as srt and family.

Details

If labels is NULL, values of track.id will be used as text labels.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.plot.histogram](#), [rc.plot.track](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

`rc.reset.params` *Reset Circos Plot Parameters*

Description

Reset parameters for Circos plot.

Usage

```
rc.reset.params(params)
```

Arguments

`params` list.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

[rc.initialize](#), [rc.get.params](#)

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

`rc.track.pos` *Get Track Positions*

Description

Calculate inner and outer radius of a track.

Usage

```
rc.track.pos(track.id)
```

Arguments

`track.id` integer, number of the track from the outermost.

Value

A vector with two radius values: out.pos and in.pos.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

`rc.initialize`, `rc.reset.params`

Examples

```
#This is not to be run alone. Please see tutorial vignette("netweaver") for usage.
```

`ucsc.hg19.cytoband` *Human chromosome cytoband*

Description

Human chromosome cytoband information from UCSC (<http://genome.ucsc.edu/>).

Usage

```
data(ucsc.hg19.cytoband)
data(ucsc.hg38.cytoband)
```

Details

Cytoband is useful for drawing the chromosome ideograms for the genome. Two human cytoband datasets are provided in this package, corresponding to two genome versions hg19 and hg38. Each cytoband dataset is a five-column tab-delimited data.frame. Each row of the data describes the position of a cytogenetic band.

Author(s)

Minghui Wang <m.h.wang@live.com>

See Also

`rc.initialize`

Index

* **datasets**
 Modules, 5
 ucsc.hg19.cytoband, 26

arrows, 17, 18

ensemble_rank, 2

getrankp, 3

is.overlap, 4

Modules, 5, 6, 9

NetWeaver, 5

NetWeaver-package (NetWeaver), 5

par, 17, 18, 20, 22
polygon, 12, 14–16, 19

rc.get.coordinates, 7
rc.get.params, 8, 9, 12, 15, 19, 25
rc.get.trackCoordinates
 (rc.get.coordinates), 7
rc.initialize, 5–8, 8, 11, 25, 26
rc.plot.area, 11
rc.plot.barchart, 9, 12, 15, 16
rc.plot.grColLegend, 13
rc.plot.heatmap, 14
rc.plot.histogram, 9, 12, 14, 15, 17, 18,
 20–24
rc.plot.ideogram, 9, 16
rc.plot.line, 17
rc.plot.link, 9, 13, 14, 16, 18, 20, 21
rc.plot.mHistogram, 9, 13, 16, 19, 23
rc.plot.point, 20
rc.plot.ribbon, 9, 18, 21
rc.plot.text, 22
rc.plot.track, 17, 20, 22, 23, 24
rc.plot.track.id, 24
rc.reset.params, 7–9, 11, 25, 26

rc.track.pos, 25

ucsc.hg19.cytoband, 26
ucsc.hg38.cytoband
 (ucsc.hg19.cytoband), 26