

Package ‘dmutate’

October 13, 2022

Type Package

Title Mutate Data Frames with Random Variates

Version 0.1.3

Imports dplyr (>= 0.7.4), MASS

Depends methods

Suggests testthat

Maintainer Kyle T Baron <kylebtwin@imap.cc>

Description Work within the 'dplyr' workflow to add random variates to your data frame.

Variates can be added at any level of an existing column. Also, bounds can be specified for simulated variates.

URL <https://github.com/kylebaron/dmutate>

BugReports <https://github.com/kylebaron/dmutate/issues>

License GPL (>= 2)

RoxygenNote 7.1.1

Encoding UTF-8

NeedsCompilation no

Author Kyle T Baron [aut, cre, cph]

Repository CRAN

Date/Publication 2021-04-22 22:20:03 UTC

R topics documented:

as_idata	2
build_covform	2
covset	3
dmutate	5
mutate_random	5
rbinomial	6
rmvnorm	7

Index

8

as_idata*Create individual data frame from a covset object***Description**

Create individual data frame from a covset object

Usage

```
as_idata(.covset, .n)
```

Arguments

.covset	a covset object
.n	number of IDs to simulate

Examples

```
cov1 <- covset(Y ~ rbinomial(0.2), Z ~ rnorm(2,2))
as_idata(cov1, 10)
```

build_covform*Build a object or formula to use with covset.***Description**

`build_covform` formulates then parses a formula that can be used in a covset. `build_covobj` just assembles the object directly.

Usage

```
build_covform(
  var,
  dist,
  args,
  lower = NULL,
  upper = NULL,
  by = NULL,
  envir = parent.frame()
)
build_covobj(
  var,
  dist,
```

```

    args,
    upper = NULL,
    lower = NULL,
    by = NULL,
    envir = parent.frame()
)

```

Arguments

<code>var</code>	variable name, character
<code>dist</code>	distribution function name
<code>args</code>	character vector of arguments for <code>dist</code>
<code>lower</code>	lower limits for <code>var</code>
<code>upper</code>	upper limits for <code>var</code>
<code>by</code>	grouping variable
<code>envir</code>	environment for resolving symbols in expressions

Details

When length of `var` is greater than one, both `lower` and `upper` must be named vectors when specification is made. However, it is acceptable to specify nothing or to use unnamed limits when the lenght of `var` is 1.

Examples

```

build_covform("WT", "rnorm", c("mu = 80", "sd = 40"), lower = 40, upper = 140)
build_covform("WT", "rnorm", "80,40", lower = 40, upper = 140)

build_covobj("WT", "rnorm", "80,40", lower = 40, upper = 140)

```

<code>covset</code>	<i>Covobj and covset objects.</i>
---------------------	-----------------------------------

Description

`Covobj` and `covset` objects.

Create a set of covariates.

Usage

```

new_covobj(x, envir = parent.frame(), ...)

## S3 method for class 'covobj'
print(x, ...)

## S4 method for signature 'covobj'
as.list(x, ...)

## S4 method for signature 'covset'
as.list(x, ...)

## S3 method for class 'covset'
print(x, ...)

covset(..., envir = parent.frame())

rvset(...)

as.covset(x)

```

Arguments

x	a formula; may be quoted
envir	for formulae
...	formulae to use for the covset

Details

`rvset` is an alias for `covset`.

Examples

```

obj <- new_covobj(Y[0,80] ~ rnorm(20,50))

obj

as.list(obj)

a <- Y ~ runif(0,1)
b <- Z ~ rbeta(1,1)

set <- covset(a,b)

set

as.list(set)

```

dmutate	<i>mutate a data frame, adding random variables.</i>
---------	--

Description

mutate a data frame, adding random variables.

Apply formulae to a data frame

Usage

```
dmutate(data, ...)
```

Arguments

data	a data frame
...	formulae and other arguments for mutate_random

Examples

```
idata <- dplyr::data_frame(ID = 1:10)

dmutate(idata, y ~ rbinomial(0.5), wt ~ rnorm(mu, sd),
        envir = list(mu = 50, sd = 20))
```

mutate_random	<i>Add random variates to a data frame.</i>
---------------	---

Description

Add random variates to a data frame.

Usage

```
mutate_random(data, input, ...)

## S4 method for signature 'data.frame,formula'
mutate_random(data, input, ...)

## S4 method for signature 'data.frame,character'
mutate_random(data, input, envir = parent.frame(), ...)

## S4 method for signature 'data.frame,list'
mutate_random(data, input, ...)
```

```
## S4 method for signature 'data.frame,covset'
mutate_random(data, input, ...)

## S4 method for signature 'data.frame,covobj'
mutate_random(data, input, envir = parent.frame(), ...)
```

Arguments

<code>data</code>	the <code>data.frame</code> to mutate
<code>input</code>	an unquoted R formula; see details
<code>...</code>	additional inputs
<code>envir</code>	environment for object lookup

Examples

```
data <- data.frame(ID=1:10, GROUP = sample(c(1,2,3),10,replace=TRUE))

mutate_random(data, AGE[40,90] ~ rnorm(55,50))
mutate_random(data, RE ~ rbeta(1,1) | GROUP)

e <- list(lower=40,upper=140,mu=100,sd=100)

egfr <- covset(EGFR[lower,upper] ~ rnorm(mu,sd))

mutate_random(data,egfr,envir=e)
```

`rbinomial`

Simulate from binomial distribution.

Description

Wrapper for `rbinom` with trial size of 1.

Usage

```
rbinomial(n, p, ...)
rbern(n, p, ...)
```

Arguments

<code>n</code>	number of variates
<code>p</code>	probability of success
<code>...</code>	passed along as appropriate

Details

The size of each trial is always 1.

rmvnorm	<i>Simulate from multivariate normal distribution.</i>
---------	--

Description

Simulate from multivariate normal distribution.

Usage

```
rmvnorm(n, mu, Sigma)  
rlmvnorm(n, ...)  
rmassnorm(n, ...)  
rlmassnorm(n, ...)
```

Arguments

n	number of variates
mu	vector of means
Sigma	variance-covariance matrix with number of columns equal to length of mu
...	arguments passed to rmvnorm

Details

`rlmvnorm` is a multivariate log normal.

`rmassnorm` and `rlmassnorm` simulate the multivariate normal using the MASS package.

Value

Returns a matrix of variates with number of rows equal to n and number of columns equal to length of mu.

Index

as.covset (covset), 3
as.list, covobj-method (covset), 3
as.list, covset-method (covset), 3
as_idata, 2

build_covform, 2
build_covobj (build_covform), 2

covset, 3

dmutate, 5

mutate_random, 5, 5
mutate_random, data.frame, character-method
 (mutate_random), 5
mutate_random, data.frame, covobj-method
 (mutate_random), 5
mutate_random, data.frame, covset-method
 (mutate_random), 5
mutate_random, data.frame, formula-method
 (mutate_random), 5
mutate_random, data.frame, list-method
 (mutate_random), 5

new_covobj (covset), 3

print.covobj (covset), 3
print.covset (covset), 3

rbern (rbinomial), 6
rbinom, 6
rbinomial, 6
rlmassnorm (rmvnorm), 7
rlmvnorm (rmvnorm), 7
rmassnorm (rmvnorm), 7
rmvnorm, 7
rvset (covset), 3