

Package ‘ltc’

January 16, 2026

Title Collection of Artistic and Nature-Inspired Color Palettes

Version 0.3.0

Description Offers a variety of color palettes inspired by art, nature, and personal inspirations. Each palette is accompanied by a unique backstory, enriching the understanding and significance of the colors.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.3

URL <https://github.com/loukesio/ltc-color-palettes>

BugReports <https://github.com/loukesio/ltc-color-palettes/issues>

Imports grDevices, ggplot2, ggforce, dplyr, colorspace, crayon

Language en-US

Suggests spelling

NeedsCompilation no

Author Loukas Theodosiou [aut, cre] (ORCID:
<<https://orcid.org/0000-0001-6418-4652>>),
Kristian Ullrich [aut] (ORCID: <<https://orcid.org/0000-0003-4308-9626>>)

Maintainer Loukas Theodosiou <theodosiou@evolbio.mpg.de>

Repository CRAN

Date/Publication 2026-01-16 11:30:20 UTC

Contents

| | |
|-----------------------------|---|
| adjust_ltc | 2 |
| bird | 3 |
| custom_adjust_ltc | 3 |
| desaturate_ltc | 4 |
| info | 5 |
| ltc | 5 |
| plot.ltc | 6 |
| print.ltc | 7 |

| | |
|------------|---|
| adjust_ltc | <i>Adjust Lightness of Palette Colors</i> |
|------------|---|

Description

Darken or lighten an entire palette or specific colors within it. Uses the colorspace package for perceptually uniform adjustments.

Usage

```
adjust_ltc(palette_name, amount = 0, which = NULL)
```

Arguments

| | |
|--------------|---|
| palette_name | Character or unquoted name. Name of the ltc palette to adjust. |
| amount | Numeric. Amount to adjust lightness (-100 to 100). Negative values darken, positive values lighten. Default is 0 (no change). |
| which | Integer vector. Which colors to adjust (e.g., c(1, 3) for 1st and 3rd). If NULL (default), adjusts all colors. |

Value

A vector of adjusted hex color codes with class "ltc"

Examples

```
# Darken entire palette
adjust_ltc(alger, amount = -20)

# Lighten entire palette
adjust_ltc("maya", amount = 30)

# Darken only specific colors
adjust_ltc(remains, amount = -25, which = c(2, 4))
```

| | |
|------|--|
| bird | <i>Plot a Colour Palette as a Bird</i> |
|------|--|

Description

Visualizes a selected colour palette in the form of a bird drawing. Requires at least 5 colors in the palette.

Usage

```
bird(chrom)
```

Arguments

| | |
|-------|-----------------------|
| chrom | An ltc palette object |
|-------|-----------------------|

Value

A ggplot2 object showing a bird drawing using the selected colours.

Examples

```
# Create a bird visualization
pal <- ltc(paloma)
bird(pal)
```

| | |
|-------------------|--|
| custom_adjust_ltc | <i>Create Custom Palette with Individual Color Adjustments</i> |
|-------------------|--|

Description

Apply different lightness adjustments to each color in a palette.

Usage

```
custom_adjust_ltc(palette_name, adjustments)
```

Arguments

| | |
|--------------|---|
| palette_name | Character or unquoted name. Name of the ltc palette. |
| adjustments | Numeric vector. Lightness adjustments for each color (-100 to 100). Length must match the palette length. |

Value

A vector of adjusted hex color codes with class "ltc"

Examples

```
# Different adjustment for each color
custom_adjust_ltc(remains, c(-30, 0, 40, 0))

# Create gradient effect
custom_adjust_ltc("maya", c(-40, -20, 0, 20, 40))
```

desaturate_ltc

Desaturate Palette Colors

Description

Reduce color saturation (make colors more gray).

Usage

```
desaturate_ltc(palette_name, amount = 0.5, which = NULL)
```

Arguments

palette_name Character or unquoted name. Name of the ltc palette.

amount Numeric. Desaturation amount (0 to 1). 0 = no change, 1 = completely gray.

which Integer vector. Which colors to desaturate. If NULL (default), affects all colors.

Value

A vector of desaturated hex color codes with class "ltc"

Examples

```
# Desaturate entire palette
desaturate_ltc(luminaries, amount = 0.5)

# Desaturate only specific colors
desaturate_ltc("heatmap2", amount = 0.7, which = c(1, 2))
```

| | |
|------|--|
| info | <i>Information about the Colour Palettes</i> |
|------|--|

Description

This dataframe contains the backstory or inspiration behind each color palette.

Usage

```
info
```

Format

An object of class `data.frame` with 31 rows and 2 columns.

| | |
|-----|--------------------------------|
| ltc | <i>List of colour palettes</i> |
|-----|--------------------------------|

Description

A list containing predefined colour palettes with artistic backstories.

This function provides the desired colour palette by name. You can call it with or without quotes: `ltc(paloma)` or `ltc("paloma")`

Usage

```
palettes
```

```
ltc(name, n, type = c("discrete", "continuous"))
```

Arguments

| | |
|------|---|
| name | Character or unquoted name. The name of the desired palette. |
| n | Integer. The number of colors you want from the palette. If omitted, it uses all colors from the palette. |
| type | The type of palette. Either "discrete" or "continuous". |

Format

An object of class `list` of length 31.

Details

ltc: A Collection of Art-inspired Colour Palettes

This package provides a collection of color palettes inspired by art, nature, and personal preferences. Each palette has a backstory, providing context and meaning to the colors.

Value

A vector of hex color codes with class "ltc"

Examples

```
# Load a palette (with or without quotes)
ltc(paloma)
ltc("maya")

# Select first 3 colors
ltc(maya, n = 3)

# Generate continuous palette
ltc(remains, n = 10, type = "continuous")
```

plot.ltc

Plot a Colour Palette

Description

Visualizes a selected colour palette as a bar of colours.

Usage

```
## S3 method for class 'ltc'
plot(x, ...)
```

Arguments

| | |
|-----|--|
| x | An ltc palette object |
| ... | Additional arguments (currently unused). |

Value

A ggplot2 object showing the selected colours.

Examples

```
# Create and plot a palette
pal <- ltc(paloma)
plot(pal)
```

| | |
|------------------------|-------------------------------------|
| <code>print.ltc</code> | <i>Print Method for ltc Objects</i> |
|------------------------|-------------------------------------|

Description

Custom print method that displays the palette name followed by hex color codes with actual colors visible in the console.

Usage

```
## S3 method for class 'ltc'  
print(x, ...)
```

Arguments

| | |
|------------------|---|
| <code>x</code> | An ltc palette object |
| <code>...</code> | Additional arguments (currently unused) |

Value

Invisibly returns the palette object

Index

* datasets

info, 5

ltc, 5

adjust_ltc, 2

bird, 3

custom_adjust_ltc, 3

desaturate_ltc, 4

info, 5

ltc, 5

palettes (ltc), 5

plot.ltc, 6

print.ltc, 7