

Package ‘maSAE’

October 13, 2022

Type Package

Title Mandallaz' Model-Assisted Small Area Estimators

Version 2.0.3

Description An S4 implementation of the unbiased extension of the model-assisted synthetic-regression estimator proposed by Mandallaz (2013) <[DOI:10.1139/cjfr-2012-0381](https://doi.org/10.1139/cjfr-2012-0381)>, Mandallaz et al. (2013) <[DOI:10.1139/cjfr-2013-0181](https://doi.org/10.1139/cjfr-2013-0181)> and Mandallaz (2014) <[DOI:10.1139/cjfr-2013-0449](https://doi.org/10.1139/cjfr-2013-0449)>. It yields smaller variances than the standard bias correction, the generalised regression estimator.

License BSD_2_clause + file LICENSE

URL <https://gitlab.com/fvafrCU/maSAE>

Depends R (>= 3.6.0)

Imports methods, stats

Suggests devtools, forestinventory, JoSAE, knitr, microbenchmark, nlme, pkgload, rmarkdown, rprojroot, rsae, RUnit, R.rsp, sae, testthat

VignetteBuilder utils, knitr, R.rsp

RoxygenNote 7.1.1

NeedsCompilation no

Author Andreas Dominik Cullmann [aut, cre],
Daniel Mandallaz [ctb],
Alexander Francis Massey [ctb]

Maintainer Andreas Dominik Cullmann <fvafrcu@mailbox.org>

Repository CRAN

Date/Publication 2021-04-12 09:40:02 UTC

R topics documented:

maSAE-package	2
predict	3

s0	5
s1	5
s2	6
sadObj-class	7
saeObj-class	8
saObj	9

Index**11**

maSAE-package*Mandallaz' Model-Assisted Small Area Estimators*

Description

An S4 implementation of the unbiased extension of the model-assisted' synthetic-regression estimator proposed by Mandallaz (2013), Mandallaz et al. (2013) and Mandallaz (2014). It yields smaller variances than the standard bias correction, the generalised regression estimator.

Details

This package provides Mandallaz' extended synthetic-regression estimator for two- and three-phase sampling designs with or without clustering.
 See vignette("maSAE", package = "maSAE") and demo("maSAE", package = "maSAE") for introductions, "[class?maSAE::saeObj](#)" and "[?maSAE::predict](#)" for help on the main feature.

Note

Model-assisted estimators use models to improve the efficiency (i.e. reduce prediction error compared to design-based estimators) but need not assume them to be correct as in the model-based approach, which is advantageous in official statistics.

References

- Mandallaz, D. 2013 Design-based properties of some small-area estimators in forest inventory with two-phase sampling. *Canadian Journal of Forest Research* **43**(5), pp. 441–449. doi: [10.1139/cjfr20120381](#).
- Mandallaz, and Breschan, J. and Hill, A. 2013 New regression estimators in forest inventories with two-phase sampling and partially exhaustive information: a design-based Monte Carlo approach with applications to small-area estimation. *Canadian Journal of Forest Research* **43**(11), pp. 1023–1031. doi: [10.1139/cjfr20130181](#).
- Mandallaz, D. 2014 A three-phase sampling extension of the generalized regression estimator with partially exhaustive information. *Canadian Journal of Forest Research* **44**(4), pp. 383–388. doi: [10.1139/cjfr20130449](#).

See Also

There are a couple packages for model-**based** small area estimation, see `sae`, `rsaes`, `hbsae` and `JosAE`. In 2016, Andreas Hill published `forestinventory`, another implementation of Mandallaz' model-assisted small area estimators (see `vignette("forestinventory_and_maASE", package = "maSAE")` for a comparison).

Examples

```
## Not run:  
vignette("maSAE", package = "maSAE")  
  
## End(Not run)  
## Not run:  
demo("design", package = "maSAE")  
  
## End(Not run)  
## Not run:  
demo("maSAE", package = "maSAE")  
  
## End(Not run)
```

predict

Methods for Function predict

Description

Calculate small area predictions and their variances.

Usage

```
predict(object, ...)  
  
## S4 method for signature 'sadObj'  
predict(object)  
  
## S4 method for signature 'saeObj'  
predict(object, version = NULL, use_lm = NA)
```

Arguments

- | | |
|---------|--|
| object | a model object for which prediction is desired. |
| ... | Arguments to be passed to methods. |
| version | set to "1.0.0" or set options(maSAE_version = "1.0.0") to use the functions from maSAE 1.0.0. See NEWS.md for 2.0.0. |
| use_lm | Rather for internal use, stick with the default. |

Details

Based on the structure of the `saeObj` given, `predict` decides, which predictor to use:

- If a `smallAreaMeans-data.frame` covering all fixed effects is given, the exhaustive estimator $\hat{y}_{g,synth}$ is calculated.
- If a `smallAreaMeans-data.frame` not covering all fixed effects is given, the partially exhaustive estimator $\hat{y}_{g,greg}$ is calculated.
- If no `smallAreaMeans-data.frame` but `s1` is given, the three-phase estimator $\hat{y}_{g,g3reg}$ is calculated.
- If neither `smallAreaMeans` nor `s1` are given, the non-exhaustive estimator $\hat{y}_{g,psynth}$ is calculated.
- If a clustering variable is given, the cluster sampling design equivalents of the above estimators are used.
- If `version` is not set to "1.0.0", the (pseudo) small and synthetic estimations and their variances are also calculated (see `vignette("A_Taxonomy_of_Estimators", package = "maSAE")`)

Value

A data frame containing predictions and variances for each small area, see **Details** above.

Methods

```
signature(object = saeObj) Calculate predictions and variances according to the auxiliary information given, see Details above.

signature(object = sadObj) Calculate design-based predictions and variances.
```

See Also

`vignette(package = "maSAE")`

Examples

```
## ## design-based estimation
## load data
data("s2", package = "maSAE")
## create object
sae0 <- maSAE::sa0bj(data = s2, f = y ~ NULL | g)
## design-based estimation for all small areas given by g
maSAE::predict(sae0)
## ## model-assisted estimation
## load data
data("s1", "s2", package = "maSAE")
str(s1)
s12 <- maSAE::bind_data(s1, s2)
## create object
sae0 <- maSAE::sa0bj(data = s12, f = y ~ x1 + x2 + x3 | g, s2 = "phase2")
## small area estimation
maSAE::predict(sae0)
```

s0*Example s0 Data Set*

Description

Artificial null phase sampling data used for examples in **maSAE**.

Usage

```
data(s0, package = "maSAE")
```

Format

A data frame with 9008 observations on the following 6 variables.

Details

clustid See "[?maSAE::s2](#)"
x1 See "[?maSAE::s2](#)"
x2 See "[?maSAE::s2](#)"
x3 See "[?maSAE::s2](#)"
inclusion See "[?maSAE::s2](#)"
g See "[?maSAE::s2](#)"

s1*Example s1 Data Set*

Description

Artificial first phase sampling data used for examples in **maSAE**.

Usage

```
data(s1, package = "maSAE")
```

Format

A data frame with 786 observations on the following 6 variables.

Details

clustid See "[?maSAE::s2](#)"
 x1 See "[?maSAE::s2](#)"
 x2 See "[?maSAE::s2](#)"
 x3 See "[?maSAE::s2](#)"
 inclusion See "[?maSAE::s2](#)"
 g See "[?maSAE::s2](#)"

s2

Example s2 Data Set

Description

Artificial second phase sampling data used for examples in **maSAE**.

Usage

```
data(s2, package = "maSAE")
```

Format

A data frame with 206 observations on the following 7 variables.

Details

clustid index giving the clusters.
 x1 a potential fixed effect.
 x2 another potential fixed effect.
 x3 yet another potential fixed effect.
 y the predictand
 inclusion a logical vector indicating whether or not to include the current observation. All TRUE.
 g A factor defining the small areas ‘a’ and ‘b’

sadObj-class *Small Area Design-based Objects*

Description

A class for design-based estimation only.

Details

See "[saeObj](#)". The fixed effects part of f has to be NULL: design-based estimation knows no fixed effects.

Slots

data See "[saeObj](#)".
f See "[saeObj](#)".
cluster See "[saeObj](#)".
include See "[saeObj](#)".

Extends

Class "[savObj](#)", directly.

Objects from the Class

Objects can be created by calls of the form `new("sadObj", ...)` or via the constructor function "[?maSAE::saObj](#)".

Methods

`predict`

Note

The slots are described in "[class?maSAE::saeObj](#)", since this is the main class of the package.

See Also

["saeObj"](#) ["?maSAE::saObj"](#)

Other classes: [characterOrNULL-class](#), [saeObj-class](#), [savObj-class](#)

Examples

```
showClass("sadObj")
```

Description

Class for small area estimation, the one you're probably looking for.

Details

`cluster` optionally gives the name of a variable in slot `data` from which the cluster information for clustered sample designs is to be read. See Manadallaz 2013, p. 445 for Details.

`include` optionally gives the name of a variable in slot `data` from which the inclusion indicator for cluster points is to be read. See Manadallaz 2013, p. 445 for Details on I_f .

Also see the **Details** for [predict](#).

Slots

`smallAreaMeans` An *optional* "data.frame" giving the true means of fixed effects for the small areas. Must have a column with the random effect defining the small areas in slot `data`.

`s1` An *optional* "character" string giving the name of a variable in slot `data` indicating that an observation (a row in slot `data`) belongs to subset 1.

`s2` An *optional* "character" string giving the name of a variable in slot `data` indicating that an observation (a row in slot `data`) belongs to subset 2.

`data` Object of class "data.frame" to use for prediction, typically consisting of a predictand and one or more predictors (zero or more fixed effects and one random effect defining the small areas). See **Details** for optional clustering variable and/or inclusion indicator.

`f` Object of class "formula" a linear mixed effects model formula.

`cluster` An *optional* "character" string giving the name of the clustering variable in slot `data`.

`include` An *optional* "character" string giving the name of the inclusion indicator in slot `data`.

`auxiliaryWeights` An *optional* "character" string giving the name of the auxiliary weights in slot `data`. You will need it, if your auxiliary data does not have full spatial support for each observation (for example when a shapefile does not completely cover all grid cells used to compute auxiliary data on). See `vignette("forestinventory_vignette", package = "forestinventory")` for details.

Extends

Class "[savObj](#)", directly.

Objects from the Class

Objects can be created by calls of the form `new("saeObj", ...)` or via the constructor function "[?maSAE::saObj](#)" (recommended).

Methods

[predict](#)

References

Mandalaz, D. 2013 Design-based properties of some small-area estimators in forest inventory with two-phase sampling. *Canadian Journal of Forest Research* **43**(5), pp. 441–449. doi: [10.1139/cjfr20120381](#).

See Also

["?stats::formula"](#), ["class?maSAE::saObj"](#), ["class?maSAE::savObj"](#), ["?maSAE::saObj"](#) and ["?maSAE::predict"](#)

Other classes: [characterOrNULL-class](#), [sadObj-class](#), [savObj-class](#)

Examples

```
showClass("saeObj")
```

saObj

A Constructor for Objects of Class sadObj and saeObj

Description

Simple wrapper to new("sa[de]Obj"). If missing, it adds an inclusion variable to data; it checks for missing in the clustering variable. Adds comments documenting changes made to the returned object.

Usage

```
saObj(  
  data,  
  f,  
  smallAreaMeans = NULL,  
  s1 = NULL,  
  s2 = NULL,  
  cluster = NULL,  
  include = NULL,  
  auxiliaryWeights = NULL  
)
```

Arguments

data See "[saeObj](#)".
f a linear mixed effects formula, but see **Value**.
smallAreaMeans See "[saeObj](#)".

s1	See " saeObj ".
s2	See " saeObj ".
cluster	See " saeObj ".
include	See " saeObj ".
auxiliaryWeights	See " saeObj ".

Value

An object of class `sadObj` if `f` is of structure ‘`x ~ NULL | g`’, an object of class `saeObj` otherwise.

See Also

["saeObj"](#), ["sadObj"](#).

Examples

```
## load data
data("s2", package = "maSAE")
## create sadObj object
sad <- maSAE::saObj(data = s2, f = y ~ NULL | g)
class(sad)
## create saeObj object
s2$s2 <- TRUE
sae <- maSAE::saObj(data = s2, f = y ~ x1 + x2 + x3 | g, s2 = "s2")
class(sae)
```

Index

- * **classes**
 - sad0bj-class, [7](#)
 - sae0bj-class, [8](#)
- * **datasets**
 - s0, [5](#)
 - s1, [5](#)
 - s2, [6](#)
- * **methods**
 - predict, [3](#)
- * **package**
 - maSAE-package, [2](#)
 - ?maSAE::predict, [2, 9](#)
 - ?maSAE::s2, [5, 6](#)
 - ?maSAE::sa0bj, [7–9](#)
 - ?stats::formula, [9](#)
- class?maSAE::sae0bj, [2, 7](#)
- class?maSAE::sa0bj, [9](#)
- class?maSAE::sav0bj, [9](#)
- forestinventory, [3](#)
- JoSAE, [3](#)
- maSAE-package, [2](#)
- predict, [3, 7–9](#)
- predict,sad0bj-method (predict), [3](#)
- predict,sae0bj-method (predict), [3](#)
- predict-methods (predict), [3](#)
- rsaee, [3](#)
- s0, [5](#)
- s1, [5](#)
- s2, [6](#)
- sad0bj, [10](#)
- sad0bj-class, [7](#)
- sae, [3](#)
- sae0bj, [7, 9, 10](#)
- sae0bj-class, [8](#)