

Package ‘mvna’

October 13, 2022

Title Nelson-Aalen Estimator of the Cumulative Hazard in Multistate Models

Version 2.0.1

Author Arthur Allignol

Description Computes the Nelson-Aalen estimator of the cumulative transition hazard for arbitrary Markov multistate models <ISBN:978-0-387-68560-1>.

Maintainer Arthur Allignol <arthur.allignol@gmail.com>

License MIT + file LICENSE

Imports lattice

NeedsCompilation yes

Repository CRAN

Date/Publication 2017-09-11 23:21:40 UTC

R topics documented:

abortion	2
lines.mvna	2
mvna	4
plot.mvna	6
predict.mvna	8
print.mvna	10
sir.adm	11
sir.cont	12
summary.mvna	14
xyplot.mvna	15

Index

17

abortion	<i>Pregnancies exposed to coumarin derivatives</i>
----------	--

Description

Outcomes of pregnancies exposed to coumarin derivatives. The aim is to investigate whether exposure to coumarin derivatives increases the probability of spontaneous abortions. Apart from spontaneous abortion, pregnancy may end in induced abortion or live birth. Moreover, data are left-truncated as women usually enter the study several weeks after conception.

Usage

```
data(abortion)
```

Format

A data frame with 1186 observations on the following 5 variables.

id Identification number

entry Entry times into the cohort

exit Event times

group Group. 0: control, 1: exposed to coumarin derivatives

cause Cause of failure. 1: induced abortion, 2: life birth, 3: spontaneous abortion

Source

Meister, R. and Schaefer, C (2008). Statistical methods for estimating the probability of spontaneous abortion in observational studies – Analyzing pregnancies exposed to coumarin derivatives. *Reproductive Toxicology*, 26, 31–35

Examples

```
data(abortion)
```

lines.mvna	<i>Lines method for 'mvna' objects</i>
------------	--

Description

Lines method for mvna objects.

Usage

```
## S3 method for class 'mvna'
lines(x, tr.choice, col = 1, lty, conf.int = FALSE,
      level = 0.95, var.type = c("aalen", "greenwood"),
      ci.fun = c("log", "linear", "arcsin"), ci.col = col,
      ci.lty = 3, ...)
```

Arguments

<code>x</code>	An object of class <code>mvna</code> .
<code>tr.choice</code>	A character vector of the form <code>c("from to", "from to")</code> specifying which transitions should be displayed. By default, all the transition hazards are plotted.
<code>col</code>	A vector of colours. Default is black.
<code>lty</code>	A vector of line types. Default is <code>1:number of transitions</code> .
<code>conf.int</code>	Logical. Indicates whether to display pointwise confidence interval. Default is <code>FALSE</code> .
<code>level</code>	Level of the confidence interval. Default is 0.95.
<code>var.type</code>	Specifies the variance estimator that should be used to compute the confidence interval. One of "aalen" or "greenwood". Default is "aalen".
<code>ci.fun</code>	Specifies the transformation applied to the confidence interval. Choices are "linear", "log", "arcsin". Default is "log".
<code>ci.col</code>	Colours of the confidence interval lines. By default, <code>ci.col</code> equals <code>col</code> .
<code>ci.lty</code>	Line types for the confidence intervals. Default is 3.
<code>...</code>	Further arguments for <code>lines</code> .

Value

No value returned.

Author(s)

Arthur Allignol, <arthur.allignol@gmail.com>

See Also

[mvna](#), [plot.mvna](#)

Examples

```
data(sir.adm)

## data set transformation
data(sir.adm)
id <- sir.adm$id
from <- sir.adm$pneu
to <- ifelse(sir.adm$status==0,"cens",sir.adm$status+1)
times <- sir.adm$time
```

```

dat.sir <- data.frame(id,from,to,time=times)

## Possible transitions
tra <- matrix(ncol=4,nrow=4, FALSE)
tra[1:2,3:4] <- TRUE

na.pneu <- mvna(dat.sir,c("0","1","2","3"),
                 tra,"cens")

plot(na.pneu, tr.choice = c("0 2"), conf.int = TRUE,
     col = 1, lty = 1, legend = FALSE)

lines(na.pneu, tr.choice = c("1 2"), conf.int = TRUE,
      col = 2, lty = 1)

```

mvna

Nelson-Aalen estimator in multistate models

Description

This function computes the multivariate Nelson-Aalen estimator of the cumulative transition hazards in multistate models, that is, for each possible transition, it computes an estimate of the cumulative hazard.

Usage

```
mvna(data, state.names, tra, cens.name)
```

Arguments

data	A data.frame of the form data.frame(id,from,to,time) or (id,from,to,entry,exit)
id:	patient id
from:	the state from where the transition occurs
to:	the state to which a transition occurs
time:	time when a transition occurs
entry:	entry time in a state
exit:	exit time from a state
	This data.frame is transition-oriented, <i>i.e.</i> it contains one row per transition, and possibly several rows per patient. Specifying an entry and exit time permits to take into account left-truncation.
state.names	A vector of character giving the states names.
tra	A quadratic matrix of logical values describing the possible transitions within the multistate model.
cens.name	A character giving the code for censored observations in the column to of data. If there is no censored observations in your data, put NULL.

Details

This function computes the Nelson-Aalen estimator as described in Andersen et al. (1993), along with the two variance estimators described in eq. (4.1.6) and (4.1.7) of Andersen et al. (1993) at each transition time.

Value

Returns a list named after the possible transitions, *e.g.* if we define a multistate model with two possible transitions: from state 0 to state 1, and from state 0 to state 2, the returned list will have two parts named "0 1" and "0 2". Each part contains a data.frame with columns:

na	Nelson-Aalen estimates at each transition times.
var.aalen	Variance estimator given in eq. (4.1.6) of Andersen et al. (1993).
var.greenwood	Variance estimator given in eq. (4.1.7) of Andersen et al. (1993).
time	The transition times.

The list also contains:

time	All the event times.
n.risk	A matrix giving the number at individual at risk in the transient states just before an event.
n.event	An array which gives the number of transitions at each event times.
n.cens	A matrix giving the number a censored observations at each event times.
state.names	The same as in the function call.
cens.name	The same as in the function call.
trans	A data frame, with columns <code>from</code> and <code>to</code> , that gives the possible transitions.

Note

The variance estimator (4.1.6) may overestimate the true variance, and the one defined eq. (4.1.7) may underestimate the true variance (see Klein (1991) and Andersen et al. (example IV.1.1, 1993)), especially with small sample set. Klein (1991) recommends the use of the variance estimator of eq. (4.1.6, "aalen") because he found it to be less biased.

Author(s)

Arthur Allignol, <arthur.allignol@gmail.com>

References

- Andersen, P.K., Borgan, O., Gill, R.D. and Keiding, N. (1993). *Statistical models based on counting processes*. Springer Series in Statistics. New York, NY: Springer.
- Beyersmann J, Allignol A, Schumacher M: Competing Risks and Multistate Models with R (Use R!), Springer Verlag, 2012 (Use R!)
- Klein, J.P. Small sample moments of some estimators of the variance of the Kaplan-Meier and Nelson-Aalen estimators. *Scandinavian Journal of Statistics*, 18:333–340, 1991.

See Also

[sir.adm](#),[sir.cont](#)

Examples

```
data(sir.cont)

# Modification for patients entering and leaving a state
# at the same date
sir.cont <- sir.cont[order(sir.cont$id, sir.cont$time), ]
for (i in 2:nrow(sir.cont)) {
  if (sir.cont$id[i]==sir.cont$id[i-1]) {
    if (sir.cont$time[i]==sir.cont$time[i-1]) {
      sir.cont$time[i-1] <- sir.cont$time[i-1] - 0.5
    }
  }
}

# Matrix of logical giving the possible transitions
tra <- matrix(ncol=3,nrow=3, FALSE)
tra[1, 2:3] <- TRUE
tra[2, c(1, 3)] <- TRUE

# Computation of the Nelson-Aalen estimates
na <- mvna(sir.cont,c("0","1","2"),tra,"cens")

# plot
if (require(lattice))
xyplot(na)

### example with left-truncation
data(abort)

# Data set modification in order to be used by mvna
names(abort) <- c("id", "entry", "exit", "from", "to")
abort$to <- abort$to + 1

## computation of the matrix giving the possible transitions
tra <- matrix(FALSE, nrow = 5, ncol = 5)
tra[1:2, 3:5] <- TRUE

na.abort <- mvna(abort, as.character(0:4), tra, NULL)

plot(na.abort, tr.choice = c("0 4", "1 4"),
     curvlab = c("Control", "Exposed"),
     bty = "n", legend.pos = "topleft")
```

Description

Plot method for an object of class `mvna`. This function plots estimates of the cumulative transition hazards in one panel.

Usage

```
## S3 method for class 'mvna'
plot(x, tr.choice, xlab = "Time",
      ylab = "Cumulative Hazard", col = 1, lty, xlim, ylim,
      conf.int = FALSE, level = 0.95,
      var.type = c("aalen", "greenwood"),
      ci.fun = c("log", "linear", "arcsin"),
      ci.col = col, ci.lty = 3,
      legend = TRUE, legend.pos, curvlab, legend.bty = "n", ...)
```

Arguments

<code>x</code>	An object of class <code>mvna</code> .
<code>tr.choice</code>	A character vector of the form <code>c("from to", "from to")</code> specifying which transitions should be plotted. Default, all the cumulative transition hazards are plotted.
<code>xlab</code>	x-axis label. Default is "Time".
<code>ylab</code>	y-axis label. Default is "Cumulative Hazard".
<code>col</code>	Vector of colour. Default is black.
<code>lty</code>	Vector of line type. Default is 1:number of transitions
<code>xlim</code>	Limits of x-axis for the plot
<code>ylim</code>	Limits of y-axis for the plot
<code>conf.int</code>	Logical. Whether to display pointwise confidence intervals. Default is FALSE.
<code>level</code>	Level of the pointwise confidence intervals. Default is 0.95.
<code>var.type</code>	A character vector specifying the variance that should be used to compute the pointwise confidence intervals. Choices are "aalen" or "greenwood". Default is "aalen".
<code>ci.fun</code>	One of "log", "linear" or "arcsin". Indicates which transformation to apply to the confidence intervals.
<code>ci.col</code>	Colour for the confidence intervals. By default, the colour specified by <code>col</code> is used.
<code>ci.lty</code>	Line type for the confidence intervals. Default is 3.
<code>legend</code>	A logical specifying if a legend should be added
<code>legend.pos</code>	A vector giving the legend's position. See legend for further details.
<code>curvlab</code>	A character or expression vector to appear in the legend. Default is the name of the transitions.
<code>legend.bty</code>	Box type for the legend.
<code>...</code>	Further arguments for plot method.

Details

This plot method permits to draw several cumulative transition hazards on the same panel.

Value

No value returned

Author(s)

Arthur Allignol <arthur.allignol@gmail.com>

See Also

[mvna](#)

Examples

```
data(sir.cont)

# Modification for patients entering and leaving a state
# at the same date
sir.cont <- sir.cont[order(sir.cont$id, sir.cont$time), ]
for (i in 2:nrow(sir.cont)) {
  if (sir.cont$id[i]==sir.cont$id[i-1]) {
    if (sir.cont$time[i]==sir.cont$time[i-1]) {
      sir.cont$time[i-1] <- sir.cont$time[i-1] - 0.5
    }
  }
}

tra <- matrix(ncol=3,nrow=3, FALSE)
tra[1, 2:3] <- TRUE
tra[2, c(1, 3)] <- TRUE

na.cont <- mvna(sir.cont,c("0","1","2"),tra,"cens")

plot(na.cont, tr.choice=c("0 2", "1 2"))
```

predict.mvna

Calculates Nelson-Aalen estimates at specified time-points

Description

This function gives the Nelson-Aalen estimates at time-points specified by the user.

Usage

```
## S3 method for class 'mvna'
predict(object, times, tr.choice, level = 0.95,
        var.type = c("aalen", "greenwood"),
        ci.fun = c("log", "linear", "arcsin"), ...)
```

Arguments

<code>object</code>	An object of class <code>mvna</code>
<code>times</code>	Time-points at which one wants the estimates
<code>tr.choice</code>	A vector of character giving for which transitions one wants estimates. By default, the function will give the Nelson-Aalen estimates for all transitions.
<code>level</code>	Level of the pointwise confidence intervals. Default is 0.95.
<code>var.type</code>	Variance estimator displayed and used to compute the pointwise confidence intervals. One of "aalen" or "greenwood". Default is "aalen".
<code>ci.fun</code>	Which transformation to apply for the confidence intervals. Choices are "linear", "log" or "arcsin". Default is "log".
...	Other arguments to predict

Value

Returns a list named after the possible transitions, *e.g.* if we define a multistate model with two possible transitions: from state 0 to state 1, and from state 0 to state 2, the returned list will have two parts named "0 1" and "0 2". Each part contains a data.frame with columns:

<code>times</code>	Time points specified by the user.
<code>na</code>	Nelson-Aalen estimates at the specified times.
<code>var.aalen</code> or <code>var.greenwood</code>	Depending on what was specified in <code>var.type</code> .
<code>lower</code>	Lower bound of the pointwise confidence intervals.
<code>upper</code>	Upper bound.

Author(s)

Arthur Allignol, <arthur.allignol@gmail.com>

References

Andersen, P.K., Borgan, O., Gill, R.D. and Keiding, N. (1993). *Statistical models based on counting processes*. Springer Series in Statistics. New York, NY: Springer.

See Also

[mvna](#), [summary.mvna](#)

Examples

```

data(sir.cont)

# Modification for patients entering and leaving a state
# at the same date
sir.cont <- sir.cont[order(sir.cont$id, sir.cont$time), ]
for (i in 2:nrow(sir.cont)) {
  if (sir.cont$id[i]==sir.cont$id[i-1]) {
    if (sir.cont$time[i]==sir.cont$time[i-1]) {
      sir.cont$time[i-1] <- sir.cont$time[i-1] - 0.5
    }
  }
}

# Matrix of logical giving the possible transitions
tra <- matrix(ncol=3,nrow=3, FALSE)
tra[1, 2:3] <- TRUE
tra[2, c(1, 3)] <- TRUE

# Computation of the Nelson-Aalen estimates
na <- mvna(sir.cont,c("0","1","2"),tra,"cens")

# Using predict
predict(na,times=c(1,5,10,15))

```

print.mvna

Print method for 'mvna' object

Description

Print method for an object of class `mvna`. It prints estimates of the cumulative hazard along with estimates of the variance described in eq. (4.1.6) and (4.1.7) of Andersen et al. (1993) at several time points obtained with the quantile function.

Usage

```
## S3 method for class 'mvna'
print(x, ...)
```

Arguments

- | | |
|------------------|--------------------------------------|
| <code>x</code> | An object of class <code>mvna</code> |
| <code>...</code> | Other arguments for print method |

Value

No value returned.

Author(s)

Arthur Allignol, <arthur.allignol@fdm-freiburg.de>

See Also

[mvna](#)

sir.adm

Pneumonia on admission in intensive care unit patients

Description

Pneumonia status on admission for intensive care unit (ICU) patients, a random sample from the SIR-3 study.

Usage

```
data(sir.adm)
```

Format

The data contains 747 rows and 4 variables:

- id:** Randomly generated patient id
- pneu:** Pneumonia indicator. 0: No pneumonia, 1: Pneumonia
- status** Status indicator. 0: censored observation, 1: discharged, 2: dead
- time:** Follow-up time in day
- age:** Age at inclusion
- sex:** Sex. F for female and M for male

Source

Beyersmann, J., Gastmeier, P., Grundmann, H., Baerwolff, S., Geffers, C., Behnke, M., Rueden, H., and Schumacher, M. Use of multistate models to assess prolongation of intensive care unit stay due to nosocomial infection. *Infection Control and Hospital Epidemiology*, 27:493-499, 2006.

Examples

```
# data set transformation
data(sir.adm)
id <- sir.adm$id
from <- sir.adm$pneu
to <- ifelse(sir.adm$status==0,"cens",sir.adm$status+1)
times <- sir.adm$time
dat.sir <- data.frame(id,from,to,time=times)

# Possible transitions
```

```

tra <- matrix(ncol=4,nrow=4, FALSE)
tra[1:2,3:4] <- TRUE

na.pneu <- mvna(dat.sir,c("0","1","2","3"),
                 tra,"cens")

if(require("lattice")) {
  xyplot(na.pneu,tr.choice=c("0 2","1 2","0 3","1 3"),
         aspect=1,strip=strip.custom(bg="white",
         factor.levels=c("No pneumonia on admission -- Discharge",
                         "Pneumonia on admission -- Discharge",
                         "No pneumonia on admission -- Death",
                         "Pneumonia on admission -- Death"),
         par.strip.text=list(cex=0.9)),
         scales=list(alternating=1),xlab="Days",
         ylab="Nelson-Aalen esimates")
}

```

sir.cont

Ventilation status in intensive care unit patients

Description

Time-dependent ventilation status for intensive care unit (ICU) patients, a random sample from the SIR-3 study.

Usage

```
data(sir.cont)
```

Format

A data frame with 1141 rows and 6 columns:

- id:** Randomly generated patient id
- from:** State from which a transition occurs
- to:** State to which a transition occurs
- time:** Time when a transition occurs
- age:** Age at inclusion
- sex:** Sex. F for female and M for male

The possible states are:

- 0: No ventilation
- 1: Ventilation
- 2: End of stay.

And cens stands for censored observations.

Details

This data frame consists in a random sample of the SIR-3 cohort data. It focuses on the effect of ventilation on the length of stay (combined endpoint discharge/death). Ventilation status is considered as a transient state in an illness-death model.

The data frame is directly formated to be used with the `mvna` function, i.e., it is transition-oriented with one row per transition.

Source

Beyersmann, J., Gastmeier, P., Grundmann, H., Baerwolff, S., Geffers, C., Behnke, M., Rueden, H., and Schumacher, M. Use of multistate models to assess prolongation of intensive care unit stay due to nosocomial infection. *Infection Control and Hospital Epidemiology*, 27:493-499, 2006.

Examples

```
data(sir.cont)

# Matrix of possible transitions
tra <- matrix(ncol=3,nrow=3, FALSE)
tra[1, 2:3] <- TRUE
tra[2, c(1, 3)] <- TRUE

# Modification for patients entering and leaving a state
# at the same date
sir.cont <- sir.cont[order(sir.cont$id, sir.cont$time), ]
for (i in 2:nrow(sir.cont)) {
  if (sir.cont$id[i]==sir.cont$id[i-1]) {
    if (sir.cont$time[i]==sir.cont$time[i-1]) {
      sir.cont$time[i-1] <- sir.cont$time[i-1] - 0.5
    }
  }
}

# Computation of the Nelson-Aalen estimates
na.cont <- mvna(sir.cont,c("0","1","2"),tra,"cens")

if (require("lattice")) {
  xyplot(na.cont,tr.choice=c("0 2","1 2"),aspect=1,
         strip=strip.custom(bg="white",
                           factor.levels=c("No ventilation -- Discharge/Death",
                                         "Ventilation -- Discharge/Death"),
                           par.strip.text=list(cex=0.9)),
         scales=list(alternating=1),xlab="Days",
         ylab="Nelson-Aalen estimates")
}
```

summary.mvna*Summary method for objects of class 'mvna'*

Description

Summary method for `mvna` objects. The function returns a list containing the cumulative transition hazards, variance and other informations.

Usage

```
## S3 method for class 'mvna'
summary(object, level = 0.95,
        var.type = c("aalen", "greenwood"),
        ci.fun = c("log", "linear", "arcsin"), ...)

## S3 method for class 'mvna'
print.summary(x, ...)
```

Arguments

<code>object</code>	An object of class <code>mvna</code> .
<code>level</code>	Level of the pointwise confidence interval. Default is 0.95.
<code>var.type</code>	Which of the "aalen" or "greenwood" variance estimator should be displayed and used to compute the pointwise confidence intervals. Default is "aalen".
<code>ci.fun</code>	Which transformation to apply to the confidence intervals. One of "linear", "log", "arcsin". Default is "log".
<code>...</code>	Further arguments.
<code>x</code>	An object of class <code>summary.mvna</code> .

Value

Returns an object of class `mvna` which is a list of data frames named after the possible transitions. Each data frame contains the following columns:

<code>time</code>	Event times at which the cumulative hazards are estimated.
<code>na</code>	Estimated cumulative transition hazards.
<code>var.aalen</code> or <code>var.greenwood</code>	Variance estimates. The name depends on the <code>var.type</code> argument. Default will be <code>var.aalen</code> .
<code>lower</code>	Lower bound of the pointwise confidence interval.
<code>upper</code>	Upper bound.
<code>n.risk</code>	Number of individuals at risk of experiencing an event just before t .
<code>n.event</code>	Number of transitions at time t .

Author(s)

Arthur Allignol, <arthur.allignol@gmail.com>

See Also

[mvna](#)

Examples

```
data(sir.adm)

## data set transformation
data(sir.adm)
id <- sir.adm$id
from <- sir.adm$pneu
to <- ifelse(sir.adm$status==0,"cens",sir.adm$status+1)
times <- sir.adm$time
dat.sir <- data.frame(id,from,to,time=times)

## Possible transitions
tra <- matrix(ncol=4,nrow=4, FALSE)
tra[1:2,3:4] <- TRUE

na.pneu <- mvna(dat.sir,c("0","1","2","3"),
                  tra,"cens")

summ.na.pneu <- summary(na.pneu)

## cumulative hazard for 0 -> 2 transition:
summ.na.pneu$"0 2"$na
```

xyplot.mvna

Panel plots for object of class 'mvna'

Description

xyplot function for objects of class `mvna`. Estimates of the cumulative hazards are plotted as a function of time for all the transitions specified by the user. The function can also plot several types of pointwise confidence interval (see Andersen et al. (1993) p.208).

Usage

```
## S3 method for class 'mvna'
xyplot(x, data = NULL, xlab = "Time",
       ylab = "Cumulative Hazard", tr.choice = "all",
       conf.int = TRUE, var.type = c("aalen", "greenwood"),
       ci.fun = c("log", "linear", "arcsin"), level = 0.95,
       col = c(1, 1, 1), lty = c(1, 3, 3),
       ci.type = c(1, 2), ...)
```

Arguments

x	An object of class <code>mvna</code> .
data	<i>Useless.</i>
xlab	x-axis label. Default is "Time".
ylab	y-axis label. Default is "Cumulative Hazard"
tr.choice	A character vector of the form <code>c("from to", "from to")</code> specifying which transitions should be plotted. Default is "all".
conf.int	A logical whether plot pointwise confidence interval. Default is TRUE
var.type	One of "aalen" or "greenwood". Specifies which variance estimator is used to compute the confidence intervals.
ci.fun	One of "log", "linear" or "arcsin". Indicates the transformation applied to the pointwise confidence intervals. Default is "log".
level	Level of the confidence interval. Default is 0.95.
col	Vector of colour for the plot. Default is black.
lty	Vector of line type. Default is <code>c(1, 3, 3)</code> .
ci.type	<i>DEPRECATED</i>
...	Other arguments for <code>xyplot</code> .

Value

An object of class `trellis`.

Note

These plots are highly customizable, see [Lattice](#) and [xyplot](#). For example, if one want to change strip background color and the title of each strip, it can be added `'strip=strip.custom(bg="a color", factor.levels="a title", "another title")'`. One can use `'aspect="1"` to get the size of the panels isometric.

Author(s)

Arthur Allignol, <arthur.allignol@fdm-freiburg.de>

References

Andersen, P.K., Borgan, O., Gill, R.D. and Keiding, N. (1993). *Statistical models based on counting processes*. Springer Series in Statistics. New York, NY: Springer.

Deepayan Sarkar (2006). lattice: Lattice Graphics. R package version 0.13-8.

See Also

[xyplot](#), [mvna](#), [sir.adm](#), [sir.cont](#)

Index

- * **aplot**
 - lines.mvna, 2
- * **datasets**
 - abortion, 2
 - sir.adm, 11
 - sir.cont, 12
- * **hplot**
 - plot.mvna, 6
 - xyplot.mvna, 15
- * **print**
 - print.mvna, 10
- * **survival**
 - abortion, 2
 - lines.mvna, 2
 - mvna, 4
 - plot.mvna, 6
 - predict.mvna, 8
 - print.mvna, 10
 - sir.adm, 11
 - sir.cont, 12
 - summary.mvna, 14
 - xyplot.mvna, 15
- abortion, 2
- Lattice, 16
- legend, 7
- lines.mvna, 2
- mvna, 3, 4, 8, 9, 11, 15, 16
- plot.mvna, 3, 6
- predict.mvna, 8
- print.mvna, 10
- print.summary.mvna (summary.mvna), 14
- sir.adm, 6, 11, 16
- sir.cont, 6, 12, 16
- summary.mvna, 9, 14
- xyplot, 16
- xyplot.mvna, 15