

Package ‘transformer’

November 10, 2023

Title Implementation of Transformer Deep Neural Network with Vignettes

Version 0.2.0

Description Transformer is a Deep Neural Network Architecture based i.a. on the Attention mechanism (Vaswani et al. (2017) <[doi:10.48550/arXiv.1706.03762](https://doi.org/10.48550/arXiv.1706.03762)>).

License MIT + file LICENSE

Encoding UTF-8

RoxigenNote 7.2.3

Imports attention (>= 0.4.0)

Suggests covr, testthat (>= 3.0.0)

Config/testthat.edition 3

NeedsCompilation no

Author Bastiaan Quast [aut, cre] (<<https://orcid.org/0000-0002-2951-3577>>)

Maintainer Bastiaan Quast <bquast@gmail.com>

Repository CRAN

Date/Publication 2023-11-10 12:30:02 UTC

R topics documented:

feed_forward	2
layer_norm	2
multi_head	3
row_means	3
row_vars	4
transformer	4

Index

6

feed_forward

Feed Forward Layer

Description

Feed Forward Layer

Usage

```
feed_forward(x, dff, d_model)
```

Arguments

x	inputs
dff	dimensions of feed-forward model
d_model	dimensions of the model

Value

output of the feed-forward layer

layer_norm

Layer Normalization

Description

Layer Normalization

Usage

```
layer_norm(x, epsilon = 1e-06)
```

Arguments

x	inputs
epsilon	scale

Value

outputs of layer normalization

<code>multi_head</code>	<i>Multi-Headed Attention</i>
-------------------------	-------------------------------

Description

Multi-Headed Attention

Usage

```
multi_head(Q, K, V, d_model, num_heads, mask = NULL)
```

Arguments

<code>Q</code>	queries
<code>K</code>	keys
<code>V</code>	values
<code>d_model</code>	dimensions of the model
<code>num_heads</code>	number of heads
<code>mask</code>	optional mask

Value

multi-headed attention outputs

<code>row_means</code>	<i>Row Means</i>
------------------------	------------------

Description

Row Means

Usage

```
row_means(x)
```

Arguments

<code>x</code>	matrix
----------------	--------

Value

vector with the mean of each of row of the input matrix

Examples

```
row_means(t(matrix(1:5)))
```

row_vars*Row Variances***Description**

Row Variances

Usage`row_vars(x)`**Arguments**

<code>x</code>	matrix
----------------	--------

Value

vector with the variance of each of row of the input matrix

Examples`row_vars(t(matrix(1:5)))`**transformer***Transformer***Description**

Transformer

Usage`transformer(x, d_model, num_heads, dff, mask = NULL)`**Arguments**

<code>x</code>	inputs
<code>d_model</code>	dimensions of the model
<code>num_heads</code>	number of heads
<code>dff</code>	dimensions of feed-forward model
<code>mask</code>	optional mask

Value

output of the transformer layer

Examples

```
x <- matrix(rnorm(50 * 512), 50, 512)
d_model <- 512
num_heads <- 8
dff <- 2048

output <- transformer(x, d_model, num_heads, dff)
```

Index

feed_forward, [2](#)

layer_norm, [2](#)

multi_head, [3](#)

row_means, [3](#)

row_vars, [4](#)

transformer, [4](#)