

Package ‘ztype’

January 20, 2025

Type Package

Title Run a Ztype Game Loaded with R Functions

Version 0.1.0

Author Vincent Guyader

Maintainer Vincent Guyader <vincent@thinkr.fr>

Description How fast can you type R functions on your keyboard? Find out by running a 'zty.pe' game: export R functions as instructions to type to destroy opponents vessels.

License GPL-3

LazyData TRUE

Imports magrittr, rvest, stats, stringr, utils, dplyr, ggplot2,
lubridate, assertthat

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-12-23 00:24:28

Contents

gen_game	2
gen_set_of_levels	2
gen_set_of_words	3
level	3
ztype	4

Index

6

gen_game

*gen_game***Description**

generate a ZType game by pushing a set of levels on the website.

Usage

```
gen_game(set_of_levels, open = FALSE)
```

Arguments

set_of_levels	the set of levels to use
open	boolean open browser

Examples

```
## Not run:
require(ztype)
require(magrittr)
c("dplyr", "ggplot2", "lubridate") %>% gen_set_of_words() %>%
  gen_set_of_levels(10) %>%
  gen_game() %>% browseURL()

## End(Not run)
```

gen_set_of_levels

*gen_set_of_levels***Description**

generate a set of levels with increasing difficulty

Usage

```
gen_set_of_levels(set_of_words, nb = 25)
```

Arguments

set_of_words	a sorted vector of the collection of words to use
nb	the number of levels to generate

Examples

```
require(ztype)
require(magrittr)
c("dplyr","ggplot2","lubridate") %>% gen_set_of_words() %>%
gen_set_of_levels(10) %>% cat()
```

gen_set_of_words *gen_set_of_words*

Description

extracts all function names from a given list of packages

Usage

```
gen_set_of_words(packages)
```

Arguments

packages character vector. package(s) to parse and extract function names from

Value

a character vector

Examples

```
## Not run:
require(ztype)
require(magrittr)
c("dplyr","ggplot2","lubridate") %>% gen_set_of_words()

## End(Not run)
```

level *level*

Description

generates a collection of words to build a ZType game level

Usage

```
level(set_of_words, quantity, difficulty)
```

Arguments

<code>set_of_words</code>	a sorted vector of the collection of words to use
<code>quantity</code>	an integer the number of words to pick in
<code>difficulty</code>	an integer reflecting the level's difficulty

Examples

```
require(ztype)
require(magrittr)
c("dplyr", "ggplot2", "lubridate") %>% gen_set_of_words() %>% level(10,50)
```

`ztype`

ztype

Description

How fast can you type R functions on your keyboard? Find out by running a 'zty.pe' game: export R functions as instructions to type to destroy opponents vessels.

launch a ZType game using function names of R packages

Usage

```
ztype(packages = c("dplyr", "ggplot2", "lubridate"), nb = 25)
```

Arguments

<code>packages</code>	a vector containing installed packages from which extract function names
<code>nb</code>	number of levels to design in the ZType game

Examples

```
## Not run:
require(ztype)
require(magrittr)
ztype() # dplyr, ggplot2 and lubridate
c("lubridate") %>% ztype()

## End(Not run)
```

```
## Not run:
require(ztype)
require(magrittr)
ztype()# dplyr, ggplot2 and lubridate
c("lubridate") %>% ztype()
```

ztype

5

End(Not run)

Index

gen_game, [2](#)
gen_set_of_levels, [2](#)
gen_set_of_words, [3](#)

level, [3](#)

ztype, [4](#)
ztype-package (ztype), [4](#)